

Alternative Health Distribution Customer:

Test Conditions: 15°C

Extraction Technician: CQ

Address: 105 Oakpark Dr. Suite A

Mooresville, NC 28115

Sample ID: D8+CBG Gummy

Edible Matrix:

22K0074-05 Labnumber:


Total mass or volume per unit (g or mL): 2.8211

Cannabinoid Profile

Analysis Extraction Date(s) Date(s) 11/16/2022 11/16/2022

| Analytical Chemist: SH | | | 11/16/2022 | 11/16/2022 |
|---|------------|---------|------------|------------|
| Cannabinoids (HPLC) | | Results | | |
| | LOD (mg/g) | % | mg/g | mg/Gummy |
| Cannabidivarin (CBDV) | <0.060 | V V | | |
| Cannabidiolic Acid (CBD-A) | <0.060 | | | |
| Cannabigerolic Acid (CBG-A) | <0.060 | | | |
| Cannabigerol (CBG) | | 0.46 | 4.57 | 12.9 |
| Cannabidiol (CBD) | | 0.006 | 0.062 | 0.176 |
| Tetrahydrocannabivarin (THCV) | <0.060 | | | |
| Cannabinol (CBN) | <0.060 | | | |
| Cannabichromene (CBC) | <0.060 | | | |
| delta 9-Tetrahydrocannabinol (THC) | | 0.08 | 0.783 | 2.21 |
| delta-9-Tetrahydrocannabinolic Acid (THC-A) | <0.10 | | | |
| delta 8-Tetrahydrocannabinol | | 0.50 | 5.04 | 14.2 |
| (6aR,9S)-delta-10-THC | <0.10 | | l-110 | 00 |
| (6aR,9R)-delta-10-THC | <0.10 | 3 U.I. | | |
| Cannabinoids Total | | % | | mg/g |
| Max Active THC (delta-9-tetrahydrocannabinol) | | 0.08 | | 0.78 |
| Max Active CBD | | 0.01 | | 0.06 |
| Total Cannabinoids | | 1.05 | | 10.50 |

Following USDA guidelines on uncertainty, Altitude Consulting's uncertainty is calculated to be +/- 3% for all cannabinoids using a coverage factor of 2 (95% confidence interval). Measurement uncertainty has not been factored into reported values. Blank results indicate the compound was below the limit of detection





Reporting Limits will vary based on sample extraction weight used for the analysis.

The results of this report are based solely on the sample submitted and cannot be reproduced. Decision Rule: Measurement uncertainty is not accounted for in the reported values. Results are based solely on calculated numbers. Altitude Consulting makes no Statements of conformity. Pesticide, metal, and microbial analyses are subcontracted to ISO 17025 laboratories.