

ULTIMATE TRADIE PACK 2021 SPEC

FULL SPEC

TARE: 1480 KG GVM: 3200 KG PAYLOAD: 1720 KG

TOTAL SIZE: L 4500 MM X W 2100 MM X H 2220 MM

2450 MM X 1500 MM (8 FT X 5 FT) MAIN SECTION

100MM X 50MM X 4MM RHS HOT DRIPPED GAL TUBING CHASSIS

GALVANISED MAIN BODY W/CNC CUT PANELING, FRAMING. AND FIXTURES

POWDER-COATED INSIDE AND OUT - MANY COLORS TO CHOOSE

FRONT TOOLBOX WITH FRIDGE SLIDE AND SHELVES

DRAWERS AND SHELVES FITTED IN THE PASSENGER SIDE OF THE MAIN SECTION

TWO DEEP TRUNDLE DRAWERS AT REAR - APPROX. 1800 MM DEEP

FOUR SHELVES INSTALLED ON THE REAR OF THE TRAILER

HEAVY-DUTY DRAWER HARDWARE THROUGHOUT

HEAVY-DUTY ROOF RACK WITH REAR ROLLER FOR ASSISTING WITH HEAVY LIFTS

BUILT-IN LADDER FOR ACCESSING ROOF RACK

REMOVABLE ROOF SUPPORT RACK AT THE FRONT FOR LONG LENGTHS

HEAVY-DUTY 8 LEAF SPRINGS WITH ROLLER ROCKER

50MM SOLID AXLES WITH 12-INCH DRUM BRAKES -BOTH AXLES BRAKED

16" 6 STUD LANDCRUISER ALLOY WHEELS -INCLUDING A MATCHING SPARE TYRE SIZE: 265/75R16

HEAVY-DUTY T-HANDLES THROUGHOUT - ALL KEYED ALIKE - CENTRAL LOCKING KIT

SLIMLINE L.E.D. TAILLIGHTS - A DISTINCTIVE AND UNIQUE DESIGN

STANDARD

DUAL BATTERY SYSTEM - 2X 100AH AGM DEEP CYCLE BATTERIES

2000 WATT PURE SINE WAVE INVERTER WITH BUILT-IN CHARGER

TWO 75-WATT SOLAR PANELS INSTALLED ON A DRAWER SYSTEM ON THE ROOF

EXTERNAL 15 AMP 240-VOLT PLUG-IN FOR CHARGING FROM MAINS POWER

EXTERNAL 240-VOLT POWERPOINT FOR RUNNING EXTENSION LEADS TO JOB SITE

INTERNAL 240-VOLT DOUBLE POWERPOINT FOR CHARGING DEVICES AND BATTERIES

FULL CENTRAL LOCKING KIT ON ALL 8 LOCKS - INCL ALARM SYSTEM

L.E.D. LIGHTING INSTALLED INTERNALLY AND EXTERNALLY

FULL SWITCHBOARD WITH A VOLTMETER, USB, 12 VOLT, AND SWITCHES

90 LITRE FRESHWATER TANK WITH 12-VOLT WATER PUMP FITTED

EXTRAS

SIGNWRITING - FROM SMALL LOGO TO FULL TRAILER WRAP

UPGRADED ELECTRICAL SYSTEM FOR MORE POWER

GPS TRACKING

MARINE CARPET INSTALLED

ARB 69L ZERO DUAL-ZONE FRIDGE FREEZER

HUNDREDS OF COLORS TO CHOICE





SALES@TRAILERTECHAU.COM.AU R / 0417 088 69 WWW.TRAILERTECHAU.COM.AU - GOLD COAST, AUS