



## Torwell Conductive 3D Printer Filament

**Conductive filament** is combined with graphite & ABS. It could used for eliminate static electricity, and performace excellent on anti-static electricity. It apply widely as anti-static turnover box , IC and LCD trays, IC packaging ,wafer carriers, film bags etc. in the field of integrated circuits, chips, sensors and other sophisticated electronic components, semi-conductive shielding material in medium and high voltage cables , and so on.

### Specifications:

Material	Conductive ABS
Color	Black
Diameter	1.75mm / 3.00mm
Weight Filament	1kg
Resistivity	$10^{5-6} \Omega \cdot m$
Print temperature	210 - 250°C
Compatible with	Makerbot, UP, Cubify, Leapfrog Creatr, Builder, Felix, Reprap, Ultimaker and any other FDM 3D printers
Package	1kg/spool; 8spools/ctn sealed plastic bag with desiccants

### TORWELL TECHNOLOGIES CO., LTD

Tel: +86-755-89487875 Fax: +86-755-89487876 Email: [info@torwell3d.com](mailto:info@torwell3d.com)

Add: 3F, D Bld, Tianshui Tech Park, Weitai Rd, Shiyan, Shenzhen, China



拓为科技

**Torwell Technologies Co., Ltd**

TEL: 86-755-89487875

FAX: 86-755-89487876

Website: [www.torwell3d.com](http://www.torwell3d.com)

---

## Filament Show:



**TORWELL TECHNOLOGIES CO., LTD**

Tel: +86-755-89487875 Fax: +86-755-89487876 Email: [info@torwell3d.com](mailto:info@torwell3d.com)

Add: 3F, D Bld, Tianshui Tech Park, Weitai Rd, Shiyan, Shenzhen, China



## Application




Makerbot



UP



Cubify



Reprap

Torwell Conductive ABS 3D filament suitable for a variety of 3D printer, Makerbot, UP, Cubify, Leapfrog, Reprap, Ultimaker, Mendel, Prusa, Huxley, and any other FDM 3D printer.

### **TORWELL TECHNOLOGIES CO., LTD**

Tel: +86-755-89487875 Fax: +86-755-89487876 Email: [info@torwell3d.com](mailto:info@torwell3d.com)

Add: 3F, D Bld, Tianshui Tech Park, Weitai Rd, Shiyan, Shenzhen, China




# Torwell Technologies Co., Ltd

TEL: 86-755-89487875 FAX: 86-755-89487876 Website: [www.torwell3d.com](http://www.torwell3d.com)

## Spool:

1kg spool:  
Diameter 200mm + inner hub 53mm



Unit: mm

## Package:

Individual box package with vacuum sealed PE bag  
Net weight: 1kg/spool; Gross weight: 1.5kg per box  
8kgs per carton; Carton size: 43x43x19cm



## Storage:

Conductive filament shall be kept in clean, dry and dark place. ABS filament shall avoid direct contact with water.

### TORWELL TECHNOLOGIES CO., LTD

Tel: +86-755-89487875 Fax: +86-755-89487876 Email: [info@torwell3d.com](mailto:info@torwell3d.com)

Add: 3F, D Bld, Tianshui Tech Park, Weitai Rd, Shiyan, Shenzhen, China