

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
Issue date: 1/26/2024 Version: 1.0

SECTION 1: Identification

1.1. Identification

Product form : Mixture
Product name : THE SIREN'S SECRET FRAGRANCE OIL
Product code : DDFO2387

1.2. Recommended use and restrictions on use

No additional information available

1.3. Supplier

Black Tie Barn LLC
1317 E County Road H
Suite E
Liberty, MO 64068
<https://www.blacktiebarn.com>

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture


GHS US classification

Serious eye damage/eye irritation, Category 2	H319	Causes serious eye irritation.
Skin sensitisation, Category 1	H317	May cause an allergic skin reaction.

Full text of H-statements: see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labelling

Hazard pictograms (GHS US) : 

Signal word (GHS US) : Warning

Hazard statements (GHS US) : H317 - May cause an allergic skin reaction.
H319 - Causes serious eye irritation.

Precautionary statements (GHS US) : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
P264 - Wash hands, forearms and face thoroughly after handling. P272 - Contaminated work clothing must not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P302+P352 - If on skin: Wash with plenty of water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P321 - Specific treatment (see supplemental first aid instruction on this label).

THE SIREN'S SECRET FRAGRANCE OIL

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P363 - Wash contaminated clothing before reuse.

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
alpha-Hexylcinnamaldehyde	CAS-No.: 101-86-0	10–15	Skin Sens. 1B, H317
benzyl benzoate	CAS-No.: 120-51-4	5–10	Acute Tox. 4 (Oral), H302
Linalool	CAS-No.: 78-70-6	1 – 5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
3,7-Dimethyl-1,6-nonadien-3-ol	CAS-No.: 10339-55-6	1 – 5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2, H319
2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol	CAS-No.: 63500-71-0	1 – 5	Eye Irrit. 2, H319
Linalool oxide	CAS-No.: 1365-19-1	1 – 5	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319
p-Anisyl acetate	CAS-No.: 104-21-2	1 – 5	Skin Sens. 1B, H317
alpha-Terpineol	CAS-No.: 98-55-5	1 – 5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2, H319
geraniol	CAS-No.: 106-24-1	0.5–1	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Allyl cyclohexanepropionate	CAS-No.: 2705-87-5	0.1 – 0.5	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Sens. 1, H317

Full text of hazard classes and H-statements : see section 16

THE SIREN'S SECRET FRAGRANCE OIL

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

No additional information available

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
------------------------------	--

5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of fire	: Toxic fumes may be released.
--	--------------------------------

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
--------------------------------	--

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures	: Ventilate spillage area.
----------------------	----------------------------

6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
----------------------	---

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Take up liquid spill into absorbent material.
Other information	: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

THE SIREN'S SECRET FRAGRANCE OIL

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

THE SIREN'S SECRET FRAGRANCE OIL

No additional information available

2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol (63500-71-0)

No additional information available

Linalool oxide (1365-19-1)

No additional information available

Linalool (78-70-6)

No additional information available

Allyl cyclohexanepropionate (2705-87-5)

No additional information available

p-Anisyl acetate (104-21-2)

No additional information available

alpha-Terpineol (98-55-5)

No additional information available

benzyl benzoate (120-51-4)

No additional information available

3,7-Dimethyl-1,6-nonadien-3-ol (10339-55-6)

No additional information available

geraniol (106-24-1)

No additional information available

alpha-Hexylcinnamaldehyde (101-86-0)

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.
Environmental exposure controls : Avoid release to the environment.

THE SIREN'S SECRET FRAGRANCE OIL

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Mixture contains one or more component(s) which have the following colour(s): Colourless Colourless to light yellow Light yellow to colourless On exposure to air: yellow-brown White Light yellow Colourless to yellow
Odour	: There may be no odour warning properties, odour is subjective and inadequate to warn of overexposure. Mixture contains one or more component(s) which have the following odour: Characteristic odour Strong odour Floral odour Fruity odour Almond odour Mild odour Pleasant odour Aromatic odour Sweet odour
Odour threshold	: No data available
pH	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 200 °F
Relative evaporation rate (butylacetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapour pressure	: No data available
Relative vapour density at 20°C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive limits	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available

THE SIREN'S SECRET FRAGRANCE OIL

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol (63500-71-0)

LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: EU Method B.1 (Acute Toxicity (Oral)), Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rat	> 2000 mg/kg Source: HSDB
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)

Linalool oxide (1365-19-1)

ATE US (oral)	1750 mg/kg bodyweight
ATE US (dermal)	2500 mg/kg bodyweight

Linalool (78-70-6)

LD50 oral rat	2790 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	5610 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Experimental value, Dermal, 7 day(s))
ATE US (oral)	2790 mg/kg bodyweight
ATE US (dermal)	5610 mg/kg bodyweight

THE SIREN'S SECRET FRAGRANCE OIL

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Allyl cyclohexanepropionate (2705-87-5)	
LD50 oral rat	585 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 480 - 714
LD50 dermal rabbit	1600 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 95% CL: 430 - 2770
ATE US (oral)	480 mg/kg bodyweight
ATE US (dermal)	1600 mg/kg bodyweight
ATE US (gases)	4500 ppmv/4h
ATE US (vapours)	11 mg/l/4h
ATE US (dust,mist)	1.5 mg/l/4h
alpha-Terpineol (98-55-5)	
LD50 oral rat	4300 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male, Oral)
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Read-across)
ATE US (oral)	4300 mg/kg bodyweight
benzyl benzoate (120-51-4)	
LD50 oral rat	> 2000 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 2000 mg/kg bw/day (Modification of Draize 1959 method, 4 h, Rabbit, Experimental value, Dermal)
ATE US (oral)	1500 mg/kg bodyweight
ATE US (dermal)	4000 mg/kg bodyweight
3,7-Dimethyl-1,6-nonadien-3-ol (10339-55-6)	
LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit, Guideline: other:no indication
LC50 Inhalation - Rat	> 1 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
ATE US (oral)	5000 mg/kg bodyweight
geraniol (106-24-1)	
LD50 oral rat	3600 mg/kg bodyweight (Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 5000 mg/kg (Rabbit, Experimental value, Dermal, 14 day(s))
ATE US (oral)	3600 mg/kg bodyweight
alpha-Hexylcinnamaldehyde (101-86-0)	
LD50 oral rat	2450 – 3750 mg/kg
LD50 dermal rabbit	> 3000 mg/kg
ATE US (oral)	2450 mg/kg bodyweight
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

THE SIREN'S SECRET FRAGRANCE OIL

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

geraniol (106-24-1)	
NOAEL (chronic, oral, animal/male, 2 years)	60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other:Effect type: toxicity (migrated information)

Reproductive toxicity : Not classified
STOT-single exposure : Not classified
STOT-repeated exposure : Not classified

2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol (63500-71-0)	
NOAEL (oral, rat, 90 days)	125 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents)
NOAEL (dermal, rat/rabbit, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study), Guideline: EU Method B.28 (Sub-Chronic Dermal Toxicity Test: 90-Day Repeated Dermal Dose Study Using Rodent Species)

Linalool (78-70-6)	
NOAEL (dermal, rat/rabbit, 90 days)	250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)

alpha-Terpineol (98-55-5)	
NOAEL (oral, rat, 90 days)	≥ 314 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)

benzyl benzoate (120-51-4)	
NOAEL (dermal, rat/rabbit, 90 days)	781 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)

3,7-Dimethyl-1,6-nonadien-3-ol (10339-55-6)	
NOAEL (dermal, rat/rabbit, 90 days)	250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)

geraniol (106-24-1)	
NOAEL (dermal, rat/rabbit, 90 days)	300 mg/kg bodyweight Animal: rat, Guideline: other:OECD Guideline 421 (Reproduction/Developmental Toxicity Screening test), Guideline: other:EPA OPPTS 870.3550 (Reproduction/Developmental Toxicity Screening Test)

Aspiration hazard : Not classified
Viscosity, kinematic : No data available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol (63500-71-0)	
LC50 - Fish [1]	354 mg/l Source: ECAH
EC50 - Crustacea [1]	≈ 320 mg/l Test organisms (species): Daphnia magna

Linalool (78-70-6)	
LC50 - Fish [1]	27.8 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, GLP)

THE SIREN'S SECRET FRAGRANCE OIL

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Linalool (78-70-6)	
EC50 - Crustacea [1]	59 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
ErC50 algae	156.7 mg/l (DIN 38412-9, 96 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration)
Allyl cyclohexanepropionate (2705-87-5)	
LC50 - Fish [1]	0.13 mg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	3.8 mg/l Test organisms (species): Daphnia magna
alpha-Terpineol (98-55-5)	
LC50 - Fish [1]	70 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	73 mg/l Test organisms (species): Daphnia magna
benzyl benzoate (120-51-4)	
LC50 - Fish [1]	2.32 mg/l (EU Method C.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	3.09 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
3,7-Dimethyl-1,6-nonadien-3-ol (10339-55-6)	
LC50 - Fish [1]	24 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	23 mg/l Test organisms (species): Daphnia magna
geraniol (106-24-1)	
LC50 - Fish [1]	22 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	10.8 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
ErC50 algae	13.1 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration)
alpha-Hexylcinnamaldehyde (101-86-0)	
LC50 - Fish [1]	0.169 mg/l Source: EPI SUITE

12.2. Persistence and degradability

Linalool (78-70-6)	
Persistence and degradability	Readily biodegradable in water.
alpha-Terpineol (98-55-5)	
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.
ThOD	2.9 g O ₂ /g substance
benzyl benzoate (120-51-4)	
Persistence and degradability	Readily biodegradable in water.
geraniol (106-24-1)	
Persistence and degradability	Readily biodegradable in water.

THE SIREN'S SECRET FRAGRANCE OIL

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.3. Bioaccumulative potential

2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol (63500-71-0)

Partition coefficient n-octanol/water (Log Pow)	2.16 Source: EPISUITE
---	-----------------------

Linalool (78-70-6)

Partition coefficient n-octanol/water (Log Pow)	2.84 (Experimental value, Equivalent or similar to OECD 107, 25 °C)
---	---

Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
---------------------------	--

alpha-Terpineol (98-55-5)

Partition coefficient n-octanol/water (Log Pow)	2.57 (Estimated value)
---	------------------------

Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
---------------------------	--

benzyl benzoate (120-51-4)

BCF - Fish [1]	193.4 l/kg (BCFBAF v3.01, Pisces, Calculated value)
----------------	---

Partition coefficient n-octanol/water (Log Pow)	3.97 (Experimental value, 25 °C)
---	----------------------------------

Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
---------------------------	--

geraniol (106-24-1)

Partition coefficient n-octanol/water (Log Pow)	2.6 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C)
---	---

Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
---------------------------	--

alpha-Hexylcinnamaldehyde (101-86-0)

Partition coefficient n-octanol/water (Log Pow)	4.82 Source: EPI SUITE
---	------------------------

12.4. Mobility in soil

Linalool (78-70-6)

Mobility in soil	76 Source: HSDB
------------------	-----------------

Surface tension	8.3 mN/m (20 °C, ISO 9101: Surface active agents - Determination of interfacial tension)
-----------------	--

Ecology - soil	No (test)data on mobility of the substance available.
----------------	---

Allyl cyclohexanepropionate (2705-87-5)

Mobility in soil	3.332 Source: Quantitative Structure Activity Relation
------------------	--

alpha-Terpineol (98-55-5)

Mobility in soil	1000 Source: HSDB
------------------	-------------------

benzyl benzoate (120-51-4)

Surface tension	27 mN/m (210 °C)
-----------------	------------------

Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.8 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)
--	---

Ecology - soil	Low potential for mobility in soil.
----------------	-------------------------------------

geraniol (106-24-1)

Surface tension	No data available in the literature
-----------------	-------------------------------------

Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.85 (log Koc, PCKOCWIN v1.66, Calculated value)
--	--

THE SIREN'S SECRET FRAGRANCE OIL

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

geraniol (106-24-1)

Ecology - soil	Highly mobile in soil.
----------------	------------------------

alpha-Hexylcinnamaldehyde (101-86-0)

Mobility in soil	2301 Source: EPI SUITE
------------------	------------------------

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

14.1. UN number

Not regulated for transport

14.2. UN proper shipping name

Proper Shipping Name (DOT)	: Not applicable
Proper Shipping Name (TDG)	: Not applicable
Proper Shipping Name (IMDG)	: Not applicable
Proper Shipping Name (IATA)	: Not applicable

14.3. Transport hazard class(es)

DOT
Transport hazard class(es) (DOT) : Not applicable

TDG
Transport hazard class(es) (TDG) : Not applicable

IMDG
Transport hazard class(es) (IMDG) : Not applicable

IATA
Transport hazard class(es) (IATA) : Not applicable

14.4. Packing group

Packing group (DOT)	: Not applicable
Packing group (TDG)	: Not applicable
Packing group (IMDG)	: Not applicable
Packing group (IATA)	: Not applicable

14.5. Environmental hazards

Other information : No supplementary information available.

THE SIREN'S SECRET FRAGRANCE OIL

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

14.6. Special precautions for user

DOT

No data available

TDG

No data available

IMDG

No data available

IATA

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

15.2. International regulations

CANADA

2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol (63500-71-0)

Listed on the Canadian DSL (Domestic Substances List)

Linalool oxide (1365-19-1)

Listed on the Canadian DSL (Domestic Substances List)

Linalool (78-70-6)

Listed on the Canadian DSL (Domestic Substances List)

Allyl cyclohexanepropionate (2705-87-5)

Listed on the Canadian DSL (Domestic Substances List)

p-Anisyl acetate (104-21-2)

Listed on the Canadian DSL (Domestic Substances List)

alpha-Terpineol (98-55-5)

Listed on the Canadian DSL (Domestic Substances List)

benzyl benzoate (120-51-4)

Listed on the Canadian DSL (Domestic Substances List)

THE SIREN'S SECRET FRAGRANCE OIL

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

3,7-Dimethyl-1,6-nonadien-3-ol (10339-55-6)

Listed on the Canadian DSL (Domestic Substances List)

geraniol (106-24-1)

Listed on the Canadian DSL (Domestic Substances List)

alpha-Hexylcinnamaldehyde (101-86-0)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-statements

H227	Combustible liquid
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

