

# JK TERA30 HD AXLE HOUSING



## TERA30 & TERA44 HOUSING FEATURES & BENEFITS

TeraFlex JK heavy duty replacement axles are the perfect solution for bent, broken or damaged front axles in JK Wrangler and Rubicon vehicles. The Tera30 and Tera44 offer a direct bolt-in upgrade for Jeep JK owners looking to beef up the weak areas of their front axle.

The replacement housing includes a heavy duty housing, tubes, axle bracketry, and forged inner knuckles. Pre-installed inner seals and upper control arm bushings make the upgrade seamless. Simply transfer your existing internal components, outer knuckle assembly, and brakes to the new housing!

- Forged heavy duty inner knuckles with greater upper and lower section strength
- 1/4" Thick CNC laser cut axle brackets for extreme strength
- Reinforced front trackbar mount (ties into spring pad) for greater strength
- Integrated lower flexarm skid plates
- Pre-tapped hole on spring perch for bump stop extensions
- Pre-drilled holes for limit straps and lower spring retainers
- Heavy duty ductile iron differential cover
- Axles seals pre-installed
- Pre-installed upper control arm bushings
- Retains all JK ESP, ABS & speedometer sensor capability
- Proper pinion angle for lifted JK applications
- Premium UV protected triple-stage powder coat process for superior corrosion resistance
- Ductile cast iron housing with increased rib gussets
- Smooth radius bottom design to glide over rocks & obstacles
- Asymmetric housing design, for extra long tube side strength
- Bottom oil drain hole for simple fluid changes
- Integrated factory location upper control arm mount
- 3.25" x 0.25" axle tube increases strength to resist bending and torsion with minimal weight increase
- 3.25" x 0.5" extreme duty axle tube is available on select Tera44 models
- Compatible with factory JK Rubicon locker (R44 model only)
- Includes adapter fitting for ARB and Detroit lockers (TF44 model only)
- 100% engineered, designed, and built in the USA
- 100% new components
- No Excuses warranty - 1 year, unlimited mileage



## JK FRONT TERA30 REPLACEMENT HOUSING

The Tera30 replacement housing is sold as an empty housing to reduce overall cost and is perfect for owners looking to upgrade only the axle housing. Swap over your differential w/R&P, axle shafts, outer knuckles, ball joints, and outer axle assembly (unit bearing, brakes, sensors).

### 3.25" O.D. X 1/4" WALL AXLE TUBE

JK 0"-3"	3503000	\$2130.99
JK 4"+ w/ raised pinion angle and trackbar bracket	3503004	\$2130.99

Install Time: 8 hours (includes gear setup)

## JK FRONT TERA30 HOUSING W/ R&P & ARB

The Tera30 is available with ring & pinion and an ARB air locker pre-installed to make axle swaps easier a true DIY process. Swap over axle shafts, outer knuckles, and outer axle assembly (unit bearing, brakes, sensors).

This axle housing includes an ARB air locker, R&P gears, and TeraFlex HD ball joints pre-installed!

### TERA30 AXLE 0"-3" W/ R&P & ARB

JK Front Tera30 0"-3" + 4.10 ARB	3503410	\$3999.99
JK Front Tera30 0"-3" + 4.56 ARB	3503456	\$3999.99
JK Front Tera30 0"-3" + 4.88 ARB	3503488	\$3999.99
JK Front Tera30 0"-3" + 5.13 ARB	3503513	\$3999.99

### TERA30 AXLE 4"+ W/ R&P & ARB

JK Front Tera30 4"+ + 4.10 ARB	3534410	\$3999.99
JK Front Tera30 4"+ + 4.56 ARB	3534456	\$3999.99
JK Front Tera30 4"+ + 4.88 ARB	3534488	\$3999.99
JK Front Tera30 4"+ + 5.13 ARB	3534513	\$3999.99

Install Time: 6 hours

# JK TERA44 HD AXLE HOUSING



The Tera44 replacement housing is sold as an empty housing to reduce overall cost and is perfect for owners looking to upgrade only the axle housing. Swap over your differential w/R&P, axle shafts, outer knuckles, ball joints, and outer axle assembly (unit bearing, brakes, sensors).



## JK FRONT TERA44 RUBICON REPLACEMENT HOUSING\*

### 1/4" WALL AXLE TUBE

#### R44 - FOR OEM RUBICON OR COMPATIBLE LOCKERS\*

JK 0"-3"	3544000	<b>\$2233.99</b>
JK 4"+ w/ raised pinion angle and trackbar bracket	3544004	<b>\$2233.99</b>

### 1/2" WALL AXLE TUBE

#### R44 - FOR OEM RUBICON OR COMPATIBLE LOCKERS\*

JK 0"-3"	3544052	<b>\$2417.99</b>
JK 4"+ w/ raised pinion angle and trackbar bracket	3544053	<b>\$2417.99</b>

Install Time: 8 hours (includes gear setup)

## JK FRONT TERA44 REPLACEMENT HOUSING\*\*

### 1/4" WALL AXLE TUBE

#### TF44 - FOR DANA 44 LOCKERS (NON RUBICON)\*\*

JK 0"-3"	3544200	<b>\$2315.99</b>
JK 4"+ w/ raised pinion angle and trackbar bracket	3544204	<b>\$2315.99</b>

### 1/2" WALL AXLE TUBE

#### TF44 - FOR DANA 44 LOCKERS (NON RUBICON)\*\*

JK 0"-3"	3544252	<b>\$2448.99</b>
JK 4"+ w/ raised pinion angle and trackbar bracket	3544253	<b>\$2448.99</b>

Install Time: 8 hours (includes gear setup)

The Tera44 is available with ring & pinion and an ARB or OEM Rubicon locker pre-installed to make axle swaps easier, and a true DIY process. Swap over axle shafts, outer knuckles, and outer axle assembly (unit bearing, brakes, sensors).

This axle housing includes an ARB/OEM Rubicon air locker, R&P gears, and TeraFlex HD ball joints pre-installed!

## JK FRONT TERA44 RUBICON HOUSING W/ R&P & OEM LOCKER

### TERA44 AXLE RUBICON R44 - 0"-3"

JK Front Tera44 R44 0"-3" + 4.10 OEM Locker	3504410	<b>\$3949.99</b>
JK Front Tera44 R44 0"-3" + 4.56 OEM Locker	3504456	<b>\$3949.99</b>
JK Front Tera44 R44 0"-3" + 4.88 OEM Locker	3504488	<b>\$3949.99</b>
JK Front Tera44 R44 0"-3" + 5.13 OEM Locker	3504513	<b>\$3949.99</b>
JK Front Tera44 R44 0"-3" + 5.38 OEM Locker	3504538	<b>\$3949.99</b>

### TERA44 AXLE RUBICON R44 - 4"+

JK Front Tera44 R44 4"+ 4.10 OEM Locker	3544410	<b>\$3949.99</b>
JK Front Tera44 R44 4"+ 4.56 OEM Locker	3544456	<b>\$3949.99</b>
JK Front Tera44 R44 4"+ 4.88 OEM Locker	3544488	<b>\$3949.99</b>
JK Front Tera44 R44 4"+ 5.13 OEM Locker	3544513	<b>\$3949.99</b>
JK Front Tera44 R44 4"+ 5.38 OEM Locker	3544538	<b>\$3949.99</b>

### TERA44 AXLE RUBICON R44 - 4"+ 1/2" WALL

JK Front Tera44 R44 4"+ 4.10 OEM Locker	3545341	<b>\$4049.99</b>
JK Front Tera44 R44 4"+ 4.56 OEM Locker	3545345	<b>\$4049.99</b>
JK Front Tera44 R44 4"+ 4.88 OEM Locker	3545348	<b>\$4049.99</b>
JK Front Tera44 R44 4"+ 5.13 OEM Locker	3545351	<b>\$4049.99</b>
JK Front Tera44 R44 4"+ 5.38 OEM Locker	3545353	<b>\$4049.99</b>

Install Time: 6 hours

## JK FRONT TERA44 HOUSING W/ R&P & ARB

### TERA44 AXLE TF44 - 0"-3"

JK Front Tera44 TF44 0"-3" 4.10 ARB	3542410	<b>\$3999.99</b>
JK Front Tera44 TF44 0"-3" 4.56 ARB	3542456	<b>\$3999.99</b>
JK Front Tera44 TF44 0"-3" 4.88 ARB	3542488	<b>\$3999.99</b>
JK Front Tera44 TF44 0"-3" 5.13 ARB	3542513	<b>\$3999.99</b>
JK Front Tera44 TF44 0"-3" 5.38 ARB	3542538	<b>\$3999.99</b>

### TERA44 AXLE TF44 - 4"+

JK Front Tera44 TF44 4"+ 4.10 ARB	3542441	<b>\$3999.99</b>
JK Front Tera44 TF44 4"+ 4.56 ARB	3542445	<b>\$3999.99</b>
JK Front Tera44 TF44 4"+ 4.88 ARB	3542448	<b>\$3999.99</b>
JK Front Tera44 TF44 4"+ 5.13 ARB	3542451	<b>\$3999.99</b>
JK Front Tera44 TF44 4"+ 5.38 ARB	3542453	<b>\$3999.99</b>

### TERA44 AXLE TF44 - 4"+ 1/2" WALL

JK Front Tera44 TF44 4"+ 4.10 ARB	3543410	<b>\$4099.99</b>
JK Front Tera44 TF44 4"+ 4.56 ARB	3543456	<b>\$4099.99</b>
JK Front Tera44 TF44 4"+ 4.88 ARB	3543488	<b>\$4099.99</b>
JK Front Tera44 TF44 4"+ 5.13 ARB	3543513	<b>\$4099.99</b>
JK Front Tera44 TF44 4"+ 5.38 ARB	3543538	<b>\$4099.99</b>

Install Time: 6 hours

\*Note: The R44 axle is designed to work with factory axle shafts and Rubicon locker 68017176AA or the OX D44-JKR-30. The ARB RD157 or the OX D44-JKR-35 lockers can be used with new 35 spline axle shafts.

\*\*The T44 axle is designed to work with non Rubicon Dana 44 lockers. Please consult the Tera44 axle flow chart prior to placing your order.

## TERA44 TF44 MASTER BEARING INSTALL KIT\*\*

JK Master Bearing Install Kit for TF44 Axle Housing	359745	<b>\$234.99</b>
---	--------	-----------------

## TERA44 LOCKER SENSOR PLUG & AIR LINE PLUG KIT

JK Tera44 Locker Sensor Plug & Air Line Plug Kit	4350550	<b>\$29.99</b>
JK Tera44 Locker Sensor Plug	4350448	<b>\$4.99</b>
JK Tera44 Air Line Plug Kit	4350449	<b>\$25.99</b>

# JK FRONT TERA60 UNIT BEARING AXLES



## JK FRONT TERA60 W/UNIT BEARING FEATURES

- Sealed unit bearing assembly for long term maintenance free dependability
- Retains all JK ESP, ABS & Speedometer sensor capability
- 5x5" wheel bolt pattern
- Tera60 front specific high pinion axle housing design
- Ductile cast iron housing with increased rib gussets
- Smooth radius bottom design to glide over rocks & obstacles
- Integrated factory location upper control arm mount
- Pre-installed upper control arm bushings
- 3.25" x 3/8" axle tube for superior strength vs weight
- Forged heavy duty inner knuckles with greater upper and lower section strength
- Big Brake kit with 13.3" rotors included
- 35 spline inner and outer axle shafts
- 1/4" thick CNC laser cut axle brackets for extreme strength
- Reinforced front trackbar mount (ties into spring pad) for greater strength
- Integrated lower flexarm skid plates
- Pre-tapped hole on spring perch for bump stop extensions
- Pre-drilled holes for limit straps and lower spring retainers
- Heavy duty ductile iron differential cover
- Axles Seals pre-installed
- Retains all JK ESP, ABS & speedometer sensor capability
- Proper pinion angle for lifted JK applications
- Premium UV protected triple-stage powder coat process for superior corrosion resistance
- 100% engineered, designed, and built in the USA
- 100% new components
- No Excuses warranty - 1 year, unlimited mileage

## JK FRONT TERA60 UNIT BEARING AXLES


JK Front Tera60 - No R&P, Carrier or Bearings	3690000	\$5899.99
JK Front Tera60 4.30 Super 60 ARB	3626430	\$7643.99
JK Front Tera60 4.88 Super 60 ARB	3626488	\$7643.99
JK Front Tera60 5.38 Super 60 ARB	3626538	\$7643.99

JK Front Tera60 Unit Bearing Axle Specs:  
67" WMS-WMS  
5x5" standard wheel bolt pattern (with optional 5x5.5" bolt pattern)

Install Time: 5.5 hours



# JK FRONT TERA60 LOCKING HUB AXLES



## JK FRONT TERA60 W/ LOCKING HUB FEATURES

- Sealed locking hub assembly for maximum extreme duty strength
- Retains all JK ESP, ABS & Speedometer sensor capability
- 8x6.5" wheel bolt pattern
- Tera60 front specific high pinion axle housing design
- Ductile cast iron housing with increased rib gussets
- Smooth radius bottom design to glide over rocks & obstacles
- Integrated factory location upper control arm mount
- Pre-installed upper control arm bushings
- 3.25" x 3/8" axle tube for superior strength vs weight
- Forged heavy duty inner knuckles with greater upper and lower section strength
- 1/4" thick CNC laser cut axle brackets for extreme strength
- Reinforced front trackbar mount (ties into spring pad) for greater strength
- Integrated lower flexarm skid plates
- Pre-tapped hole on spring perch for bump stop extensions
- Pre-drilled holes for limit straps and lower spring retainers
- Heavy duty ductile iron differential cover
- Big Brake kit with 13.3" rotors included
- 35 spline inner and outer axle shafts
- Axles Seals pre-installed
- Retains all JK ESP, ABS & speedometer sensor capability
- Proper pinion angle for lifted JK applications
- Premium UV protected triple-stage powder coat process for superior corrosion resistance
- 100% engineered, designed, and built in the USA
- 100% new components
- No Excuses warranty - 1 year, unlimited mileage

## JK FRONT TERA60 AXLE W/ HUBS

JK Front Tera60 - No R&P, Carrier or Bearings	3670000	\$6990.99
JK Front Tera60 4.30 Super 60 ARB	3606430	\$8899.99
JK Front Tera60 4.88 Super 60 ARB	3606488	\$8899.99
JK Front Tera60 5.38 Super 60 ARB	3606538	\$8899.99

JK Front Tera60 Full Float Axle Specs:  
67" WMS-WMS  
8 x 6.5" wheel bolt pattern

## WIDE JK FRONT TERA60 AXLE W/ HUBS

Wide JK Front Tera60 - No R&P, Carrier or Bearings	36700004	\$7190.99
Wide JK Front Tera60 4.30 Super 60 ARB	36064304	\$9099.99
Wide JK Front Tera60 4.88 Super 60 ARB	36064884	\$9099.99
Wide JK Front Tera60 5.38 Super 60 ARB	36065384	\$9099.99

JK Front Tera60 Full Float Axle Specs:  
70" WMS-WMS  
8 x 6.5" wheel bolt pattern

Install Time: 5.5 hours

# JK REAR CRD60 SEMI FLOAT AXLES



## JK REAR CRD60 SEMI FLOAT AXLE FEATURES

- Factory style semi float design
- 5x5" wheel bolt pattern
- CRD60 rear specific high pinion axle housing design
- Ductile cast iron housing with increased rib gussets
- Smooth radius bottom design to glide over rocks & obstacles
- 3.25" x 3/8" axle tube for superior strength vs weight
- 1/4" thick CNC laser cut axle brackets for extreme strength
- Reinforced rear trackbar mount with multiple mounting locations
- Integrated lower flexarm skid plates
- Pre-drilled holes for limit straps and lower spring retainers
- Heavy duty ductile iron differential cover
- Axles Seals pre-installed
- Pre-installed upper control arm bushings
- Retains all JK ESP, ABS & speedometer sensor capability
- Proper pinion angle for lifted JK applications
- Premium UV protected triple-stage powder coat process for superior corrosion resistance
- 100% engineered, designed, and built in the USA
- 100% new components
- No Excuses warranty - 1 year, unlimited mileage

## JK REAR CRD60 SEMI FLOAT AXLE

JK Rear CRD60 No R&P or Carrier	3460000	\$2210.99
JK Rear CRD60 4.30 Super 60 ARB	3446430	\$4083.99
JK Rear CRD60 4.88 Super 60 ARB	3446488	\$4083.99
JK Rear CRD60 5.38 Super 60 ARB	3446538	\$4083.99

JK Rear CRD60 Semi Float Axle Specs:  
67" WMS-WMS  
5x5" standard wheel bolt pattern (with optional 5x5.5" bolt pattern)

Install Time: 4.5 hours



# JK REAR CRD60 FULL FLOAT AXLES



## JK REAR CRD60 FULL FLOAT AXLE FEATURES

- Extreme duty full float design
- 8x6.5" wheel bolt pattern
- CRD60 rear specific high pinion axle housing design
- Ductile cast iron housing with increased rib gussets
- Smooth radius bottom design to glide over rocks & obstacles
- 3.25" x 3/8" axle tube for superior strength vs weight
- 1/4" thick CNC laser cut axle brackets for extreme strength
- Reinforced rear trackbar mount with multiple mounting locations
- Integrated lower flexarm skid plates
- Pre-drilled holes for limit straps and lower spring retainers
- Heavy duty ductile iron differential cover
- Performance big rotor kit (17" wheels required)
- Axles Seals pre-installed
- Pre-installed upper control arm bushings
- Retains all JK ESP, ABS & speedometer sensor capability
- Proper pinion angle for lifted JK applications
- Premium UV protected triple-stage powder coat process for superior corrosion resistance
- 100% engineered, designed, and built in the USA
- 100% new components
- No Excuses warranty - 1 year, unlimited mileage

## JK REAR CRD60 FULL FLOAT AXLE

JK Rear CRD60 No R&P or Carrier	3470000	\$4200.99
JK Rear CRD60 4.30 Super 60 ARB	3406430	\$5510.99
JK Rear CRD60 4.88 Super 60 ARB	3406488	\$5510.99
JK Rear CRD60 5.38 Super 60 ARB	3406538	\$5510.99

JK Rear CRD60 Full Float Axle Specs:  
67" WMS-WMS  
8 x 6.5" wheel bolt pattern

## WIDE JK REAR CRD60 FULL FLOAT AXLE

Wide JK Rear CRD60 No R&P or Carrier	34700004	\$4400.99
Wide JK Rear CRD60 4.30 Super 60 ARB	34064304	\$5710.99
Wide JK Rear CRD60 4.88 Super 60 ARB	34064884	\$5710.99
Wide JK Rear CRD60 5.38 Super 60 ARB	34065384	\$5710.99

Wide JK Rear CRD60 Full Float Axle Specs:  
70" WMS-WMS  
8 x 6.5" wheel bolt pattern

Install Time: 4.5 hours



# TJ FRONT TERA60 UNIT BEARING AXLES



## TJ FRONT TERA60 AXLE W/ UNIT BEARING FEATURES

- Sealed unit bearing assembly for long term maintenance free dependability
- 5x5.5" wheel bolt pattern
- Tera60 front specific high pinion axle housing design
- Ductile cast iron housing with increased rib gussets
- Smooth radius bottom design to glide over rocks & obstacles
- Integrated factory location upper control arm mount
- Pre-installed upper control arm bushings
- 3.25" x 3/8" axle tube for superior strength vs weight
- Forged heavy duty inner knuckles with greater upper and lower section strength
- 1/4" thick CNC laser cut axle brackets for extreme strength
- Reinforced front trackbar mount (ties into spring pad) for greater strength
- Pre-tapped hole on spring perch for bump stop extensions
- Heavy duty ductile iron differential cover
- Big Brake kit with 13.3" rotors included
- 35 spline inner and outer axle shafts
- Axles Seals pre-installed
- Proper pinion angle for lifted TJ applications
- Premium UV protected triple-stage powder coat process for superior corrosion resistance
- 100% engineered, designed, and built in the USA
- 100% new components
- No Excuses warranty - 1 year, unlimited mileage


## TJ FRONT TERA60 UNIT BEARING AXLES

TJ Front Tera60 - No R&P, Carrier or Bearings	3860000	\$5899.99
TJ Front Tera60 4.30 Super 60 ARB	3816430	\$8099.99
TJ Front Tera60 4.56 ARB	3817456	\$8099.99
TJ Front Tera60 4.88 Super 60 ARB	3816488	\$8099.99
TJ Front Tera60 5.13 ARB	3817513	\$8099.99
TJ Front Tera60 5.38 Super 60 ARB	3816538	\$8099.99

TJ Front Tera60 Unit Bearing Axle Specs:  
63.5" WMS-WMS  
5x5.5" standard wheel bolt pattern

Install Time: 5.5 hours

# TJ FRONT TERA60 LOCKING HUB AXLES



## TJ FRONT TERA60 AXLE W/ LOCKING HUB FEATURES

- Sealed locking hub assembly for extreme duty strength
- 8x6.5" wheel bolt pattern
- Tera60 front specific high pinion axle housing design
- Ductile cast iron housing with increased rib gussets
- Smooth radius bottom design to glide over rocks & obstacles
- Integrated factory location upper control arm mount
- Pre-installed upper control arm bushings
- 3.25" x 3/8" axle tube for superior strength vs weight
- Forged heavy duty inner knuckles with greater upper and lower section strength
- 1/4" thick CNC laser cut axle brackets for extreme strength
- Reinforced front trackbar mount (ties into spring pad) for greater strength
- Pre-tapped hole on spring perch for bump stop extensions
- Heavy duty ductile iron differential cover
- Big Brake kit with 13.3" rotors included
- 35 spline inner and outer axle shafts
- Axles Seals pre-installed
- Pre-installed upper control arm bushings
- Proper pinion angle for lifted TJ applications
- Premium UV protected triple-stage powder coat process for superior corrosion resistance
- 100% engineered, designed, and built in the USA
- 100% new components
- No Excuses warranty - 1 year, unlimited mileage

## TJ FRONT TERA60 AXLE W/ HUBS

TJ Front Tera60 - No R&P or Carrier	3870000	\$6990.99
TJ Front Tera60 4.30 Super 60 ARB w/ Hubs	3806430	\$8899.99
TJ Front Tera60 4.88 Super 60 ARB w/ Hubs	3806488	\$8899.99
TJ Front Tera60 5.38 Super 60 ARB w/ Hubs	3806538	\$8899.99

TJ Front Tera60 Full Float Axle Specs:  
67" WMS-WMS  
8x6.5" wheel bolt pattern

Install Time: 5.5 hours

## TJ REAR CRD60 SEMI FLOAT AXLES



### TJ REAR CRD60 SEMI FLOAT AXLE HOUSING FEATURES

- Factory style semi float design
- 5x5.5" wheel bolt pattern
- CRD60 rear specific high pinion axle housing design
- Ductile cast iron housing with increased rib gussets
- Smooth radius bottom design to glide over rocks & obstacles
- 3.25" x 3/8" axle tube for superior strength vs weight
- 1/4" thick CNC laser cut axle brackets for extreme strength
- Reinforced rear trackbar mount with multiple mounting locations
- Heavy duty ductile iron differential cover
- disc brake kit
- Axles Seals pre-installed
- Proper pinion angle for lifted TJ applications
- Premium UV protected triple-stage powder coat process for superior corrosion resistance
- 100% engineered, designed, and built in the USA
- 100% new components
- No Excuses warranty - 1 year, unlimited mileage

### TJ REAR CRD60 SEMI FLOAT AXLE

TJ Rear CRD60 No R&P or Carrier	3310100	\$2912.99
TJ Rear CRD60 No R&P or Carrier w/ Pro LCG Truss	3320100	\$2912.99
TJ Rear CRD60 4.30 Super 60 ARB	3311430	\$4511.99
TJ Rear CRD60 4.30 Super 60 ARB w/ Pro LCG Truss	3321430	\$4511.99
TJ Rear CRD60 4.56 ARB	3311456	\$4511.99
TJ Rear CRD60 4.56 ARB w/ Pro LCG Truss	3321456	\$4511.99
TJ Rear CRD60 4.88 Super 60 ARB	3311488	\$4511.99
TJ Rear CRD60 4.88 Super 60 ARB w/ Pro LCG Truss	3321488	\$4511.99
TJ Rear CRD60 5.13 ARB	3311513	\$4511.99
TJ Rear CRD60 5.13 ARB w/ Pro LCG Truss	3321513	\$4511.99
TJ Rear CRD60 5.38 Super 60 ARB	3311538	\$4511.99
TJ Rear CRD60 5.38 Super 60 ARB w/ Pro LCG Truss	3321538	\$4511.99

Install Time: 4.5 hours

TJ Rear CRD60 Semi Float Axle Specs:

63.5" WMS-WMS

5x5.5" standard wheel bolt pattern (with optional 5x4.5" bolt pattern)

## TJ REAR CRD60 FULL FLOAT AXLES



### TJ REAR CRD60 FULL FLOAT AXLE FEATURES

- Extreme duty full float design
- 8x6.5" wheel bolt pattern
- CRD60 rear specific high pinion axle housing design
- Ductile cast iron housing with increased rib gussets
- Smooth radius bottom design to glide over rocks & obstacles
- 3.25" x 3/8" axle tube for superior strength vs weight
- 1/4" thick CNC laser cut axle brackets for extreme strength
- Reinforced rear trackbar mount with multiple mounting locations
- Heavy duty ductile iron differential cover
- Performance big rotor kit w/calipers (17" wheels required)
- Axles Seals pre-installed
- Pre-installed upper control arm bushings
- Proper pinion angle for lifted TJ applications
- Premium UV protected triple-stage powder coat process for superior corrosion resistance
- 100% engineered, designed, and built in the USA
- 100% new components
- No Excuses warranty - 1 year, unlimited mileage

### TJ REAR CRD60 FULL FLOAT AXLE

TJ Rear CRD60 No R&P or Carrier	3900000	\$4600.99
TJ Rear CRD60 No R&P or Carrier w/ Pro LCG Truss	3980000	\$4600.99
TJ Rear CRD60 4.30 Super 60 ARB	3906430	\$5920.99
TJ Rear CRD60 4.30 Super 60 ARB w/ Pro LCG Truss	3916430	\$5920.99
TJ Rear CRD60 4.88 Super 60 ARB	3906488	\$5920.99
TJ Rear CRD60 4.88 Super 60 ARB w/ Pro LCG Truss	3916488	\$5920.99
TJ Rear CRD60 5.38 Super 60 ARB	3906538	\$5920.99
TJ Rear CRD60 5.38 Super 60 ARB w/ Pro LCG Truss	3916538	\$5920.99

Install Time: 4.5 hours

TJ Rear CRD60 Semi Float Axle Specs:

67" WMS-WMS

8x6.5" wheel bolt pattern