

# canadian analytical laboratories inc.

1060 Tapscott Road, Toronto, Ontario, M1X 1E7 • Tel: (416) 286-3332 • Fax: (416) 286-3685 • www.cal-laboratories.com

## CERTIFICATE OF ANALYSIS

### CUSTOMER

ANNANDA CHAGA  
65 CEDAR POINTE DRIVE, SUITE 251  
BARRIE, ON  
L4N 5R7 CANADA

### PRODUCT

CHAGA MUSHROOM TINCTURE

AR NO : 112067  
DATE : 2016-02-18  
CUST PO NO : FPBB-A11-C-001  
LOT NO : 16010  
PRN NO : A-133-001  
FILE NO :  
PAGE : Page 1 of 2

ATTN : BLAIRISH AZURE

TESTS	METHOD	SPECIFICATION	RESULTS
DESCRIPTION	CAL-002 Sep/15/08 REVISION 1	REPORT RESULT	BROWN COLOURED LIQUID
TOTAL PLATE COUNT	CURRENT USP <2021>	L.T. 100,000 CFU/G	1,655 CFU/G
E. COLI	CURRENT USP <2022>	NEGATIVE	NEGATIVE
SALMONELLA	CURRENT USP <2022>	NEGATIVE	NEGATIVE
STAPHYLOCOCCUS AUREUS	CURRENT USP <2022>	NEGATIVE	NEGATIVE
PSEUDOMONAS AERUGINOSA	CURRENT USP <62>	NEGATIVE	NEGATIVE
YEAST & MOLD	CURRENT USP <2021>	L.T. 10,000 CFU/G	L.T. 10 CFU/G
ARSENIC	CAL-024Q Sep/16/13 REVISION 2	L.T. 13.067 ppm	L.T. 0.01 ppm

Revision # : 00

CHECKED BY:

MR. ASHISH BRAHMBHATT, M.Sc., VICE PRESIDENT OF OPERATIONS

Feb 25/16

DATE


APPROVED BY:

MRS. NAHEED KAUSAR, M.Sc., B.Ed.,CQA, QUALITY ASSURANCE MANAGER

02/25/16

DATE

This report applies specifically to sample analyzed and not to the bulk. Although our analysis has been carried out to the best of our knowledge and ability, this report is issued without legal liability on our part.



# canadian analytical laboratories inc.

1060 Tapscott Road, Toronto, Ontario, M1X 1E7 • Tel: (416) 296-3332 • Fax: (416) 296-3885 • www.cal-laboratories.com

## CERTIFICATE OF ANALYSIS

**CUSTOMER**

ANNANDA CHAGA  
65 CEDAR POINTE DRIVE, SUITE 251  
BARRIE, ON  
L4N 5R7 CANADA

**PRODUCT**

CHAGA MUSHROOM TINCTURE

AR NO : 112067  
DATE : 2016-02-18  
CUST PO NO : FPBB-A11-C-001  
LOT NO : 16010  
PRN NO : A-133-001  
FILE NO :  
PAGE : Page 2 of 2

ATTN : BLAIRISH AZURE

TESTS	METHOD	SPECIFICATION	RESULTS
CADMIUM	CAL-024Q Sep/16/13 REVISION 2	L.T. 8.400 ppm	L.T. 0.01 ppm
LEAD	CAL-024Q Sep/16/13 REVISION 2	L.T. 13.067 ppm	0.122 ppm
TOTAL MERCURY	CAL-024Q Sep/16/13 REVISION 2	L.T. 2.707 ppm	L.T. 0.01 ppm

Revision # : 00

CHECKED BY:

MR. ASHISH BRAHMBHATT, M.Sc., VICE PRESIDENT OF OPERATIONS


*[Signature]*  
Feb 25/16  
DATE

APPROVED BY:

MRS. NAHEED KAUSAR, M.Sc., B.Ed., CQA, QUALITY ASSURANCE MANAGER

*[Signature]*  
02/25/16  
DATE

*This report applies specifically to sample analyzed and not to the bulk. Although our analysis has been carried out to the best of our knowledge and ability, this report is issued without legal liability on our part.*



# canadian analytical laboratories inc.

1060 Tapscott Road, Toronto, Ontario, M1X 1E7 • Tel: (416) 286-3332 • Fax: (416) 286-3885 • www.cai-laboratories.com

## CERTIFICATE OF ANALYSIS

### CUSTOMER

ANNANDA CHAGA  
65 CEDAR POINTE DRIVE, SUITE 251  
BARRIE, ON  
L4N 5R7 CANADA

### PRODUCT

CHAGA MUSHROOM TINCTURE

AR NO : 112200  
DATE : 2016-02-22  
CUST PO NO : FP-A11-C-001  
LOT NO : 16010  
PRN NO : A-133-001  
FILE NO :  
PAGE : Page 1 of 1

ATTN : BLAIRISH AZURE

TESTS	METHOD	SPECIFICATION	RESULTS
TOTAL PLATE COUNT	CURRENT USP <2021>	L.T. 100,000 CFU/G	9,400 CFU/G

Revision # : 00

CHECKED BY:

MR. ASHISH BRAHMBHATT, M.Sc., VICE PRESIDENT OF OPERATIONS

DATE

Feb 25/16

APPROVED BY:

MRS. NAHEED KAUSAR, M.Sc., B.Ed., CQA, QUALITY ASSURANCE MANAGER

DATE

02/25/16

*This report applies specifically to sample analyzed and not to the bulk. Although our analysis has been carried out to the best of our knowledge and ability, this report is issued without legal liability on our part.*