

16X10 BARRIER NET XL ASSEMBLY INSTRUCTIONS

Our video instructions provide the best guidance for setting up your 16x10 Barrier Net XL.
They can be viewed online at




Please call us if you have any questions or concerns at **1-855-4RUKKET**
Please read our product safety warnings before setup

PRIOR TO USE


Inspect the netting and frame for damage or wear. Make sure the frame and net are assembled correctly and on a flat surface, at least ten (10) feet away from structures and vehicles. Failure to follow these precautions could result in serious injury or damage to property.

PARTS INCLUDED




- A. Single Tapered End Steel Tube
- B. Double Tapered End Steel Tube
- C. Rubber Sleeve
- D. Fiberglass Rod
- E. Metal Sleeve
- F. Fiberglass Cap with Notch for Hanging Net
- G. Plastic Pipe Cap
- H. Base Assembly with Vertical and Horizontal Fitting
- I. Metal Tube
- J. Net
- K. Stakes


16X10 BARRIER NET XL ASSEMBLY INSTRUCTIONS




1) Screw the leg extenders onto the legs.




2) The base bars are connected by cables. Use the buttons to snap them together. Then attach them to the legs.




3) Insert the two bottom fiberglass rods (with coupling tubes on top) into the base.




4) Thread the sleeves over the poles making sure that the black bungees and Velcro straps are on the bottom.



5) Insert the upper fiberglass rods into the metal coupling tubes of the bottom rods.



6) Pull down the fiberglass poles and attach the white loops at the top of the net to the metal knobs at the tops of the poles.



7) Attach the black bungees at the bottom of the net to the metal posts on the outside of the legs. Then wrap the velcro straps around the base bar. The stakes will help in windy conditions.

WARNING



Please use adult supervision and follow the instructions when setting up and using this net. Regular use or abuse will eventually strain the netting and may break it. Do not stand behind the net. This net is not intended for personal protection. This net deflects fast moving objects, so people should stay at least ten (10) feet away when it is in use. Failure to follow these precautions could result in serious injury or damage to property.

INSTRUCCIONES DE RED TIPO 16X10 BARRERA XL

Nuestros videos de instrucciones le brindaran la mejor guía para armar su Red Tipo 16x10 Barrera XL. Mira nuestros videos en línea en:




Llámenos si tiene alguna pregunta o inquietud al **1-855-4RUKKET**


Es de suma importancia que lea nuestras advertencias por su seguridad antes de armar su equipo de entrenamiento.

ANTES DE USAR


Inspeccione la red y el marco de la estructura por seguridad y para descartar algún daño o desgaste del equipo. Asegúrese de armar correctamente el marco y la red; además de montar esta estructura en una superficie plana, al menos diez (10) pies libres de estructuras y vehículos. La falta del seguimiento de estas precauciones podría causar heridas graves o daños en su propiedad.




1) Atornille los extensores de pierna sobre las piernas.




2) Las barras de la base están conectadas con cables. Use los botones para atorlar los juntos. Despues únalos a las piernas o bases de soporte.




3) Conecte los dos tubos de fibra de vidrio inferiores (con los tubos de acoplamiento mirando hacia arriba) desde la base.




4) Deslice las mangas en los tubos y asegúrese de meterlas de manera que los ganchos bungees y las tiras de velcro estén la parte posterior donde está la base.



5) Inserte los tubos de fibra de vidrio superiores dentro de los tubos de metal que se conectan con los tubos de acoplamiento a los tubos inferiores.



6) Jale hacia abajo los tubos de fibra de vidrio y sujetelos a la parte superior de las esquinas insértele a los ganchos de metal en la terminación de los postes.



7) Fije los ganchos llamados bungees de la parte inferior de la malla a los postes de metal por afuera de las piernas. Despues, abroche las tiras de velcro alrededor de la barra de base. Las estacas le ayudaran en caso de las condiciones climáticas.

ADVERTENCIA



Utilice la supervisión de un adulto y siga las instrucciones al configurar y usar esta red. El uso o abuso regular eventualmente forzará la red y puede romperla. No te quedes detrás de la red. Esta red no está diseñada para protección personal. Esta red desvía los objetos que se mueven rápidamente, por lo que las personas deben mantenerse al menos a diez (10) pies de distancia cuando está en uso. El incumplimiento de estas precauciones podría ocasionar lesiones graves o daños a la propiedad.

PAGINA 1

¿PREGUNTAS? LLAMENOS! **(1-855)-478-5538**

RUKKET®

V1