

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technical Support and E-Warranty Certificate www.vevor.com/support

INFLATABLE FLOATING DOCK USER MANUAL

We continue to be committed to provide you tools with competitive price.


"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

INFLATABLE FLOATING DOCK

CDM305 / CDM244



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

Safety precautions

WARNING:

Read this instructions before using this product. Failure to do so can result in serious injury. the basic precautions should always be followed,including the following:


1. **WARNING:** Dock designed for use in sheltered water only.
2. **WARNING:** This is not a life saving device. Use only under competent supervision. Never allow diving or jumping onto or off of this product. Never leave in or near the water when not in use.
Never tow from any vehicle.
3. **WARNING:** Inflate the product as outlined in Assembly, Product Use . Use the provided gauge and inflate to approximately **8 PSI**. Do not over inflate. Excessive inflation of the product can cause it to burst or cause damage to the seams. It is crucial that the docks pressure be reduced during prolonged use in direct sun. Also, in cold conditions, the pressure may decrease and more air will need to be added to ensure proper inflation. Use the gauge.
4. **WARNING:** A certified Personal Floatation Device (PFD) is required for the user. It is especially important that children and non-swimmers wear a Personal Floatation Device at all times.
Children and non-swimmers need special instruction in the use of the Personal Floatation Device.
5. **WARNING:** Do not use your dock if you suspect a puncture or leak. It may be unsafe.
6. **WARNING:** Beware of offshore winds and currents.
7. **WARNING:** The total number of persons and total weight shall not exceed the information printed on the dock.

SAVE THESE INSTRUCTIONS

Product Model

Model	Diameter	Thickness	Net Size	Net Weight
CDM305	ø10ft (ø3048mm)	8in (203mm)	ø8ft (ø2438mm)	15.8kg
CDM244	ø8ft (ø2438mm)	8in (203mm)	ø5ft (ø1524mm)	14.7kg
Inflatable Air Pressure 8PSI				

Product Description





Product Use



Expanded the dock and
open the valve cover



Install the tube of the pump on
the upper end. Open the
cover is for fast inflation
close the cover is for slow inflation

3




Connect the pump to the valve and press the round device in the middle of the valve

4



Start to inflate, stop inflation when the dock is solid and remove the pump

5



Close the valve cover and use the included wrench to tighten the valve to prevent air leakage

6



Connecting the tube to the bottom of the pump can be used to deflate air

Address: Baoshanqu Shuangchenglu 803long 11hao 1602A-1609shi
Shanghai

Imported to AUS: SIHAO PTY LTD, 1 ROKEVA STREETEASTWOOD
NSW 2122 Australia

Imported to USA: Sanven Technology Ltd., Suite 250, 9166 Anaheim
Place, Rancho Cucamonga, CA 91730



Pooledas Group Ltd
Unit 5 Albert Edward House, The Pavilions
Preston, United Kingdom



SHUNSHUN GmbH
Römeräcker 9 Z2021, 76351
Linkenheim-Hochstetten, Germany

Made In China

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technical Support and E-Warranty Certificate

www.vevor.com/support

VEVOR®

TOUGH TOOLS, HALF PRICE

Technique Assistance et certificat de garantie électronique

www.vevor.com/support

GONFLABLE QUAI FLOTTANT

MANUEL DE L'UTILISATEUR

We continue to be committed to provide you tools with competitive price.


"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

INFLATABLE FLOATING DOCK

MDP305 / MDP244



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

Précautions de sécurité

AVERTISSEMENT:

Lisez ces instructions avant d'utiliser ce produit. Ne pas le faire peut entraîner des blessures graves. les précautions de base doivent toujours être suivies , notamment les suivantes :

1. **AVERTISSEMENT** : quai conçu pour être utilisé dans des eaux abritées uniquement.

2. **AVERTISSEMENT** : Il ne s'agit pas d'un dispositif de sauvetage. Utiliser uniquement sous une surveillance compétente. Ne laissez jamais plonger ou sauter sur ou hors de ce produit. Ne jamais laisser dans ou près de l'eau lorsqu'il n'est pas utilisé.

Ne remorquez jamais à partir d'un véhicule.

3. **AVERTISSEMENT** : Insérez le produit comme indiqué dans la section Assemblage, utilisation du produit . Utilisez la jauge fournie et gonflez à environ **8** PSI. Ne pas trop gonfler. Un gonflement excessif du produit peut le faire éclater ou endommager les coutures. Il est crucial que la pression du quai soit réduite lors d'une utilisation prolongée en plein soleil. De plus, par temps froid, la pression peut diminuer et davantage d'air doivent être ajoutés pour assurer une bonne inflation . Utilisez la jauge.

4. **AVERTISSEMENT** : Un vêtement de flottaison individuel (VFI) certifié est requis pour l'utilisateur. Il est particulièrement important que les enfants et les non-nageurs portent un vêtement de flottaison individuel à tout moment. Les enfants et les non-nageurs ont besoin d'instructions spéciales sur l'utilisation du vêtement de flottaison individuel.

5. **AVERTISSEMENT** : N'utilisez pas votre station d'accueil si vous soupçonnez une perforation ou une fuite. Cela peut être dangereux.

6. **AVERTISSEMENT** : Méfiez-vous des vents et des courants offshore.


7. **AVERTISSEMENT** : Le nombre total de personnes et le poids total ne doivent pas dépasser les informations imprimées sur le quai.

CONSERVEZ CES INSTRUCTIONS

Modèle de produit

Modèle	Diamètre	Épaisseur _	Taille nette	Poids net
MDP305	ø10f t (ø3048mm)	8 pouces (203 mm)	ø8 pieds (ø2438mm)	15,8 kg
MDP244	ø8 pieds (ø2438mm)	8 pouces (203mm)	ø5 pieds (ø1524 mm)	1 4 . 7 kg
Pression d'air gonflable 8PSI				

Description du produit



Utilisation du produit



Expanded the dock and
open the valve cover



Install the tube of the pump on
the upper end. Open the
cover is for fast inflation
close the cover is for slow inflation

3




Connect the pump to the valve and press the round device in the middle of the valve

4



Start to inflate, stop inflation when the dock is solid and remove the pump

5



Close the valve cover and use the included wrench to tighten the valve to prevent air leakage

6



Connecting the tube to the bottom of the pump can be used to deflate air

Adresse : Baoshanqu Shuangchenglu 803long 11hao 1602A-1609shi
Shanghai

Importé en Australie : SIHAO PTY LTD, 1 ROKEVA STREETASTWOOD
NSW 2122 Australie

Importé aux États-Unis : Sanven Technology Ltd., Suite 250, 9166
Anaheim Place, Rancho Cucamonga, CA 91730

UK	REP	Pooledas Group Ltd Unit 5 Albert Edward House, The Pavilions Preston, United Kingdom
-----------	------------	--

EC	REP	SHUNSHUN GmbH Römeräcker 9 Z2021, 76351 Linkenheim-Hochstetten, Germany
-----------	------------	---

Fabriqué en Chine

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technique Assistance et certificat de garantie électronique

www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technisch Support- und E-Garantie-Zertifikat www.vevor.com/support

AUFBLASBAR SCHWIMMENDES DOCK BENUTZERHANDBUCH

We continue to be committed to provide you tools with competitive price.


"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

INFLATABLE FLOATING DOCK

CDM305 / CDM244



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

Sicherheitsvorkehrungen

WARNUNG:

Lesen Sie diese Anweisungen, bevor Sie dieses Produkt verwenden.

Andernfalls kann es zu schweren Verletzungen kommen. Die grundlegenden Vorsichtsmaßnahmen sollten immer befolgt werden , einschließlich der folgenden:


1. **WARNUNG:** Das Dock ist nur für den Einsatz in geschützten Gewässern konzipiert.
2. **WARNUNG:** Dies ist kein lebensrettendes Gerät. Nur unter sachkundiger Aufsicht verwenden. Lassen Sie niemals zu, dass Sie auf dieses Produkt tauchen oder von ihm herunterspringen. Bei Nichtgebrauch niemals im oder in der Nähe des Wassers liegen lassen.
Niemand von einem Fahrzeug abschleppen.
3. **WARNUNG:** Benutzen Sie das Produkt wie unter Montage, Produktverwendung beschrieben . Verwenden Sie das mitgelieferte Messgerät und pumpen Sie es auf etwa **8 auf** PSI. Nicht zu stark aufpumpen. Übermäßiges Aufblasen des Produkts kann zum Platzen des Produkts oder zu Schäden an den Nähten führen. Bei längerer Nutzung in direkter Sonneneinstrahlung ist es wichtig, dass der Dockdruck reduziert wird. Außerdem kann bei Kälte der Druck sinken und mehr Luft strömen müssen hinzugefügt werden, um eine ordnungsgemäße Installation zu gewährleisten . Benutzen Sie das Messgerät.
4. **WARNUNG:** Für den Benutzer ist ein zertifiziertes persönliches Schwimmgerät (PFD) erforderlich. Es ist besonders wichtig, dass Kinder und Nichtschwimmer jederzeit ein persönliches Schwimmgerät tragen.
Kinder und Nichtschwimmer benötigen eine spezielle Einweisung in die Verwendung des persönlichen Schwimmgeräts.
5. **WARNUNG:** Verwenden Sie Ihre Dockingstation nicht, wenn Sie ein Loch oder ein Leck vermuten. Es könnte unsicher sein.
6. **WARNUNG:** Achten Sie auf Offshore-Winde und Strömungen.
7. **WARNUNG:** Die Gesamtzahl der Personen und das Gesamtgewicht dürfen die auf dem Dock aufgedruckten Angaben nicht überschreiten.

ANLEITUNG AUFBEWAHREN

Produktmodell

Modell	Durchmesser	Dicke _	Nettogröße	Nettogewicht
CDM305	ø10ft (ø3048mm)	8 Zoll (203mm)	ø8ft (ø2438mm)	15,8 kg
CDM244	ø8ft (ø2438mm)	8 Zoll (203mm)	ø5ft (ø1524mm)	14 . 7 kg
Aufblasbarer Luftdruck 8PSI				

Produktbeschreibung



Produktverwendung



Expanded the dock and
open the valve cover



Install the tube of the pump on
the upper end. Open the
cover is for fast inflation
close the cover is for slow inflation

3




Connect the pump to the valve and press the round device in the middle of the valve

4



Start to inflate, stop inflation when the dock is solid and remove the pump

5



Close the valve cover and use the included wrench to tighten the valve to prevent air leakage

6



Connecting the tube to the bottom of the pump can be used to deflate air

Adresse: Baoshanqu Shuangchenglu 803long 11hao 1602A-1609shi
Shanghai

Importiert nach AUS: SIHAO PTY LTD, 1 ROKEVA STREETEASTWOOD
NSW 2122 Australien

In die USA importiert: Sanven Technology Ltd., Suite 250, 9166 Anaheim
Place, Rancho Cucamonga, CA 91730



Pooledas Group Ltd
Unit 5 Albert Edward House, The Pavilions
Preston, United Kingdom



SHUNSHUN GmbH
Römeräcker 9 Z2021, 76351
Linkenheim-Hochstetten, Germany

In China hergestellt

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technisch Support- und E-Garantiezerifikat

www.vevor.com/support

VEVOR®

TOUGH TOOLS, HALF PRICE

Tecnico Supporto e certificato di garanzia elettronica www.vevor.com/support

GONFIABILE BACINO GALLEGGIANTE MANUALE D'USO

We continue to be committed to provide you tools with competitive price.


"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

INFLATABLE FLOATING DOCK

CDM305/CDM244



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

Misure di sicurezza

AVVERTIMENTO:

Leggere queste istruzioni prima di utilizzare questo prodotto. In caso contrario, si potrebbero verificare lesioni gravi. È necessario seguire sempre le precauzioni di base , incluse le seguenti:


1. **AVVERTENZA:** bacino progettato per l'uso esclusivamente in acque riparate.
2. **ATTENZIONE:** questo non è un dispositivo salvavita. Utilizzare solo sotto la supervisione competente. Non consentire mai di tuffarsi o saltare su o giù da questo prodotto. Non lasciare mai dentro o vicino all'acqua quando non in uso. Non trainare mai da nessun veicolo.
3. **AVVERTENZA:** consumare il prodotto come indicato in Assemblaggio, utilizzo del prodotto . Utilizzare il manometro fornito e gonfiare fino a circa **8 PSI**. Non gonfiare eccessivamente. Un gonfiaggio eccessivo del prodotto può provocarne lo scoppio o provocare danni alle cuciture. È fondamentale ridurre la pressione della banchina durante l'uso prolungato sotto il sole diretto. Inoltre, in condizioni di freddo, la pressione potrebbe diminuire e fluire più aria devono essere aggiunti per garantire il corretto funzionamento . Usa il manometro.
4. **ATTENZIONE:** per l'utente è richiesto un dispositivo di galleggiamento personale (PFD) certificato. È particolarmente importante che i bambini e coloro che non sanno nuotare indossino sempre un dispositivo di galleggiamento personale.
I bambini e coloro che non sanno nuotare necessitano di istruzioni speciali sull'uso del dispositivo di galleggiamento personale.
5. **ATTENZIONE:** non utilizzare il dock se si sospetta una foratura o una perdita. Potrebbe non essere sicuro.
6. **ATTENZIONE:** fare attenzione ai venti e alle correnti offshore.
7. **ATTENZIONE:** Il numero totale di persone e il peso totale non devono superare le informazioni stampate sulla banchina.

CONSERVA QUESTE ISTRUZIONI

Modello del prodotto

Modello	Diametro	Spessore _	Dimensione netta	Peso netto
CDM305	ø10ft _ (ø3048mm)	8 pollici (203 mm)	ø8ft (ø2438mm)	15,8 kg
CDM244	ø8ft (ø2438mm)	8 pollici (203 mm)	ø5 piedi (ø1524mm)	14 . 7 chilogrammi
Pressione dell'aria gonfiabile 8PSI				

Descrizione del prodotto



Utilizzo del prodotto



Expanded the dock and
open the valve cover



Install the tube of the pump on
the upper end. Open the
cover is for fast inflation
close the cover is for slow inflation

3




Connect the pump to the valve and press the round device in the middle of the valve

4



Start to inflate, stop inflation when the dock is solid and remove the pump

5



Close the valve cover and use the included wrench to tighten the valve to prevent air leakage

6



Connecting the tube to the bottom of the pump can be used to deflate air


Indirizzo: Baoshanqu Shuangchenglu 803long 11hao 1602A-1609shi
Shanghai

Importato in AUS: SIHAO PTY LTD, 1 ROKEVA STREETEASTWOOD
NSW 2122 Australia

Importato negli Stati Uniti: Sanven Technology Ltd., Suite 250, 9166
Anaheim Place, Rancho Cucamonga, CA 91730



Pooledas Group Ltd
Unit 5 Albert Edward House, The Pavilions
Preston, United Kingdom



SHUNSHUN GmbH
Römeräcker 9 Z2021, 76351
Linkenheim-Hochstetten, Germany

Made in China

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Tecnico Supporto e certificato di garanzia elettronica

www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Técnico Soporte y certificado de garantía electrónica www.vevor.com/support

INFLABLE MUELLE FLOTANTE

MANUAL DE USUARIO

We continue to be committed to provide you tools with competitive price.


"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

INFLATABLE FLOATING DOCK

CDM305 / CDM244



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

Precauciones de seguridad

ADVERTENCIA:

Lea estas instrucciones antes de usar este producto. De lo contrario, se pueden producir lesiones graves. Siempre se deben seguir las precauciones básicas , incluidas las siguientes:


1. **ADVERTENCIA:** Muelle diseñado para uso únicamente en aguas protegidas.
2. **ADVERTENCIA:** Este no es un dispositivo que salva vidas. Úselo únicamente bajo supervisión competente. Nunca permita bucear o saltar dentro o fuera de este producto. Nunca lo deje dentro o cerca del agua cuando no esté en uso. Nunca remolque desde ningún vehículo.
3. **ADVERTENCIA:** Comí el producto como se describe en Montaje, Uso del producto . Utilice el manómetro proporcionado e infle hasta aproximadamente **8** PSI. No inflar demasiado. Un inflado excesivo del producto puede provocar que explote o dañe las costuras. Es fundamental que se reduzca la presión de los muelles durante el uso prolongado bajo el sol directo. Además, en condiciones de frío, la presión puede disminuir y saldrá más aire. es necesario agregar para garantizar una adecuada inflacion . Utilice el medidor.
4. **ADVERTENCIA:** Se requiere un dispositivo de flotación personal (PFD) certificado para el usuario. Es especialmente importante que los niños y las personas que no saben nadar usen un dispositivo de flotación personal en todo momento.
Los niños y las personas que no saben nadar necesitan instrucción especial en el uso del dispositivo de flotación personal.
5. **ADVERTENCIA:** No utilice su base si sospecha que hay un pinchazo o una fuga. Puede que sea inseguro.
6. **ADVERTENCIA:** Tenga cuidado con los vientos y las corrientes marinas.
7. **ADVERTENCIA:** El número total de personas y el peso total no excederán la información impresa en el muelle.

GUARDA ESTAS INSTRUCCIONES

Modelo de producto

Modelo	Diámetro	espesor _	Tamaño neto	Peso neto
CDM305	ø10ft t (ø3048mm)	8 pulgadas (203 mm)	ø8 pies (ø2438mm)	15,8 kg
MDL244	ø8 pies (ø2438mm)	8 pulgadas (203 mm)	ø5 pies (ø1524mm)	14 . 7 kilogramos
Presión de aire inflable 8PSI				

Descripción del Producto



Uso del producto



Expanded the dock and
open the valve cover



Install the tube of the pump on
the upper end. Open the
cover is for fast inflation
close the cover is for slow inflation

3




Connect the pump to the valve and press the round device in the middle of the valve

4



Start to inflate, stop inflation when the dock is solid and remove the pump

5



Close the valve cover and use the included wrench to tighten the valve to prevent air leakage

6



Connecting the tube to the bottom of the pump can be used to deflate air

Dirección: Baoshanqu Shuangchenglu 803long 11hao 1602A-1609shi
Shanghai

Importado a AUS: SIHAO PTY LTD, 1 ROKEVA STREETEASTWOOD
NSW 2122 Australia

Importado a EE. UU.: Sanven Technology Ltd., Suite 250, 9166 Anaheim
Place, Rancho Cucamonga, CA 91730

UK	REP	Pooledas Group Ltd Unit 5 Albert Edward House, The Pavilions Preston, United Kingdom
-----------	------------	--

EC	REP	SHUNSHUN GmbH Römeräcker 9 Z2021, 76351 Linkenheim-Hochstetten, Germany
-----------	------------	---

Hecho en china

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Técnico Certificado de soporte y garantía electrónica

www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Techniczny Certyfikat wsparcia i e-gwarancji www.vevor.com/support

NADMUCHIWANE PŁYWAJĄCY DOK INSTRUKCJA OBSŁUGI

We continue to be committed to provide you tools with competitive price.


"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR[®]

TOUGH TOOLS, HALF PRICE

INFLATABLE FLOATING DOCK

CDM305/CDM244



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

Środki ostrożności

OSTRZEŻENIE:

Przeczytaj tę instrukcję przed użyciem tego produktu. Niezastosowanie się do tego może spowodować poważne obrażenia. należy zawsze przestrzegać podstawowych środków ostrożności , w tym:


1. **OSTRZEŻENIE:** Stacja dokująca jest przeznaczona wyłącznie do użytku w osłoniętych wodach.
2. **OSTRZEŻENIE:** To nie jest urządzenie ratujące życie. Używać wyłącznie pod kompetentnym nadzorem. Nigdy nie pozwalaj na nurkowanie lub wskakiwanie na lub z tego produktu. Nigdy nie zostawiaj urządzenia w wodzie lub w jej pobliżu, gdy nie jest używane.
Nigdy nie holuj żadnego pojazdu.
3. **OSTRZEŻENIE:** Produkt spożyto zgodnie z opisem w części Montaż , Użytkowanie produktu . Użyj dostarczonego miernika i napompuj do około 8 PSI. Nie napompuj nadmiernie. Nadmierne napompowanie produktu może spowodować jego pęknięcie lub uszkodzenie szwów. Bardzo ważne jest, aby podczas długotrwałego użytkowania w bezpośrednim świetle słonecznym zmniejszyć ciśnienie w dokach. Ponadto w niskich temperaturach ciśnienie może spaść i zwiększyć się ilość powietrza należy dodać, aby zapewnić prawidłowe połączenie . Użyj miernika.
4. **OSTRZEŻENIE:** Użytkownik musi posiadać certyfikowane osobiste urządzenie unoszące się na wodzie (PFD). Szczególnie ważne jest, aby dzieci i osoby nie umiejące pływać miały przez cały czas na sobie osobiste urządzenie unoszące się na wodzie.
Dzieci i osoby nie umiejące pływać wymagają specjalnego instruktażu w zakresie korzystania z osobistego urządzenia unoszącego się na wodzie.
5. **OSTRZEŻENIE:** Nie używaj stacji dokującej, jeśli podejrzewasz przebicie lub wyciek. Może to być niebezpieczne.
6. **OSTRZEŻENIE:** Uważaj na wiatry i prądy morskie.
7. **UWAGA:** Całkowita liczba osób i masa całkowita nie mogą przekraczać informacji wydrukowanych na pomoście.

ZACHOWAJ TE INSTRUKCJE

Model produktu

Model	Średnica	Grubość _	Rozmiar netto	Waga netto
CDM305	ø10f t (ø3048mm)	8 cali (203mm)	ø8 stóp (ø2438mm)	15,8 kg
CDM244	ø8 stóp (ø2438mm)	8 cali (203mm)	ø5 stóp (ø1524 mm)	14 . 7 kg
Nadmuchiwane ciśnienie powietrza 8PSI				

Opis produktu



Zastosowanie produktu



Expanded the dock and
open the valve cover



Install the tube of the pump on
the upper end. Open the
cover is for fast inflation
close the cover is for slow inflation

3




Connect the pump to the valve and press the round device in the middle of the valve

4



Start to inflate, stop inflation when the dock is solid and remove the pump

5



Close the valve cover and use the included wrench to tighten the valve to prevent air leakage

6



Connecting the tube to the bottom of the pump can be used to deflate air

Adres: Baoshanqu Shuangchenglu 803long 11hao 1602A-1609shi
Szanghaj

Import do AUS: SIHAO PTY LTD, 1 ROKEVA STREETEASTWOOD NSW
2122 Australia

Import do USA: Sanven Technology Ltd., Suite 250, 9166 Anaheim Place,
Rancho Cucamonga, CA 91730



Pooledas Group Ltd
Unit 5 Albert Edward House, The Pavilions
Preston, United Kingdom



SHUNSHUN GmbH
Römeräcker 9 Z2021, 76351
Linkenheim-Hochstetten, Germany

Wyprodukowano w Chinach

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Techniczny Certyfikat wsparcia i e-gwarancji

www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technisch Ondersteuning en e-garantiecertificaat www.vevor.com/support

OPBLAASBAAR DRIJVEND DOK

HANDLEIDING

We continue to be committed to provide you tools with competitive price.


"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

INFLATABLE FLOATING DOCK

CDM305 / CDM244



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

Veiligheidsmaatregelen

WAARSCHUWING:

Lees deze instructies voordat u dit product gebruikt. Als u dit niet doet, kan dit leiden tot ernstig letsel. de basisvoorzorgsmaatregelen moeten altijd worden gevolgd , waaronder de volgende:


1. **WAARSCHUWING:** Dock uitsluitend ontworpen voor gebruik in beschut water.
2. **WAARSCHUWING:** Dit is geen levensreddend apparaat. Alleen gebruiken onder competent toezicht. Laat nooit duiken of springen op of van dit product. Laat het apparaat nooit in of bij het water liggen als het niet in gebruik is.
Sleep nooit vanuit een voertuig.
3. **WAARSCHUWING:** Gebruik het product zoals beschreven in Montage, Productgebruik . Gebruik de meegeleverde meter en blaas op tot ongeveer **8 PSI**. Blaas niet te veel op. Overmatig opblazen van het product kan ervoor zorgen dat het barst of schade aan de naden veroorzaakt. Het is van cruciaal belang dat de dokdruk wordt verminderd tijdens langdurig gebruik in direct zonlicht. Ook kan bij koude omstandigheden de druk afnemen en komt er meer lucht vrij moeten worden toegevoegd om een goede inname te garanderen . Gebruik de meter.
4. **WAARSCHUWING:** Een gecertificeerd Personal Floatation Device (PFD) is vereist voor de gebruiker. Het is vooral belangrijk dat kinderen en niet-zwemmers te allen tijde een persoonlijk drijfmiddel dragen.
Kinderen en niet-zwemmers hebben speciale instructies nodig over het gebruik van het persoonlijke drijfmiddel.
5. **WAARSCHUWING:** Gebruik uw dock niet als u een lek of lekkage vermoedt. Het kan onveilig zijn.
6. **WAARSCHUWING:** Pas op voor offshore wind en stroming.
7. **WAARSCHUWING:** Het totale aantal personen en het totale gewicht mogen de informatie op de kade niet overschrijden.

BEWAAR DEZE INSTRUCTIES

Productmodel

Model	Diameter	Dikte _	Nettogrootte	Netto gewicht
CDM305	ø10ft (ø3048mm)	8in (203 mm)	ø8ft (ø2438mm)	15,8 kg
CDM244	ø8ft (ø2438mm)	8in (203 mm)	ø5ft (ø1524mm)	14 . 7 kg
Opblaasbare luchtdruk 8PSI				

Productomschrijving



Productgebruik



Expanded the dock and
open the valve cover



Install the tube of the pump on
the upper end. Open the
cover is for fast inflation
close the cover is for slow inflation

3




Connect the pump to the valve and press the round device in the middle of the valve

4



Start to inflate, stop inflation when the dock is solid and remove the pump

5



Close the valve cover and use the included wrench to tighten the valve to prevent air leakage

6



Connecting the tube to the bottom of the pump can be used to deflate air

Adres: Baoshanqu Shuangchenglu 803long 11hao 1602A-1609shi
Shanghai

Geïmporteerd naar AUS: SIHAO PTY LTD, 1 ROKEVA
STREETEASTWOOD NSW 2122 Australië

Geïmporteerd naar de VS: Sanven Technology Ltd., Suite 250, 9166
Anaheim Place, Rancho Cucamonga, CA 91730



Pooledas Group Ltd
Unit 5 Albert Edward House, The Pavilions
Preston, United Kingdom



SHUNSHUN GmbH
Römeräcker 9 Z2021, 76351
Linkenheim-Hochstetten, Germany

Gemaakt in China

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technisch Ondersteuning en e-garantiecertificaat

www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Teknisk Support och e-garanticertifikat www.vevor.com/support

UPPBLÅSBAR FLYTDOCKA

ANVÄNDARMANUAL

We continue to be committed to provide you tools with competitive price.


"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

INFLATABLE FLOATING DOCK

CDM305 / CDM244



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

Säkerhetsåtgärder

VARNING:

Läs dessa instruktioner innan du använder denna produkt. Underlåtenhet att göra det kan resultera i allvarliga skador. de grundläggande försiktighetsåtgärderna bör alltid följas, inklusive följande:


1. **VARNING:** Dock avsedd endast för användning i skyddat vatten.
2. **VARNING:** Detta är inte en livräddningsanordning. Använd endast under behörig övervakning. Tillåt aldrig dykning eller hoppa på eller av denna produkt. Lämna aldrig i eller nära vattnet när den inte används. Bogsera aldrig från något fordon.
3. **VARNING:** I åt produkten enligt beskrivningen i Montering , Produktanvändning . Använd den medföljande mätaren och blås upp till cirka **8** PSI. Blås inte upp för mycket. Överdriven uppblåsning av produkten kan göra att den brister eller skada sömmarna. Det är avgörande att dockans tryck minskas vid långvarig användning i direkt sol. Under kalla förhållanden kan trycket också minska och mer luft kommer måste läggas till för att säkerställa korrekt in ation. Använd mätaren.
4. **VARNING:** En certifierad Personal Floatation Device (PFD) krävs för användaren. Det är särskilt viktigt att barn och icke-simmare alltid bär en personlig flytanordning. Barn och icke-simmare behöver särskild instruktion i användningen av den personliga flytanordningen.
5. **VARNING:** Använd inte din docka om du misstänker punktering eller läcka. Det kan vara osäkert.
6. **VARNING:** Akta dig för havsvindar och strömmar.
7. **VARNING:** Det totala antalet personer och den totala vikten får inte överstiga den information som står på bryggan.

SPARA DESSA INSTRUKTIONER

Produktmodell

Modell	Diameter	T hickness	Nettostorlek	Nettovikt
CDM305	ø10f t (ø3048 mm)	8 tum (203 mm)	ø8 fot (ø2438 mm)	15,8 kg
CDM244	ø8 fot (ø2438 mm)	8 tum (203 mm)	ø5ft (ø1524mm)	14 . 7 kg
Uppblåsbart lufttryck 8PSI				

Produktbeskrivning



Produktanvändning



Expanded the dock and
open the valve cover



Install the tube of the pump on
the upper end. Open the
cover is for fast inflation
close the cover is for slow inflation

3




Connect the pump to the valve and press the round device in the middle of the valve

4



Start to inflate, stop inflation when the dock is solid and remove the pump

5



Close the valve cover and use the included wrench to tighten the valve to prevent air leakage

6



Connecting the tube to the bottom of the pump can be used to deflate air

Adress: Baoshanqu Shuangchenglu 803long 11hao 1602A-1609shi
Shanghai

Importerad till AUS: SIHAO PTY LTD, 1 ROKEVA STREETEASTWOOD
NSW 2122 Australien

Importerad till USA: Sanven Technology Ltd., Suite 250, 9166 Anaheim
Place, Rancho Cucamonga, CA 91730



Pooledas Group Ltd
Unit 5 Albert Edward House, The Pavilions
Preston, United Kingdom



SHUNSHUN GmbH
Römeräcker 9 Z2021, 76351
Linkenheim-Hochstetten, Germany

Tillverkad i Kina

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Teknisk Support och e-garanticertifikat

www.vevor.com/support