



45QT Portable Wheeled Cooler Operator's Manual



WARNING:


Carefully review and understand all **INSTRUCTIONS** prior to operating this device. Failure to follow the safety rules and other basic safety precautions may result in serious personal injury. Keep these instructions in a safe place and accessible so that they can be reviewed as required. Keep these instructions to assist in future servicing needs.

TECHNICAL DETAILS

Item No.	Volume Capacity	External Dimension	Weight
GUT147	45QT / 42.7L	LxWxH: 20.1" x 19.1" x 21.1" (510x485x535mm)	30.9lbs (14kg)

PRODUCT INTRODUCTION

- 1. Durable sealing gasket ensures excellent leak proof of the cooler box.
- 2. New durable latch for easy locking and opening.



- 3. Friction pads increases the stability of the cooler box.
- 4. The stainless steel lock can also be used as a bottle opener.



- 5. The unique design of recessed plug helps you open the cooler and drain liquid from the cooler easily.
- 6. Telescopic handle helps moving easily.



7. D 8" x W 5" all terrain tires, special for beach using



Tips to make your coolers best performance:

1. Pre-chilling. Treat your cooler as a temperature maintainer. Now that you think about it in this way, you can understand why it is so important to bring the internal temperature of the cooler down before adding ice. This process is referred to as pre-chilling and is essential for the proper operation of your cooler. We recommend placing dry ice in the cooler for at least 1 hour. Always use proper safety precautions when handling dry ice including the use of gloves. If dry ice is not available place the cooler in a chest freezer overnight. Another option is to fill up the cooler with ice and leave overnight, then change to fresh ice before using.
2. If possible, chill or freeze any goods before placing them in the cooler. The ice will last much longer.
3. Water from melted ice is not a bad thing! Cold water that comes from ice after a few days helps insulate the remaining ice better than empty airspace.
4. Open your lid as few times as possible to reduce warm air coming from the outside. Always shut the lid with latch lock in correct position after you opened the cooler.
5. Ice performance can vary greatly. Block ice will melt slower than cube ice, but cube ice with a larger total surface area will cool items faster. You may want to consider a mixture of both types. Start with very cold, solid ice versus wet ice that has already begun to melt. Besides, the temperature, times you open the lid, will also influence the ice performance too.
6. Fill cooler with as much ice as possible.
7. Your cooler is dry ice approved. Dry ice (CO₂), made from frozen carbon dioxide, is an excellent way to achieve super cold temperature, without any water residue. Always handle dry ice with caution and wear protective gloves, as it can quickly freeze burn skin (-109°F). Allow for adequate ventilation of any CO₂ gas. It may be helpful to add some dry ice to your ice mixture to keep it colder longer.



WARNING: Dry ice may explode in an airtight container, loose the air release button before you put dry ice into cooler.



HEAVY DUTY LATCHES
NEVER CHANGE THOSE PLASTIC
BRACKET EVER AGAIN!



ROTOMOLDED CONSTRUCTION
VIRTUALLY INDESTRUCTIBLE



NON-SLIP BOTTOMS
KEEP YOUR COOLER IN PLACE



FREEZER-GRADE RUBBER GASKET
TIGHT SEAL BLOCKS OUT THE HEAT.
LOCKS THE COLD INSIDE



QUICK DRAIN SYSTEM
LEAK-FREE EASY DRAIN FLOW SPOUTS



NEVER-BREAK HINGE SYSTEM
INTERCONNECTED DURAL STAINLESS STEEL
HINGES



SAFER TIE-DOWN SLOTS
KEEP IT IN PLACE REGARDLESS OF THE
ACTIVITY YOU ARE PERFORMING



BOTTLE OPENER
DUAL STAINLESS STEEL LOCKING PLASTE FOR
MORE SECURITY WITH BOTTLE OPENER FUNCTION

LandWORKS®

Great Circle USA
Support Line: 1-866-493-0524
help@greatcircleus.com
www.greatcircleus.com