

Canto



















Canto, derived from the latin, cantare; to sing. Canto from N&W

Something to sing about. Bristling with patented technical innovation from the new brewers, new freemix soluble mixers, and new polypropylene boiler tank, all in perfect harmony with the pumped water system to deliver drinks of the highest quality. Large area for branding panels perfectly illuminated by environmentally friendly, class 1, LED lights enhances CANTO's aesthetically pleasing visual impact. The user-friendly selection interface also benefits from the use of LED's. Aluminium and bright diamond black polycarbonate panels, which are both elegant and sturdy, complete CANTO's high quality image. Ease of cleaning and maintenance complete the offer of this highly advanced machine, along with the introduction of the highly anticipated 12oz versions, the Canto will surely become the market leader in its class. CANTO - a new song destined to become a classic.

HIGHLY-ADVANCED USER INTERFACE

- Internal cabinet light as standard
- 22 direct selections lit by LED's Keypad version also available
- Modular and easy to change selection labels
- Elegant aluminium door
- Large 10 line graphical LCD display
- 'Light Path' of flashing LEDs for coin entry, product dispense and coin return guides the user through the purchasing process
- Possible to install up to three payment systems
- Colour video screen available as an option
- Large printing area

HIGHLY-ADVANCED TECHNOLOGY

Canto is available in Espresso plus Fresh Brew, Instant and Fresh Brew versions.

- FREEMIX patented technology for instant products
- New pump technology replacing solenoid valves increases accuracy and helps reduce scale
- New high-capacity 5.3 litre, scale resistant polypropylene boiler tank
- New 24 Volts variable speed mixer
- Patented Sigma Fresh Brew brewer
- Three programmable energy saving modes
- New Z4000 Brewer with bi-directional movement for a faster vend cycle
- New 'Post Selecton' software available, allowing the sugar and strength options to be selected after the drink has been chosen

HIGHLY-ADVANCED MAINTENANCE

- New transparent cup tubes for easy stock control
- Colour coding of the key components for ease of cleaning and operating
- Filters and gaskets easily accessible
- Advanced and flexible electronics
- Hygiene kit included













DIMENSIONS

HEIGHT	1830 мм
WIDTH	650 мм
DEPTH	760 мм
OVERALL DEPTH WITH DOOR OPEN	1320 мм
WEIGHT	170 kg
POWER SUPPLY VOLTAGE	230 v
POWER SUPPLY FREQUENCY	50 HZ
WATER MAIN PRESSURE	0,5 to 8,5 bar

extra LARGE cup

ACCESSORIES

CHILLER UNIT FOR STILL WATER,
SPARKLING WATER AND 2 SYRUP FLAVOURS
CHILLER UNIT FOR STILL WATER AND 2 SYRUPS
LOCKING LID FOR COIN BOX
INTERACTIVE COLOUR VIDEO SCREEN

CAPACITY

CUPS (70Z SQUAT X 650) - (90Z X 500) - (120Z - 320)	
CANISTERS	6 OR 7
INSTANT BOILER	5,3 LT

CONFIGURATION	CANTO Instant	CANTO FB TEA	CANTO FB COFFEE	CANTO ES+FB	CANTO FB 120Z	CANTO ES+FB 120Z
TEA & COFFEE STRENGTH +	F	F	F	F	F	F
TEA & COFFEE STRENGTH -	F	F	F	F	F	F
SUGAR	F	F	F	F	F	F
EXTRA SUGAR	F	F	F	F	F	F
INSTANT COFFEE BLACK	F	F	F	F	F	F
INSTANT COFFEE WHITE	F	F	F	F	F	F
INSTANT COFFEE EXTRA WHITE	F	F	F	F		
FB COFFEE BLACK			F			
FB COFFEE WHITE			F			
FB COFFEE EXTRA WHITE			F			
BEAN COFFEE BLACK				F		F
BEAN COFFEE WHITE				F		F
BEAN COFFEE EXTRA WHITE				F		
INSTANT DECAFF COFFEE BLACK	F	F	F	**	F	
INSTANT DECAFF COFFEE WHITE	F	F	F	**	F	
INSTANT DECAFF COFFEE EXTRA WHITE	F	F	 	**	<u> </u>	1
INSTANT CAPPUCCINO	F	F	F	F	F	F
INSTANT CAFFE LATTE	F	F	Ė	E	F	F
INSTANT CAFFE MOCHA	F	F	F	F	F	F
INSTANT ESPRESSO	F	F	F	F	*	*
FB CAPPUCCINO	,	,	F	,		
FB CAFFE LATTE			F			
FB CAFFE MOCHA			<u> </u>			
FB ESPRESSO			*		<u> </u>	
BEAN CAPPUCCINO				F		F
BEAN CAFFE LATTE				<u> </u>		<u>'</u>
BEAN CAFFE MOCHA				<u> </u>		<u>'</u>
BEAN ESPRESSO				<u> </u>		*
INSTANT DECAFF CAPPUCCINO	F	F		**	F	
INSTANT DECAFF CAFFE LATTE	F	<u> </u>		**	 	
INSTANT DECAFF CAFFE MOCHA	<u> </u>	<u> </u>		**	\	
	<u>'</u>	<u> </u>		**	*	
INSTANT DECAFF ESPRESSO	Γ	F		F	F	E
FB TEA MULTE		F		F	F	F
FB TEA WHITE		F		F	F	F
FB TEA EXTRA WHITE	F	Ε	F	Ε	<u> </u>	
INSTANT TEA BLACK	F		F			
INSTANT TEA WHITE	F		F			
INSTANT TEA EXTRA WHITE	F	=	F			=
HOT CHOCOLATE		F		F	F	F
EXTRA CREAMY HOT CHOCOLATE	F	F	***	F	F	F
SOUP	F	F			_	
HOT WATER	F	F	F	F.	F	*
CUP ONLY	F	F*	*	F *	*	*
CHILLED STILL WATER	*	F *	F*	F *		
CHILLED CARBONATED WATER	F *	F *	F *	F *		
CHILLED STILL SYRUP 1	*	*	F *	F *		
CHILLED STILL SYRUP 2	*	*	F *	= *		
CHILLED CARBONATED SYRUP 1	*	F *	F*	F *		
CHILLED CARBONATED SYRUP 2	₩*	₩*	₩*	₩*		1



Available as alternative selection on direct selection models

ENERGY CONSUMPTION

TO REACH OPERATING TEMPERATURE	398 WH
FOR EACH STAND BY HOUR	115 WH













N&W GLOBAL VENDING LIMITED Dudley Street, Bilston, West Midlands, WV14 0LA Tel. +44 (0) 1902 355000 Fax +44 (0) 1902 355017 sales@nwglobalvending.co.uk

On ES+FB machine, instant decaff coffee can replace the instant coffee

On FB Coffee layout, soup can replace the instant tea Available as standard on models with a numeric keypad