

Specifications

Dimensions and weight

Height	8.95 mm to 15.35 mm (0.35 in to 0.60 in)
Width	304.16 mm (11.97 in)
Depth	200.25 mm (7.88 in)
Weight	<ul style="list-style-type: none">• Touch screen: 1.29 kg (2.90 lb)• Non-touch screen: 1.23 kg (2.70 lb)



NOTE: The weight of your laptop varies depending on the configuration ordered and the manufacturing variability.

System information

Computer model	XPS 9360
Processor	<ul style="list-style-type: none">• 7th Generation Intel Core i3• 7th Generation Intel Core i5• 7th Generation Intel Core i7
Chipset	Integrated in processor

Memory

Type	LPDDR3
Speed	<ul style="list-style-type: none">• 1866 MHz• 2133 MHz

Configurations supported

4 GB, 8 GB, and 16 GB



NOTE: The memory is integrated on the system board.

Ports and connectors

External:

USB

- One Thunderbolt 3 (USB Type-C) port
- One USB 3.0 port with PowerShare
- One USB 3.0 port

Audio/video

One headset (headphone and microphone combo) port

Internal:

M.2 Card

- One M.2 slot for SSD card
- One M.2-card slot for Wi-Fi, Bluetooth, and Intel WiDi combo card

Communications

Wireless

- Wi-Fi 802.11a/b/g/n
- Wi-Fi 802.11ac
- Bluetooth 4.1
- Miracast

Video

Controller

Intel HD Graphics 620

Memory

Shared system memory

Audio

Controller	Realtek ALC3246 with Waves MaxxAudio
Speakers	Two
Output	<ul style="list-style-type: none">• Average: 2 W• Peak: 2.5 W
Microphone	Digital-array microphones
Volume controls	Media-control shortcut keys

Storage

Interface	<ul style="list-style-type: none">• SATA 6 Gbps• PCIe 8 Gbps
Hard drive	One M.2 Solid State Drive (SSD)

Media-card reader

Type	One 3-in-1 slot
Cards supported	<ul style="list-style-type: none">• SD card• SD High-Capacity (SDHC) card• SD Extended-Capacity (SDXC) card with Ultra High Speed (UHS)

Display

Type	<ul style="list-style-type: none">• 13.3-inch UltraSharp QHD+ infinity display with touch screen• 13.3-inch FHD infinity display with touch screen
------	---

Resolution (maximum)	<ul style="list-style-type: none"> • 13.3-inch anti-glare FHD infinity display • QHD+: 3200 x 1800 • FHD: 1920 x 1080
Pixel pitch	<ul style="list-style-type: none"> • QHD+: 0.0918 mm • FHD: 0.1530 mm
Refresh rate	60 Hz
Operating angle	0 degrees (closed) to 135 degrees
Controls	Brightness can be controlled using shortcut keys
Height	165.24 mm (6.51 in)
Width	293.76 mm (11.57 in)
Diagonal	337.05 mm (13.27 in)

Keyboard

Type	Backlit keyboard
Shortcut keys	<p>Some keys on your keyboard have two symbols on them. These keys can be used to type alternate characters or to perform secondary functions. To type the alternate character, press Shift and the desired key. To perform secondary functions, press Fn and the desired key.</p>



NOTE: You can define the primary behavior of the function keys (F1–F12) by changing **Function Key Behavior** in BIOS setup program.

[Keyboard Shortcuts](#)

Camera

Resolution	<ul style="list-style-type: none">• Still image: 0.92 megapixel• Video: 1280 x 720 (HD) at 30 fps (maximum)
Diagonal viewing angle	66 degrees

Touch pad

Resolution	<ul style="list-style-type: none">• Horizontal: 305• Vertical: 305
Dimensions	<ul style="list-style-type: none">• Height: 60 mm (2.36 in)• Width: 105 mm (4.13 in)

Battery

Type	4-cell 60 WHr smart lithium ion
Width	103.50 mm (4.07 in)
Depth	257.60 mm (10.14 in)
Height	5.20 mm (0.20 in)
Weight (maximum)	0.25 kg (0.55 lb)
Voltage	8.8 VDC
Charging time when the computer is off (approximate)	4 hours
Operating time	Varies depending on operating conditions and can significantly reduce under certain power-intensive conditions.
Life span (approximate)	300 discharge/charge cycles
Temperature range: Operating	0°C to 35°C (32°F to 95°F)

Temperature range: –40°C to 65°C (–40°F to 149°F)
Storage

Coin-cell battery It is recommended that you use a Dell coin-cell battery for your computer. Dell does not provide warranty coverage for problems caused by using accessories, parts, or components not supplied by Dell.

Power adapter

Type	45 W
Input voltage	100 VAC–240 VAC
Input frequency	50 Hz–60 Hz
Input current (maximum)	1.30 A
Output current (continuous)	2.31 A
Rated output voltage	19.50 VDC
Temperature range: Operating	0°C to 40°C (32°F to 104°F)
Temperature range: Storage	–40°C to 70°C (–40°F to 158°F)

Computer environment

Airborne contaminant level: G1 as defined by ISA-S71.04-1985

	Operating	Non-Operating
Temperature range	0°C to 35°C (32°F to 95°F)	–40°C to 65°C (–40°F to 149°F)
Relative humidity (maximum)	10% to 90% (non-condensing)	0% to 95% (non-condensing)
Vibration (maximum)*	0.66 GRMS	1.30 GRMS
Shock (maximum)	140 G [†]	160 G [†]
Altitude (maximum)	–15.20 m to 3048 m (–50 ft to 10,000 ft)	–15.20 m to 10,668 m (–50 ft to 35,000 ft)

* Measured using a random vibration spectrum that simulates user environment.

† Measured using a 2 ms half-sine pulse when the hard drive is in use.

‡ Measured using a 2 ms half-sine pulse when the hard drive is not in use.