

## **Specifications:**

| Family                        | Portici   |  |  |  |
|-------------------------------|---|--|--|--|
| Finish                        | Pre-Finished  |  |  |  |
| Material                      | Oak   |  |  |  |
| Use                           | Bathroom door, Bedroom door, Fire door  |  |  |  |
| Colour Description            | Oak   |  |  |  |
| Texture                       | Natural   |  |  |  |
| Construction Material         | Oak veneer  |  |  |  |
| Glazing                       | Yes   |  |  |  |
| Glazing Type                  | 4mm safety glass  |  |  |  |
| Glazing Finish                | Clear Etched  |  |  |  |
| Glazing Safety Specifications | Toughened   |  |  |  |
| Glazing Certifications        | (2013 version): Part K amalgamates the now defunct Approved Document N, The glass is toughened to either BS6206 / BS 6262 Part 4 or BS EN12150 and BS EN 12600 as stipulated in Approved Document K of the Building Regulations |  |  |  |
| Inlays                        | Yes   |  |  |  |
| Inlay Material                | Aluminium   |  |  |  |
| Beading                       | N/A   |  |  |  |
| Beading Material              | N/A   |  |  |  |
| Glue Resin                    | D3  |  |  |  |
| Door Handing                  | Reversible  |  |  |  |
| Lippings                      | Yes   |  |  |  |
| Lipping Details               | Lipped on all four sides  |  |  |  |
| Lipping Material              | Oak   |  |  |  |
| Lipping Thickness Bottom (mm) | 11  |  |  |  |
| Lipping Thickness Sides (mm)  | 11  |  |  |  |
| Lipping Thickness Top (mm)    | 11  |  |  |  |
| Veneer                        | Yes   |  |  |  |
| Veneer Material               | Solid white oak   |  |  |  |
| Veneer Thickness (mm)         | 0.6   |  |  |  |