Seamax Containment Mat Instruction

PRODUCT DIMENSIONS:

- Floor Saver Plus 18 7.10 x 18ft with 18" Dual Tread Reinforcement, Min Distance between 2 wheels of vehicle 44".
- Floor Saver Plus 21 9 x 21ft with 22" Dual Tread Reinforcement, Min Distance between 2 wheels of vehicle 48".
- If you purchase this containment mat in wrong size and it was too big or too small for the vehicle, please contact with us directly and we will help for exchange. Please do not return the product without notice. (support@seamaxmarine.com)

INSTALLATION:

Take your new Seamax containment mat out of the box and lay it out on a clean, smooth and dry surface where you will be parking your vehicle. There should be NOTHING on your floor that could possibly damage your Seamax containment mat! Unfold the mat completely and either put in the sun (if conditions allow) to help the fabric "relax". Please understand that wrinkles will still be in the fabric but will decrease with time and use. This is an extremely heavy-duty containment mat! The logo side should be facing up and at the furthest inside end of your shop or garage. The logo side up creates a "tray" like effect giving the liquid a place to stay. It also has a texture to it and is less slippery than the other side. To help keep your mat in place please use our new exclusive STAY-PUT-CORNERS.

SEAMAX EXCLUSIVE STAY-PUT-CORNERS SET UP:

Your new Seamax Containment Mat is ready to use right out of the box. You may want to install the Stay-Put-Corners to better hold your containment mat in place. Use of the Stay-Put-Corners is recommended under the following conditions:

- If after opening your mat you find natural wrinkles and creases or corners that do not sit flat. It may take some time for these areas to "relax".
- If you have wind gusts lifting your mat when you pull into or out of your shop or garage.
- If your mat moves slightly from the original position due to a hot tire sticking to the mat.
- If your mat moves out of position when cleaning the liquids and debris from it.

STAY-PUT-CORNERS:

- Lay the containment mat with the logo facing upwards
- Place the mat on the floor where you want it.
- Starting with the edge nearest the garage door, mark the floor with chalk or tape (not included) around the corners of the mat.

- Clean the floor and mat corners inside the position marks with isopropyl alcohol or isopropyl alcohol
 wipes. Allow the floor and mat corners just cleaned to dry. You can use a hair dryer if you wish. DO
 NOT OVERHEAT THE MAT CORNERS AS YOU WILL DAMAGE THE MAT MATERIAL!
- Attach each Stay-Put-Corner to the mat first then peel off the glue side tape from the floor side of the Stay-Put-Corner and press it down securing it to the floor. Do one corner at a time starting with the corners nearest the garage/shop threshold.

NOTE:

- The Stay-Put-Corners must be used with caution! If your garage/shop floor is painted, tiled
 or has any other type of finish on it, the glue from the Stay-Put-Corners may pull off the
 finish on the floor. Use these adhesive corners at your own risk. Seamax is and will not be
 liable for any floor damage caused by the use of these adhesive corners. Depending on your
 floor type or age and cleanliness of your floor, the Stay-Put-Corners may not adhere to your
 floor or stick for an extended period of time.
- Please following our direction of Drive In to use this containment mat.



CLEANING AND CARE:

A cleaner surface will increase the life span of your Seamax containment mat. Clean your mat at least once a week during the season with a soft bristle brush, broom, mop or squeegee. A wet/dry shop vac is recommended for removing the water and debris from the mat. Keep the leading edge of your mat near the garage or shop threshold so as to avoid getting water on the unprotected areas of your garage/shop floor.

Before you want to store this mat in the spring time, you can use flesh water wash it and leave it dry in the air. This mat is made by PVC fabric. Check with your local government agency for proper disposal requirements if needed.

WARRANTY:

Seamax warrants your containment mat for a period of one (1) year from the date of purchase, subject to the following conditions and limitations:

The one (1) year warranty period is determined from the date you purchased the mat from Seamax or an authorized reseller and is NOT transferrable.

^{*}PLEASE KEEP YOUR ORIGINAL PURCHASE RECEIPT*

LIMITATIONS: THIS WARRANTY DOES NOT COVER THE FOLLOWING:

- Improper installation of your Seamax containment mat (did not follow instructions);
- Slight size variations in finished product;
- Seamax is not responsible for damage caused from "acts of nature";
- Placement of the mat on any surface that is not flat, clean and smooth;
- Using snow tire chains or studded tires on the mat;
- Burns caused by hot tires, hot objects or open flames (see warning below);
- Punctures caused by ANY sharp objects (eg.-rocks, tools, etc.);
- Use of solvents, chemicals or other abrasive detergents on the mat;
- Normal wear and tear;
- Discoloration of the PVC sheeting that may occur over time from direct or indirect light;
- Tire marks on the PVC sheeting which is considered normal;
- Hot tire marks caused from tires sticking to the mat. This is caused by heat buildup in the tires from driving. Cool tires before driving onto the mat;
- Turning the front wheels while driving on the mat.

CAUTION:

The Seamax containment mat is slippery when wet! Use caution when driving or walking on the mat. Removal of all debris and fluids should be done daily. (A wet/dry shop vac works REALLY well!)

Please be careful NOT to turn your wheels while driving on the mat as this can damage your mat. Also, be aware that too much water and below freezing temperatures can result in ice forming around the tires and cause the mat to tear.

WARNING: FLAMMABLE if mat is exposed to open flames. Do not smoke or use open flame devices on or around the mat! (eg.- grills, fire pits, lanterns, etc.) Do not store or use flammable liquids on or around your Seamax containment mat!

Seamax Containment Mat Service – Mr. Gerry W 24 Hours - woodgerry49@gmail.com or Monday - Friday 780-906-4991



Distributor: Seamax Marine and Outdoor 120-11791 Machrina Way, Richmond, BC, Canada V7A 4V3 Toll free: 1-877-907-7766 Tel: 604-277-7766 support@seamaxmarine.com