

LOGIC, Inc.
MATERIAL SAFETY DATA SHEET

Product Name: Straight-A
MSDS#: 001

Effective Date: 01/May/08
Page: 1 of 3

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

LOGIC, Inc.
P.O. Box 603
Trexlerstown, PA 18087

Emergency Telephone:
608/658-2866

Chemical Synonyms: Alkaline Cleanser
Hard Surface Cleanser

2. CHEMICAL AND PHYSICAL DATA

Appearance
White, odorless, granular powder.

Specific Gravity
Greater than 1

Solubility in Water
Excellent

pH
12.0 at 1%

| Component | CAS Reg Number | OSHA Hazard | % |
|--------------------------------|-----------------------|--------------------|----------|
| Sodium Carbonate Peroxyhydrate | 15630-89-4 | N | >20 |
| Sodium Polysilicate | 7757-82-6 | N | >20 |
| Sodium Carbonate | 497-19-8 | N | >30 |

3. FIRE AND EXPLOSION DATA

Extinguishing Media: Flood with water
Special Fire Fighting Procedures: None
Unusual Fire and Explosion Hazards: May react with organic material in the presence of moisture to produce heat and combustion. Avoid contact with strong acids.

4. REACTIVITY DATA

Stability: Stable
Conditions to Avoid: Excessive heat and moisture
Incompatibilities: Oxidizeable or combustible organic materials, strong oxidizers, nitrogen compounds, acids, alkali
Hazardous Decomposition: Decomposes to give off oxygen and heat
Hazardous Polymerization: Will not occur

LOGIC, Inc.
MATERIAL SAFETY DATA SHEET

Product Name: Straight-A
MSDS#: 001

Effective Date: 01/May/08
Page: 2 of 3

5. HEALTH HAZARD DATA

Routes of Entry: Inhalation—Irritant
Skin—Irritant
Eyes—Irritant
Ingestion—Moderately toxic, dilute with water, get medical attention

Signs of Overexposure: Inhalation—Sneezing, burning or itching in nose or throat
Skin—Itching or burning of skin
Eye—Pain, redness, and tearing
Ingestion—NDA

First Aid: Inhalation—Remove to fresh air and ensure breathing
Skin or Eyes—Flush affected area with plenty of water. If irritation persists, contact physician.
Ingestion—Dilute by administering water. Do not induce vomiting. Contact a physician.

6. PRECAUTIONS FOR SAFE HANDLING AND USE

In case of a small or large spill, material should be swept up and disposed of in accordance with local regulations. Do not put contaminated material in containers with clean material. If necessary, flush the affected area with water and dispose of water to the sewer.

7. CONTROL MEASURES

If handling large amounts of material, follow these precautions.

Respiratory Precautions: If dust is likely, use a NIOSH-certified dust respirator
Ventilation: If heavy dusting is likely, mechanical ventilation may be used
Protective Gloves: If contact is likely, use rubber or plastic gloves
Eye Protection: If dust is likely, or if the product is handled open, use safety glasses
Other Protection: Safety shower and eyewash fountain should be within direct access
Personal Hygiene: Avoid contact with skin, eyes, and clothing. Avoid breathing dust. Wash hands thoroughly after handling. Wash contaminated clothing before re-use.

LOGIC, Inc.
MATERIAL SAFETY DATA SHEET

Product Name: Straight-A
MSDS#: 001

Effective Date: 01/May/08
Page: 3 of 3

| |
|-----------------------------|
| 8. OTHER INFORMATION |
|-----------------------------|

No components are SARA Title 3, Section 313 40 CFR listed materials.

This product contains no phosphates.

This product is not made with any VOC's that could damage the ozone layer.

The ingredients of this product are listed on the TSCA Inventory.