

 *T R A N S P A R E N T*

CUSTOM / DIY  
Speaker Cable Brick Networks



## High Performance 14-2 Brick Network


To complete your custom High Performance 14-2 Speaker Cables, transform them from superb to extraordinary by adding 14-2 Brick Networks. Brick Networks are special filter circuits hand-built in a protective pod. Just like the networks built into Transparent's factory terminated speaker cables, Brick Networks help your speaker cable transfer low frequency energy more efficiently and provide cleaner, clearer, more dimensional sound throughout the rest of the music range.

You can create a true high end audio component now or later by adding High Performance 14-2 Brick Networks to Transparent High Performance 14-2 Speaker Cables.

Transparent designed and calibrated 14-2 Brick Networks to work ideally with [High Performance 14-2 Speaker Cable](#), however, the 14-2 Brick will also significantly improve the performance of any brand or type of 14 AWG speaker cable.

### Features

- Transfers low frequency energy more efficiently
- Cleaner, clearer, more dimensional sound throughout the musical range
- Optimizes 14-gauge speaker cable for audio frequencies, thereby preserving all the richness and foundation of natural music tonal balance.
- Fights noise that destroys low level information and the signal's purity.
- Comes calibrated for four different per channel speaker cable length ranges: 1-20 feet, 21-40 feet, 41-60 feet, and 60+ feet.
- Comes ready to hook up to speakers with properly terminated speaker cables via binding post connection terminals on the network's speaker cable end and properly dressed and terminated connector tails on the speaker end.
- In combination with HP14-2 Speaker Cable, 14-2 Brick is upgradeable to Brick Premium in combination with The Wall Premium Speaker Cable or to Brick Reference or Brick Reference XL in combination with The Wall Reference Speaker Cable above through an authorized Transparent dealer.



### Specifications

Network calibration: 1-20, 21-40, 41-60, 60+

Termination: spades, bananas

## High Performance 12-2 Brick Network and 12-2 Brick BiWire Network

12-2 Brick Networks are special filter circuits hand-built in protective pods. They help your speaker cables transfer low frequency energy more efficiently and provide cleaner, clearer, more dimensional sound throughout the rest of the music range.

You can create a true high end audio component now or later by adding 12-2 Brick Networks to Transparent High Performance 12-2 Speaker Cables.

Transparent designed and calibrated 12-2 Brick and 12-2 Brick Biwire Networks to work ideally with High Performance 12-2 Speaker Cables; however, 12-2 Bricks will also significantly improve the performance of any brand or type of 12 AWG speaker cable.

Available as biwire for 4-input speaker connections.

### Features

- Transfers low frequency energy more efficiently.
- Cleaner, clearer, more dimensional sound throughout the musical range.
- Optimizes the cable for audio frequencies, thereby preserving all the richness and foundation of natural music tonal balance.
- Fights noise that destroys low level information and the signal's purity.
- Comes calibrated for four different per channel speaker cable length ranges: 1-20 feet, 21-40 feet, 41-60 feet, or 60+ feet.
- Comes ready to hook up to speakers with properly terminated speaker cables via binding post connection terminals on the network's speaker cable end and properly dressed and terminated connector tails on the speaker end.
- 12-2 Brick Biwire has two pairs of leads terminated with spades or bananas. One pair of leads hooks to the upper set of speaker terminals, and the other hooks to the lower set of speaker terminals.
- In combination with HP12-2 Speaker Cable, 12-2 Brick is upgradeable to Brick Premium in combination with The Wall Premium Speaker Cable or to Brick Reference or Brick Reference XL in combination with The Wall Reference Speaker Cable above through an authorized Transparent dealer.



### Specifications

Network calibration: 1-20, 21-40, 41-60, 60+

Termination: spades, bananas

## High Performance 10-2 Brick and 10-2 Brick BiWire Networks

10-2 Brick Networks are special filter circuits hand-built in protective pods. They help your speaker cables transfer low frequency energy more efficiently and provide cleaner, clearer, more dimensional sound throughout the rest of the music range.

You can create a true high end audio component now or later by adding 12-2 Brick Networks to [Transparent High Performance 12-2 Speaker Cables](#).

Available as biwire for 4-input speaker connections.

### Features

- Transfers low frequency energy more efficiently
- Cleaner, clearer, more dimensional sound throughout the musical range
- Optimizes the cable for audio frequencies, thereby preserving all the richness and foundation of natural music tonal balance.
- Fights noise that destroys low level information and the signal's purity.
- Comes calibrated for four different per channel speaker cable length ranges: 1-20 feet, 21-40 feet, 41-60 feet, or 60+ feet.
- Comes ready to hook up to speakers with properly terminated speaker cables via binding post connection terminals on the network's speaker cable end and properly dressed and terminated connector tails on the speaker end.
- 10-2 Brick Biwire has two pairs of leads terminated with spades or bananas. One pair of leads hooks to the upper set of speaker terminals, and the other hooks to the lower set of speaker terminals.
- In combination with HP10-2 Speaker Cable, 10-2 Brick is upgradeable to Brick Premium in combination with The Wall Premium Speaker Cable or to Brick Reference or Brick Reference XL in combination with The Wall Reference Speaker Cable above through an authorized Transparent dealer.



### Specifications

Network calibrations: 1-20, 21-40, 41-60, 60+

Termination: spades, bananas

## The Brick Premium

Brick Premium Networks are special filter circuits hand-built in acrylic modules. They help your speaker cables transfer low frequency energy more efficiently and provide cleaner, clearer, more dimensional sound throughout the rest of the music range. You can create a true high end audio component now or later by adding the Brick Premium to Transparent The Wall Premium Speaker Cables.

Transparent designed and calibrated The Brick Premium to work ideally with The Wall Premium however, The Brick Premium will also significantly improve the performance of any brand or type of 10 AWG speaker cable.

Available as biwire for 4-input speaker connections. Choose between Standard Connection and Biwire Connection.

### Features

- Transfers low frequency energy more efficiently
- Cleaner, clearer, more dimensional sound throughout the musical range
- Optimizes the cable for audio frequencies, thereby preserving all the richness and foundation of natural music tonal balance.
- Fights noise that destroys low level information and the signal's purity.
- Comes calibrated for ten different per channel speaker cable lengths, in 10 foot ranges up to 100 feet
- Comes ready to hook up to speaker binding posts via spade or banana connection and to The Wall Premium with a Speakon connector
- The Wall Premium Biwire has two pairs of leads terminated with spades or bananas. One pair of leads hooks to the upper set of speaker terminals, and the other hooks to the lower set of speaker terminals.
- In combination with The Wall Premium Speaker Cable, The Brick Premium is upgradeable to the Brick Reference in combination with The Wall Reference Speaker Cable or Brick Reference XL in combination with The Wall Reference Speaker Cable through an authorized Transparent dealer.



### Specifications

Network calibration: 1-10, 11-20, 21-30, 31-40, 41-50, 51-60, 61-70, 71-80, 81-90, 91-100

Termination: spades, bananas

## Brick Reference

Designed to be used only with The Wall REFERENCE Speaker Cable, The Brick REFERENCE network are highly customized to your system layout, system components, and the specific length of cable used for each channel of the installation. The Brick REFERENCE comes in 2 versions: low impedance amplifier source and high impedance amplifier source. There is a 2-week lead time to manufacture this custom product.



## Brick XL

Designed to be used only with The Wall REFERENCE Speaker Cable, The Brick XL networks are highly customized to your system layout, system components, and the specific length of cable used for each channel of the installation. Transparent custom calibrates The Brick XL to specific amplifier electrical characteristics. There is a 2-week lead time to manufacture these custom products.

