

IMPORTANT: PLEASE KEEP FOR FUTURE REFERENCE. READ THE INSTRUCTIONS CAREFULLY BEFORE ASSEMBLING THE CRADLE!



Here it is: your very own Hussh hanging cradle. There's quite a chance you're going to be rather pleased with this *absolute dream* of a baby's bed. Because it's a little different from the others, made with particularly personal care and so very, very comfy.

The cradle is 'handmade' by Dutch hands. This makes each cradle truly unique. Small imperfections and deviations demonstrate the individuality of each product. However, should the cradle not live up to your expectations, do not hesitate to let us know!

Before assembling the hanging cradle, please check if you have all the parts listed below.

Parts **Flex cradle**: 1 cotton cradle
1 slightly hollow mattress with integrated bottom board
2 long rods
2 short rods
4 legs
1 spring with safety line
4 suspension ropes
1 hardware set: 8 carbine harnesses (6 and 7 cm long), 4 eye nuts and 4 'adjusting eights'

Swinging hook set (optional order): 1 swinging hook + plug

Heavenly canopy items (accessory): 1 canopy with 1 carbine harness (6 cm

Warning!

Read the product conditions prior to use on www.hussh-cradles.com.
Use of the spring: the spring must be used under normal conditions. The manufacturer understands 'normal' **not** to include **turning/twisting** or a sudden offload (discharge) of the spring. Consequently, children should never be allowed to play with the cradle and/or the spring. **Always** use the **safety line** that comes with this spring.

How to suspend the hanging cradle from the ceiling

The hanging cradle is suspended from a swinging hook in the ceiling. This hook can be screwed directly into a wooden beam (after predrilling). If you have a concrete ceiling, use the plug. Test the safety of your construction and make sure the hook can hold quite its share of weight!

Attention! Do **not** use much force when screwing the swinging hook in the ceiling. This might **weaken** the hook.

IMPORTANT: PLEASE KEEP FOR FUTURE REFERENCE. READ THE INSTRUCTIONS CAREFULLY BEFORE ASSEMBLING THE CRADLE!

How to assemble the hanging cradle

For good-looking results, please take your time assembling the cradle. This is especially important when determining the required rope length, as well as when adjusting the level of the cradle so that it is truly **horizontal**.

If your infant gains weight, or starts to sleep at the foot (or head) of the bed, adjust the ropes accordingly so the cradle hangs horizontally once more.

We recommend you **iron** the cradle (cotton) and heavenly canopy (linen) before assembling the hanging cradle, preferably with a steam iron.


If you feel the cradle is too close to the ceiling (or if your ceiling is tall), attach an extra piece of rope between the swinging hook and the spring, thereby enabling you to lower the cradle to the desired height. It is possible to order a separate piece of rope with an extra carbine harness for this purpose.

When you put your infant to bed, we recommend you tuck the blanket or duvet neatly under the mattress, so it stays level.

Enough text: time to assemble a lovely place for sleeping. Good luck! We wish your baby many wonderful sleeping hours.

P.S. Your experience and photographs of the Hussh hanging cradle are more than welcome!
Send them to info@hussh-cradles.com
They may very well end up on our website

Flex wieg - Flex Wiege - Culla Flexi - Cuna flexible - Flex Vugge - Flex-vagga - Berceau modulable - Flex Cradle



Hemeltje - Canopy - Himmellein - Le voile - Velo para culla - El velo - Sänghimmel - Forhaeng

