

IMPORTANT: PLEASE KEEP FOR FUTURE REFERENCE. READ THE INSTRUCTIONS CAREFULLY BEFORE ASSEMBLING THE CRADLE!



Here it is: your very own **Hussh** hanging twin cradle. There's quite a chance you're going to be rather pleased with this *absolute dream* of a baby's bed. Because it's a little different from the others, made with particularly personal care and so very, very comfy. The cradle is 'handmade' by Dutch hands. This makes each cradle truly unique. Small imperfections and deviations demonstrate the individuality of each product. However, should the cradle not live up to your expectations, do not hesitate to let us know!

Before assembling the hanging cradle, please check if you have all the parts listed below.

Parts **twin cradle**: 1 cotton cradle with partition and support plate.
2 slightly hollow mattresses with integrated bottom board.
5 long rods.
4 legs.
1 spring with safety line.
4 suspension ropes.
1 hardware set: 8 carbine harnesses (6 and 7 cm long), 4 eye nuts, 4 'adjusting eights'

Swinging hook set (optional order): 1 swinging hook + plug

Heavenly canopy items (accessory): 1 canopy with 1 carbine harness (6 cm)

Warning!

Read the product conditions prior to use on www.hussh-cradles.com
Use of the spring: the spring must be used under normal conditions. The manufacturer understands 'normal' **not** to include **turning/twisting** or a sudden offload (discharge) of the spring. Consequently, children should never be allowed to play with the cradle and/or the spring.

Always use the **spring with** the attached **safety line**.

How to suspend the hanging cradle from the ceiling

The hanging cradle is suspended from a swinging hook in the ceiling. This hook can be screwed directly into a wooden beam (after predrilling). If you have a concrete ceiling, use the plug. Test the safety of your construction and make sure the hook can hold quite its share of weight!

Note: when screwing in the hook **do not use** much **force** as this can weaken the hook.

IMPORTANT: PLEASE KEEP FOR FUTURE REFERENCE. READ THE INSTRUCTIONS CAREFULLY BEFORE ASSEMBLING THE CRADLE!

How to assemble the hanging cradle

For good-looking results, please take your time assembling the cradle. This is especially important when determining the required rope length, as well as when adjusting the level of the cradle so that it is truly horizontal.

If your infants gain weight, or start to sleep at the foot (or head) of the bed, adjust the ropes accordingly so the cradle hangs horizontally once more.

We recommend you **iron** the cradle (cotton) and heavenly canopy (linen) before assembling the hanging cradle, preferably with a steam iron.

If you feel the cradle is too close to the ceiling (or if your ceiling is tall), attach an extra piece of rope between the swinging hook and the spring, thereby enabling you to lower the cradle to the desired height. It is possible to order a separate piece of rope with an extra carbine harness for this purpose.



When you put your infants to bed, we recommend you tuck the blanket or duvet neatly under the mattress, so it stays flat (and level).

Enough text: time to assemble a lovely place for sleeping. Good luck! We wish your babies many wonderful sleeping hours.

P.S. Your experience and photographs of the Hussh hanging cradle are more than welcome!


Send them to info@hussh-cradles.com
They may very well end up on our website

Tweelingwieg
Twincradle
Zwillingswiege
Berceau jumeau
Culla gemellare
Moisés para gemelos
Tvillingevugge
Tvillingvagga



Tweelingwieg
Twin cradle
Zillingswiege
Berceau jumeau
Culla gemellare
Cuna para gemelos
Tvillingvagga
Tvillingevugge

4



Hemeltje
Canopy
Himmellein
Le voile
Velo per culla
El velo
Sānghimmel
Forhaeng

