

Instruction manual **Woody cradle**

IMPORTANT: PLEASE KEEP FOR FUTURE REFERENCE. READ THE INSTRUCTIONS CAREFULLY BEFORE ASSEMBLING THE CRADLE!



Here it is: your very own Hussh/Woody hanging cradle. There's quite a chance you're going to be rather pleased with this *absolute dream* of a baby's bed.

The cradle is made of birch plywood. Wood is a natural product. This makes each cradle truly unique. Imperfections and deviations are possible. These demonstrate the individuality of each product. However, should the cradle not live up to your expectations, do not hesitate to let us know!

Hint! As these cradles were sawn by machines the edges might feel a bit sharp and/or wood fibres might stand up somewhat. This can be easily fixed by sanding the corners and edges. It will improve the touch and feel of the Woody.

Hint! The *longer* wooden clamps must be bend somewhat when being inserted. This way they will keep themselves in place.

Before assembling the Woody, please check if you have all the parts listed below.

Woody items:

- 8 wooden parts
- 1 mattress
- 1 spring including a safety line
- 4 cotton suspension ropes
- 1 bag with: 4 carbine harnesses, 4 thin hooks,
- 4 'adjusting eights', 4 stainless steel 'feet',
- 2 x 4 small white caps.

Swinging hook set (optional order): 1 swinging hook + plug

Warning!

Read the **product conditions** prior to use on www.hussh-cradles.com

Use of the **spring**: the spring must be used under normal conditions. The manufacturer understands 'normal' **not** to include **turning/twisting** or a sudden offload (discharge) of the spring. Consequently, children should never be allowed to play with the cradle and/or the spring.

Always use the spring with the attached **safety line**.

Instruction manual **Woody cradle**

IMPORTANT: PLEASE KEEP FOR FUTURE REFERENCE. READ THE INSTRUCTIONS CAREFULLY BEFORE ASSEMBLING THE CRADLE!

How to suspend the Woody cradle from the ceiling

The Woody is suspended from a swinging hook in the ceiling. This hook can be screwed directly into a **wooden** beam (after predrilling). If you have a concrete ceiling, use the **plug**. Test the safety of your construction and make sure the hook can hold quite its share of weight!

Note: when screwing in the hook **do not use** much **force** as this can weaken the hook.

How to assemble the Woody (pages 3 and 4)

For a good result, please take your time assembling the cradle. Push the wooden parts together **gently and evenly**.

Pay attention to insert the hanging hooks the proper way. See the drawing on the next page under '**6**'.

Adjusting the rope lengths equally is important. The cradle should hang truly **horizontal**.

If your infant gains weight, or starts to sleep at the foot (or head) of the bed, adjust the rope-lengths accordingly so the cradle hangs horizontally once more.

If the Woody is on the **floor** you can **block** the **rocking** with the 4 'feet'. NEN (safety organisation) advises to do so when leaving the cradle **unattended**.

Washing instructions: the mattress cover can be washed at 30°C (normal washing program)





If you feel your cradle hangs too high (high ceiling), you can attach an extra piece of rope between the swinging hook and the spring, thereby enabling you to lower the cradle to the desired height. It is possible to order a separate piece of rope with an extra carabine harness and adjusting eight for this purpose.

Time to assemble a lovely place for sleeping. See the assembly drawing on the following page. Good luck!


We wish your baby and you many wonderful sleeping hours.

P.S. Your experience and photographs (or video!) of the Woody cradle are very welcome!

Please send them to info@hussh-cradles.com



5.



6b.

6a.

