



Cabled Pullover

SIZES

X-Small (Small, Medium, Large, 1X, 2X, 3X, 4X, 5X)

Shown in Size Small

FINISHED MEASUREMENTS

Bust: 36 (40, 44, 48, 52, 56, 60, 64, 68)''

Length: 24 (24¾, 25, 26¼, 26¼, 26¾, 27¾, 28¼, 28¼)''

MATERIALS

Premier® Yarns Anti-Pilling® Everyday®

DK Merino Blend (55% Superwash Merino Wool, 45% Anti-Pilling Acrylic; 3.5oz/100g, 273yds/250m)

- 2006-27 Spice – 6 (6, 7, 7, 7, 8, 9, 10, 10) balls

Hook: US Size G-6 (4 mm) *or size needed to obtain gauge*

Notions: Tapestry needle, locking stitch marker

GAUGE

16 hdc x 14 rows = 4''

Save time, check your gauge.

Skills/techniques used in this pattern:

- Chain, single crochet stitches, and slip stitches.
- Half double, double and treble crochet stitches.
- Maintaining stitch pattern while working shaping.
- Front and back post stitches.
- Seaming panels together.

STITCH GUIDE

Bpdc (back post double crochet): Yo, insert hook from back to front to back around the

post of the indicated st and pull up a loop, [yo and pull through 2 loops on hook] twice.

Fpdc (front post double crochet): Yo, insert hook from front to back to front around the post of the indicated st and pull up a loop, [yo and pull through 2 loops on hook] twice.

Fptr (Front post treble crochet): Yo twice, insert hook from front to back to front around the post of the indicated st and pull up a loop, [yo and pull through 2 loops on hook] three times.

Cable Panel Patt (worked over 11 sts)

Row 2: **Fptr** around next 4 sts, 2 rows below, hdc in next 3 sts, **fptr** around next 4 sts, 2 rows below.

Row 6: Sk next 2 sts, 2 rows below, **fptr** around next 2 sts, 2 rows below, working in front of 2 sts just made, **fptr** around 2 skipped sts, 2 rows below.

PATTERN NOTES

Pullover is worked from the bottom up in pieces and seamed.

PULLOVER

Back

Ribbing

Ch 74 (82, 90, 98, 106, 114, 122, 130, 138).

Row 1 (WS): Hdc in 3rd ch from hook (2 skipped chs do not count as a st), hdc in each rem ch across, turn – 72 (80, 88, 96, 104, 112, 120, 128, 136) sts.

Row 2 (RS): Ch 1 (does not count as a st throughout), hdc in same st, ***fpdc** around next st, hdc in next st; rep from * to last st, hdc in last st, turn.

Row 3: Ch 1, hdc in next 2 sts, ***bpdc** around

project continued

next st, hdc in next st; rep from * across, turn.

Row 4: Rep Row 2.

Row 5: Rep Row 3.

Body

Row 6: Ch 1, hdc in each st across, turn – 72 (80, 88, 96, 104, 112, 120, 128, 136) sts.

Rep Row 6 until panel meas 23½ (24¼, 24½, 25¾, 25¾, 26¼, 27¼, 27¾, 27¾)” from bottom edge of Ribbing, end having just worked a WS row.

Shape Right Neck

Row 1 (RS): Ch 1, hdc in next 28 (30, 33, 36, 40, 44, 46, 50, 54) sts, turn, leave rem sts unworked – 28 (30, 33, 36, 40, 44, 46, 50, 54) sts.

Row 2 (WS): Ch 1, hdc in each st across. Fasten off.

Shape Left Neck

With RS facing, sk next 16 (20, 22, 24, 24, 24, 28, 28, 28) sts after last st of Row 1 of Right Neck, join yarn with a sl st in next st.

Row 1 (RS): Ch 1, hdc in each st across, turn – 28 (30, 33, 36, 40, 44, 46, 50, 54) sts.

Row 2 (WS): Ch 1, hdc in each st across. Fasten off.

Front

Work Ribbing as for Back

Body

Row 1 and all WS rows: Ch 1, hdc in each st across, turn – 72 (80, 88, 96, 104, 112, 120, 128, 136) hdc.

Row 2 (RS): Ch 1, hdc in next 17 (19, 22, 25, 29, 33, 35, 39, 43) sts, work Row 2 of **Cable Panel Patt** over next 11 sts, hdc in rem 44 (50, 55, 60, 64, 68, 74, 78, 82) sts, turn.

Row 4: Rep Row 2.

Row 6: Ch 1, hdc in next 17 (19, 22, 25, 29, 33, 35, 39, 43) sts, work Row 6 of **Cable Panel Patt** over next 11 sts, hdc in rem 44 (50, 55, 60, 64, 68, 74, 78, 82) sts, turn.

Rep Rows 1-6 until back meas 18¾ (18½, 18½, 19¾, 19¾, 20¼, 20, 20½, 21)” from bottom edge of Ribbing, end having just worked a Row 1.

Shape Right Neck

Row 1 (RS): Ch 1, hdc in next 17 (19, 22, 25, 29, 33, 35, 39, 43) sts, work Row 2 of **Cable Panel Patt** over next 11 sts, hdc in next 5 (7, 8, 9, 9, 9, 11, 11, 11) sts, hdc2tog, turn, leave rem sts unworked – 1 st dec’d, 37 (41, 45, 49, 53, 57, 61, 65, 69) sts rem unworked for Left Neck, 34 (38, 42, 46, 50, 54, 58, 62, 66) sts rem for Right Front.

Row 2 (WS): Ch 1, hdc in each st across, turn.

Row 3: Ch 1, hdc in next 17 (19, 22, 25, 29, 33, 35, 39, 43) sts, work Row 2 of **Cable Panel Patt** over next 11 sts, hdc to last 2 sts, hdc2tog, turn – 1 st dec’d, 33 (37, 41, 45, 49, 53, 57, 61, 65) sts.

Row 4: Rep Row 2.

Row 5: Ch 1, hdc in next 17 (19, 22, 25, 29, 33, 35, 39, 43) sts, work Row 6 of **Cable Panel Patt** over next 11 sts, hdc to last 2 sts, hdc2tog, turn – 1 st dec’d, 32 (36, 40, 44, 48, 52, 56, 60, 64) sts.

Row 6: Rep row 2.

Row 7: Rep Row 3 – 1 st dec’d, 31 (35, 39, 43, 47, 51, 55, 59, 63) sts.

Rows 8 – 13 (13, 19, 19, 19, 19, 25, 25, 19): Rep Rows 2-7; 1 (1, 2, 2, 2, 2, 3, 3, 2) time(s) – 28 (32, 33, 37, 41, 45, 46, 50, 57) sts.

Sizes Small and 5X Only

Next 4 Rows: Rep Rows 2-5.

Size Large, 1X and 2X Only

Next 2 Rows: Rep Rows 2-3.

All Sizes

Work 5 (5, 4, 2, 2, 2, 2, 2, 2) rows even in est’d **Cable Panel Patt** over rem sts – 28 (30, 33, 36, 40, 44, 46, 50, 55) sts.

Fasten off.

Shape Left Neck

With RS facing, sk 2 sts after last st of Row 1 of Right Neck Shaping, join yarn with a sl st in next st.

Row 1 (RS): Ch 1, hdc2tog, hdc in each rem st across, turn – 1 st dec’d, 34 (38, 42, 46, 50, 54, 58, 62, 66) sts.

Row 2 (WS): Ch 1, hdc in each st across, turn.

Row 3: Rep Row 1 – 1 st dec’d, 33 (37, 41, 45, 49, 53, 57, 61, 65) sts.

Rows 4 – 13 (17, 19, 21, 21, 21, 25, 25, 23): Rep last 2 rows 5 (7, 8, 9, 9, 9, 11, 11, 10) times – 28 (30, 33, 36, 40, 44, 46, 50, 55) sts.

Work 5 (5, 4, 2, 2, 2, 2, 2, 2) rows even in est’d patt – 28 (30, 33, 36, 40, 44, 46, 50, 55) sts.

Fasten off.

Sleeves (make 2)

Ribbing

Ch 36 (38, 40, 44, 44, 46, 46, 46, 46).

Row 1 (WS): Hdc in 3rd ch from hook, hdc in each rem ch across, turn – 34 (36, 38, 42, 42, 44, 44, 44, 44) sts.

Row 2 (RS): Ch 2, hdc in same st, *fpdc around next st, hdc in next st; rep from * to last st, hdc in last st, turn.

Cabled Pullover

By Premier® Yarns Design Team

project continued

Row 3: Ch 2, hdc in next 2 sts, ***bpdc** around next st, hdc in next st; rep from * across, turn.

Row 4: Rep Row 2.

Row 5: Rep Row 3.

Main Sleeve

Row 1: Ch 2, hdc in each st across, turn.

Work 3 (4, 4, 4, 2, 1, 1, 1, 1) row(s) even in est'd hdc.

Inc Row: Ch 2, hdc in same st, 2 hdc in next st, hdc across to last 2 sts, 2 hdc in next st, hdc in last st, turn – 2 sts inc'd, 36 (38, 40, 44, 44, 46, 52, 58, 60) sts total.

Rep Inc Row every other row 0 (0, 0, 0, 0, 0, 3, 12, 17) more times, then every 7 (6, 6, 6, 4, 3, 3, 3, 3) rows 7 (8, 8, 8, 11, 14, 14, 8, 4) times – 50 (54, 56, 60, 66, 74, 80, 86, 88) hdc.

Work 4 (6, 6, 4, 10, 11, 1, 1, 1) row(s) even in est'd patt – 50 (54, 56, 60, 66, 74, 80, 86, 88) sts. Fasten off.

FINISHING

Wash and block Front, Back and Sleeves. Sew shoulder seams, place locking marker at the top center of each Sleeve. Use marker to align center of Sleeve with shoulder seam, sew Sleeves along the edge of Front and Back. Sew Sleeve and side seams.

Neck Edging

Rnd 1: With RS facing, join yarn in shoulder seam on neck edge, ch 1, evenly space sc sts along neck opening, join with sl st to first sc. Fasten off.

Weave in ends.

Abbreviations

beg	begin(ning)
ch	chain
dec(d)	decrease(d)
est'd	established
hdc	half double crochet
hdc2tog	half double crochet the next 2 sts together (1 st dec)
inc(d)	increase(d)
meas	measure(s)
patt	pattern
rem	remain(ing)
rep	repeat
RS	right side
sc	single crochet
sk	skip
sl st	slip stitch
st(s)	Stitch(es)
WS	wrong side
yo	yarn over

Schematic

