



Town and Country Stocking

Level: Intermediate

FINISHED MEASUREMENTS

Circumference: 16"

Leg Length: 20.5"

MATERIALS

Premier® Yarns Everyday® Soft Worsted Heathers (100% anti-pilling acrylic; 100 g/180 yds)

- #DN110-10 Oat Heather – 2 balls

Needle: US Size 9 (5.5 mm) 16" circular needle and set of US 9 (5.5 mm) double point needles or size needed to obtain gauge

Notions: Tapestry needle, cable needle

GAUGE

18 sts x 24 rows = 4" in St st

Save time, check your gauge.

STITCH GUIDE

2/2RC (2/2 Right Cross): Sl 2 sts onto cable needle and hold in back, k2, k2 from cable needle.

2/2LC (2/2 Left Cross): Sl 2 sts onto cable needle and hold in front, k2, k2 from cable needle.

2/2PRC (2/2 Purl Right Cross): Sl 2 sts onto cable needle and hold in back, p2, p2 from cable needle.

2/2PLC (2/2 Purl Left Cross): Sl 2 sts onto cable needle and hold in front, p2, p2 from cable needle.

3/2RPC (3/2 Right Purl Cross): Sl 2 sts onto cable needle and hold in back, k3, p2 from cable needle.

3/2LPC (3/2 Left Purl Cross): Sl 3 sts onto cable needle and hold in front, p2, k3 from cable needle.

3/3RC (3/3 Right Cross): Sl 3 sts onto cable needle and hold in back, k3, k3 from cable needle.

3/3LC (3/3 Left Cross): Sl 3 sts onto cable needle and hold in front, k3, k3 from cable needle.

I-Cord: * Slide sts to opposite end of dpn. Bring the yarn across the WS to the beginning of the row. K across dpn, place needle in left hand; rep from * until i-cord is desired length.

w&t (wrap and turn): Wyib, sl next st p-wise, bring yarn to front, sl st back to left-hand needle p-wise, bring yarn to back, turn work.

2x2 Ribbing (multiple of 4 sts)

Rnd 1: *K2, p2; rep from * around.

Rep Rnd 1 for pat.

Cable Pattern (multiple of 34 sts)

Rnd 1: *P1, k4, p6, k12, p6, k4, p1; rep from * around.

Rnd 2: *P1, 2/2RC, p6, 3/3RC, 3/3LC, p6, 2/2LC, p1; rep from * around.

Rnd 3: *P1, k4, p6, k12, p6, k4, p1; rep from * around.

Rnd 4: *P1, k4, p4, 3/2RPC, 3/3LC, 3/2LPC, p4, k4, p1; rep from * around.

Rnd 5: *P1, k4, p4, k3, p2, k6, p2, k3, p4, k4, p1; rep from * around.

Rnd 6: *P1, 2/2RC, p2, 3/2RPC, p2, k6, p2, 3/2LPC, p2, 2/2LC, p1; rep from * around.

Rnds 7-9: *P1, k4, p2, k3, p4, k6, p4, k3, p2, k4, p1; rep from * around.

Rnd 10: *P1, 2/2RC, p2, k3, p4, 3/3LC, p4, k3, p2, 2/2LC, p1; rep from * around.

project continued

Rnds 11-13: *P1, k4, p2, k3, p4, k6, p4, k3, p2, k4, p1; rep from * around.

Rnd 14: *P1, 2/2RC, p2, 3/2LPC, p2, k6, p2, 3/2RPC, p2, 2/2LC, p1; rep from * around.

Rnd 15: *P1, k4, p4, k3, p2, k6, p2, k3, p4, k4, p1; rep from * around.

Rnd 16: *P1, k4, p4, 3/2LPC, 3/3LC, 3/2RPC, p4, k4, p1; rep from * around.

Rep Rnds 1-16 for patt.

PATTERN NOTES

On heel, don't hide wraps on sts that present as purl on the RS. Only the first & last wrap, done on a knit st, will need to be knit into the accompanying st.

STOCKING

Cuff

With 16" circular needles, cast on 68 sts.

Work 1 row of 2x2 Ribbing. Pm and join to work in the rnd, being careful not to twist work.

Work 3" of 2x2 Ribbing.

Knit 3 rnds for turning ridge.

Work 1" of 2x2 Ribbing.

Leg

Work Rnds 1-16 of cable patt 4 times.

Work Rnds 1-2 of cable patt once more.

Heel

Note: Heel takes the place of Rnd 3 of cable patt. Heel turn is both written and charted.

Row 1 (RS): P1, k4, p6, k12, p6, k4, p2, k4, p6, w&t.

Row 2 (WS): K6, p4, k2, p4, k6, w&t.

Row 3: P6, k4, p2, k4, p5, w&t.

Row 4: K5, 2/2PRC, k2, 2/2PLC, k5, w&t.

Row 5: P5, k4, p2, k4, p4, w&t.

Row 6: K4, p4, k2, p4, k4, w&t.

Row 7: P4, k4, p2, k4, p3, w&t.

Row 8: K3, 2/2PRC, k2, 2/2PLC, k3, w&t.

Row 9: P3, k4, p2, k4, p2, w&t.

Row 10: K2, p4, k2, p4, k2, w&t.

Row 11: P2, k4, p2, k4, p1, w&t.

Row 12: K1, 2/2PRC, k2, 2/2PLC, k1, w&t.

Row 13: P1, k4, p2, k4, w&t.

Row 14: P4, k2, p4, w&t.

Row 15: K4, p2, k4, w&t.

Row 16: 2/2PRC, k2, 2/2PLC, w&t.

Row 17: K4, p2, k4, p1, w&t.

Row 18: K1, p4, k2, p4, k1, w&t.

Row 19: P1, k4, p2, k4, p2, w&t.

Row 20: K2, 2/2PRC, k2, 2/2PLC, k2, w&t.

Row 21: P2, k4, p2, k4, p3, w&t.

Row 22: K3, p4, k2, p4, k3, w&t.

Row 23: P3, k4, p2, k4, p4, w&t.

Row 24: K4, 2/2PRC, k2, 2/2PLC, k4, w&t.

Row 25: P4, k4, p2, k4, p5, w&t.

Row 26: K5, p4, k2, p4, k5, w&t.

Row 27: P5, k4, p2, k4, p6, w&t.

Row 28: K6, 2/2PRC, k2, 2/2PLC, k6, w&t.

Row 29 (RS): P6, k4, p2, k4, p6, k12, p6, k4, p1.

Foot

Work Rnds 4-16 of cable patt then Rnds 1-16 once more.

Toe

Note: Change to dpns when sts no longer fit comfortably around circular needle.

Rnd 1: *P1, k4, p6, k12, p6, k4, p1; rep from * around.

Rnd 2: *P1, 2/2RC, p6, 3/3RC, 3/3LC, p6, 2/2LC, p1; rep from * around.

Rnd 3: *P1, k4, p6, k12, p6, k4, p1; rep from * around.

Rnd 4: *P1, k4, p4, 3/2RPC, k1, 2/2LC, k1, 3/2LPC, p4, k4, p1; rep from * around.

Rnd 5: *P1, k4, p4, k3, p2, k2tog, k2, ssk, p2, k3, p4, k4, p1; rep from * around – 64 sts.

Rnd 6: *P1, 2/2RC, p2, 3/2RPC, p2, k4, p2, 3/2LPC, p2, 2/2LC, p1; rep from * around.

Rnd 7: *P1, k4, p2, k3, p3, k2tog, k2, ssk, p3, k3, p2, k4, p1; rep from * around – 60 sts.

Rnd 8: *P1, k4, p2, k3, p3, 2/2LC, p3, k3, p2, k4, p1; rep from * around.

Rnd 9: *P1, k4, p2, k3, p2, k2tog, k2, ssk, p2, k3, p2, k4, p1; rep from * around – 56 sts.

Rnd 10: *P1, 2/2RC, p2, k3, p2, k4, p2, k3, p2, 2/2LC, p1; rep from * around.

Rnd 11: *P1, k4, p2, k3, p1, k2tog, k2, ssk, p1, k3, p2, k4, p1; rep from * around – 52 sts.

Rnd 12: *P1, k4, p2, k3, p1, 2/2LC, p1, k3, p2, k4, p1; rep from * around.

Rnd 13: *P1, k4, p2, k3, k2tog, k2, ssk, k3, p2, k4, p1; rep from * around – 48 sts.

Rnd 14: *P1, 2/2RC, p2, k2, k2tog, k2, ssk, k2, p2, 2/2LC, p1; rep from * around – 44 sts.

Rnd 15: *P1, k4, p2, k1, k2tog, k2, ssk, k1, p2, k4, p1; rep from * around – 40 sts.

Rnd 16: *P1, k4, p2, k1, 2/2LC, k1, p2, k4, p1; rep from * around.

Rnd 17: *P1, k4, p2, k2tog, k2, ssk, p2, k4, p1; rep from * around – 36 sts.

Rnd 18: *P1, 2/2RC, p1, k2tog, k2, ssk, p1, 2/2LC, p1; rep from * around – 32 sts.

Town and Country Stocking

By Premier Yarns Design Team

project continued

Rnd 19: *P1, k4, k2tog, k2, ssk, k4, p1; rep from * around – 28 sts.
Cut yarn leaving a long tail, close toe with kitchener st.

FINISHING

Hanging Loop

With dpns, cast on 3 sts.

Work in i-cord for 7". Fasten off.

With Cuff turned over at turning ridge, sew both ends of hanging loop to center back of stocking at top of leg.

Weave in ends.

Block to relax ribbing.

Abbreviations

cn	cable needle
dpn	double pointed needles
k	knit
k2tog	knit 2 sts together (1 st dec'd)
p	purl
patt	pattern
pm	place marker
p-wise	purlwise
rep	repeat(ing)
rnd(s)	round(s)
RS	right side
sl	slip
ssk	slip slip knit (1 st dec'd)
st(s)	stitch(es)
WS	wrong side
Wyib	with yarn in back

