



SIZES

Adult Women's

FINISHED MEASUREMENTS

Hat

Circumference: 21½", hat is very stretchy and will fit most adult sized heads

Height: 11" (brim will be folded up)

Scarf

Length: 65"

Width: 8"

Mitts

Circumference: 8½" with ribbing stretched, will fit most adult sized hands

Length: 11¾"

MATERIALS

Premier Yarns® Deborah Norville Everyday (100% acrylic; 100g/203 yds)

- 100-33 Violet – 5 skeins (1 for Hat, 1 for Mitts, 3 for Scarf)

Needles: US Size 8 (5 mm) 16" circular (for hat), straight (for scarf) & dpns (for mitts, hat crown) *or size needed to obtain gauge*

Notions: Stitch markers, cable needle, tapestry needle

GAUGE

18 sts x 24 rows = 4" in St st

Save time, check your gauge.

Directions:

STITCH GUIDE

K2, P2 Ribbing

(even number of sts)

Rnd 1: * K2, p2; rep from * to end.

Rep Rnd 1 for patt.

K2, P1 Ribbing

Rnd 1: * K2, p1; rep from * to end.

Rep Rnd 1 for patt.

K1, P1 Ribbing

Rnd 1: * K1, p1; rep from * to end.

Rep Rnd 1 for patt.

4/4 Right Cross (RC): Sl 4 sts onto cn, hold to back of work, k4, and then k4 from cn.

Cable Panel

(worked over 16 sts)

Rows 1, 3, 7 & 9 (RS): (K1, p1) twice, k8, (p1, k1) twice.

Row 2 and all WS rows: (P1, k1) twice, p8, (k1, p1) twice.

Row 5: (K1, p1) twice, 4/4 RC, (p1, k1) twice.

Row 10: (P1, k1) twice, p8, (k1, p1) twice.

Rep Rows 1 – 10 for patt.

PATTERN NOTES

Hat and mitts are worked in the round. Scarf is worked in rows with a simple cable panel in the center.

HAT

Cast on 96 sts. Pm and join to work in the rnd, being careful not to twist sts.

Beg K2, P2 Ribbing patt, cont in patt until work meas 9¾" from cast on edge.

Dec rnd 1: * K2, p2tog; rep from * to end – 24 sts dec'd, 72 sts rem.

Work K2, P1 Ribbing patt for 3 rnds.

Dec rnd 2: * K2tog, p1; rep from * to end – 24 sts dec'd, 48 sts rem.

Work K1, P1 Ribbing patt for 3 rnds.

Dec rnd 3: * K2tog; rep from * to end – 24 sts dec'd, 24 sts rem.

Rep Dec rnd 3, once more – 12 sts dec'd, 12 sts rem.

Cut yarn, leaving a 6" tail, pass through rem live sts.

SCARF

Cast on 36 sts.

Knit 2 rows.

Next row (RS): K10, pm, work Cable Panel beg on Row 1 over 16 sts, pm, k10.

Next row (WS): K10, sl m, work Cable Panel on Row 2, sl m, k10.

Cont in patt as set, working garter st on first and last 10 sts and Cable Panel in center, until work meas 65" from cast-on edge. Knit 2 rows. Bind off all sts.

MITTS (make 2)

Cast on 40 sts. Pm and join to work in the rnd, being careful not to twist sts.

Beg K2, P2 Ribbing patt, cont in patt until work meas 8" from cast on edge.

Thumbhole

Next row (RS): Work in patt to end, turn work. Cont in K2, P2 Ribbing, turn work at end of each row for 7 rows.

Next rnd (RS): Work in patt to end, join to work in the rnd once more, cont to work in K2, P2 Ribbing for 2¾".

Bind off all sts in patt.

FINISHING

Weave in all ends.

Abbreviations

beg	begin(ning)
cn	cable needle
cont	continue
dec('d)	decrease(d)
k	knit
k2tog	knit 2 sts together – 1 st dec'd
m	marker
meas	measures
p	purl
p2tog	purl 2 sts together – 2 st dec'd
pm	place marker
patt	pattern
rem	remain(ing)
rep	repeat
rnd(s)	round(s)
sl	slip
st(s)	stitch(es)