



SAFETY DATA SHEET

Print date:

Revision Date: 03/27/2015

Revision Number: 1

1. COMPANY AND PRODUCT IDENTIFICATION

Product identifier

Product Name: KEMIKO® ACID STAIN BLUE 37A-2
Product code: 37A-2

Other means of identification

Synonyms No information available.

Application

Recommended Use Acid Stain
Uses advised against For industrial use only

Supplier/Manufacturer:

Supplier:
EPMAR Corporation
13240 E. Barton Circle
Whittier, CA 90605-3254
Phone: 562-946-8781
FAX: 562-944-9958
E-mail: she@quakerchem.com
(For Health and Safety Questions)

Emergency telephone number:

* 24 HOUR TRANSPORTATION:
**CHEMTREC: 1-800-424-9300
+703-527-3887 (Call collect outside of US)
* 24 HOUR EMERGENCY HEALTH & SAFETY:
**(800) 523-7010 (Within US only) Outside of US call (703)
527-3887

2. HAZARDS IDENTIFICATION

Classification


OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute Toxicity - Oral	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Chronic aquatic toxicity	Category 3
Corrosive to metals	Category 1

Label Elements

Emergency Overview

DANGER		
Hazard Statements		
harmful if swallowed		
Harmful if inhaled		
Causes severe skin burns and eye damage		
Harmful to aquatic life with long lasting effects		
May be corrosive to metals		
		
Appearance Clear, Blue	Physical State Liquid	Odor Mild

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling
 Do not eat, drink or smoke when using this product
 Use only outdoors or in a well-ventilated area
 Do not breathe dust/fume/gas/mist/vapors/spray
 Wear protective gloves/protective clothing/eye protection/face protection
 Avoid release to the environment

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician
 Specific treatment (see first aid on this label)
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician
 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell Immediately call a POISON CENTER or doctor/physician
 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth Do not induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None known

Other Information

May be harmful in contact with skin

Unknown acute toxicity 0% of the mixture consists of ingredient(s) of unknown toxicity**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Components	CAS No.	Weight %
Cupric Chloride, dihydrate	10125-13-0	10 - 20%
Phosphoric acid	7664-38-2	5 - 10%

The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

General advice:	Show this safety data sheet to the doctor in attendance. Remove contaminated clothing and shoes. Wash contaminated clothing before re-use. Wash off with soap and water. If symptoms persist, call a physician.
Eye contact:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Skin contact:	Remove contaminated clothing and shoes. Wash contaminated clothing before re-use. Rinse immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing before re-use. Wash off immediately with soap and plenty of water.
Ingestion:	If swallowed, seek medical advice immediately and show this container or label. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person.
Inhalation:	Move to fresh air in case of accidental inhalation of vapors. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Consult a physician.
Note to physician:	Aspiration into the lungs will result in chemical pneumonitis and may be fatal. Monitor kidney function due to toxicity of copper salts.
Medical condition aggravated by exposure:	Dermatitis and asthma.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:	Use dry chemical, CO ₂ , water spray or `alcohol` foam.
Specific hazards:	Explosive vapor could form
Special protective equipment for fire-fighters:	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.
Specific methods:	Water mist may be used to cool closed containers.

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions:** Ensure adequate ventilation. Avoid contact with skin, eyes and clothing. Do not breathe vapour/dust. Use personal protective equipment. Wash thoroughly after handling
- Environmental precautions:** Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so.
- Methods for cleaning up:** Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up and shovel into suitable containers for disposal.

7. HANDLING AND STORAGE

Handling

- Technical measures/precautions:** Provide sufficient air exchange and/or exhaust in work rooms.
- Safe handling advice:** In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin and eyes. Do not breathe vapors or spray mist. Wear personal protective equipment. Wash thoroughly after handling.

Storage

- Technical measures/storage conditions:** DO NOT FREEZE Store in original container Keep containers tightly closed in a dry, cool and well-ventilated place.
- Incompatible products:** See Section 10, Materials to avoid.
- Safe storage temperature:** 40 - 100 ° F
- Shelf life:** 12 months

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	ACGIH Exposure Limits	OSHA TWA (final)	NIOSH - Pocket Guide
Cupric Chloride, dihydrate	1 mg/m ³ (TWA)	None	1 mg/m ³ (TWA)
Phosphoric acid	1 mg/m ³ (TWA) 3 mg/m ³ (STEL)	1 mg/m ³	1 mg/m ³ (TWA) 3 mg/m ³ (STEL)

- Engineering measures:** Ensure adequate ventilation.

Personal Protective Equipment:

- General:** Eye Wash and Safety Shower

Respiratory protection: If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, a NIOSH-certified respirator with organic vapor/P100 filter should be worn.

Eye protection: Goggles. Face-shield.

Hand protection: Neoprene gloves

Skin and body protection: Long sleeved clothing Chemical resistant apron

Hygiene measures: Avoid contact with skin, eyes and clothing. Contaminated work clothing should not be allowed out of the workplace.



9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Liquid
Appearance	Clear, Blue
Odor	Mild
Odor Threshold	No information available.
pH:	1
pH Dilution	No information available
Melting/freezing point	No information available
Boiling Point/Range	~ 100 °C / 212 °F
Flash Point	No information available
Method	No information available
Evaporation rate	No information available
Flammability Limits in Air	
upper flammability limit	No information available.
lower flammability limit	No information available.
VOC Content	No information available
Vapor pressure	No information available.
Vapor density	No information available.
Specific Gravity (g/cc, 15 C)	1.13
Bulk Density (lb/gal, 15 C)	9.43
Water Solubility	Soluble in water

Solubility in other solvents	No information available.
Partition coefficient: n-octanol/water	No information available
Autoignition temperature	No information available
Decomposition Temperature	No information available
Kinematic viscosity	No information available
Dynamic viscosity	No information available
Molecular Weight	No information available

10. STABILITY AND REACTIVITY

Stability:	Stable under recommended storage conditions.
Conditions to avoid:	None known.
Materials to avoid:	Strong bases. Strong oxidizing agents. Alkali metals. Potassium. Sodium. hydrazine. nitromethane. Aluminum. acetylene. sodium hypobromite. Gives off hydrogen by reaction with metals.
Hazardous decomposition products:	HCl, Cl ₂ . Highly toxic fumes. phosphorous compounds.
Hazardous Polymerization:	Not applicable.

11. TOXICOLOGICAL INFORMATION

No toxicological information is available on the product. Data obtained on components are summarized below.

Information on likely routes of exposure

Inhalation	Harmful if inhaled.
Eye Contact	Corrosive to the eyes and may cause severe damage including blindness.
Skin Contact	Contact causes severe skin irritation and possible burns.
Ingestion	Harmful if swallowed.

Components	LD50 Oral	LD50 Dermal	LC50 Inhalation
Cupric Chloride, dihydrate	-	-	-
Phosphoric acid	1530 mg/kg (Rat)	2730 mg/kg (Rabbit)	850 mg/m ³ (Rat) 1 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen

Components	IARC Carcinogens	NTP	OSHA - Select Carcinogens

Cupric Chloride, dihydrate	Not listed	Not listed	Not listed
Phosphoric acid	Not listed	Not listed	Not listed

Sensitization	No information available.
Mutagenic effects:	No information available.
Reproductive Toxicity	No information available.
Developmental Toxicity	No information available.
Teratogenic	No information available.
Specific target organ systemic toxicity (single exposure)	No information available.
Specific target organ systemic toxicity (repeated exposure)	No information available.
Aspiration hazard	No information available.

Additional information on toxicological effects
No information available

12. ECOLOGICAL INFORMATION

Components	Ecotoxicity - Fish Species Data:	Ecotoxicity - Freshwater Algae Data:	Ecotoxicity - Water Flea Data:
Cupric Chloride, dihydrate	No data	No data	No data
Phosphoric acid	No data	No data	EC50 (Daphnia magna - 12h) = 4.6 mg/L

13.29% of the mixture consists of component(s) of unknown hazards to the aquatic environment

Persistence and Degradability	No information available.
Bioaccumulation	No information available.

Components	Octanol/water partition coefficient
Cupric Chloride, dihydrate	-
Phosphoric acid	-

Mobility:	No data available
Ozone:	No data available

13. DISPOSAL CONSIDERATIONS

Waste from residues/unused products: Waste disposal must be in accordance with appropriate Federal, State, and local regulations. This product, if unaltered by use, may be disposed of by treatment at a permitted facility or as advised by your local hazardous waste regulatory authority.

Contaminated packaging: Do not re-use empty containers

Methods for cleaning up: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up and shovel into suitable containers for disposal.

Components Phosphoric acid
7664-38-2

US EPA Waste Number	D002
----------------------------	------

14. TRANSPORT INFORMATION

U. S. DEPARTMENT OF TRANSPORTATION:

UN/NA ID Number: UN1805
Proper shipping name: Phosphoric acid, solution
Hazard class: 8
Subsidiary risk:
PG: III
RQ: Cupric acid, RQ kg = 103
DOT ERG: ERG 154
Additional DOT Information: Not applicable for packages of 5 gallons or less

TDG (CANADA):

UN nr: UN1805
Proper shipping name: Phosphoric acid, solution
TDG Hazard Classification: 8
Subsidiary class:
Packing group: III

IMDG/IMO:

UN nr: UN1805
Proper shipping name: Phosphoric acid, solution
Class: 8
Subsidiary class:
Packing group: III
EMS: F-A, S-B
Limited quantity: 1 L

IATA/ICAO:

UN nr: UN1805
Proper shipping name: Phosphoric acid, solution
Hazard Class: 8
Subsidiary class:
Packing group: III
Maximum quantity for cargo only: 60 L
Maximum quantity for passenger: 5L
Limited quantity: 0.5 L

15. REGULATORY INFORMATION

Federal Regulations

OSHA Hazard Communication Standard:

This product is considered to be hazardous under the OSHA Hazard Communication Standard.

CERCLA/SARA Information:

SARA (311, 312) hazard class: This product possesses the following SARA Hazard Categories:

Immediate Health (Acute): Yes
Delayed Health (Chronic): Yes
Flammability: No
Pressure: No
Reactivity: No

Components	Hazardous Substances and RQs	Extremely Hazardous Substances and TPQs	SARA 313 Emission Reporting
Cupric Chloride, dihydrate	Not listed	Not listed	1.0 %
Phosphoric acid	5000 lb	Not listed	Not listed

Clean Air and Clean Water Acts:

Components	Hazardous Air Pollutants	CWA - Hazardous Substances	CWA - Toxic Pollutants	CWA - Priority Pollutants
Cupric Chloride, dihydrate	Not listed	Not listed	Listed	Not listed
Phosphoric acid	Not listed	Listed	Not listed	Not listed

U.S. STATE REGULATIONS (RTK):

Components	California Proposition 65	PARTK	MI Critical Materials	NJRTK	MARTK
Cupric Chloride, dihydrate	Not Listed	Environmental hazard	Not Listed	2215	Not Listed
Phosphoric acid	Not Listed	Environmental hazard	Not Listed	1516	Present

California Proposition 65 Status: No components are listed


RCRA Status: To be disposed of as characteristic hazardous waste: Corrosive D002

CANADIAN REGULATIONS:

Canada - WHMIS Classification Information: This product has been classified according to the hazard criteria of the CPR and the SDS contains all the information required by the CPR.

Canadian Product Classification: Class E - Corrosive Material
Class D1

Product Classification Graphic(s):



Component Classification Data:

Components	WHMIS hazard class	CEPA Schedule I	Challenge Substances
Cupric Chloride, dihydrate	D1B,E	Not listed	Not listed
Phosphoric acid	E	Not listed	Not listed

INVENTORY STATUS:

United States TSCA - Sect. 8(b) Inventory:

This product does not comply with TSCA

Canada DSL/NDSL Inventory List

Compliance has not been determined

16. OTHER INFORMATION

Sources of key data used to compile Material safety data sheets of the ingredients.
the data sheet:

Prepared by: Safety, Health and Environmental Department

Revision Date: 03/27/2015

Reason for revision: New Format.

Personal protection recommendations should be reviewed by purchasers. Workplace conditions are important factors in specifying adequate protection.

Disclaimer

This product's safety information is provided to assist our customers in assessing compliance with safety/health/environmental regulations. The information contained herein is based on data available to us and is believed to be accurate. However, no warranty of merchantability, fitness for any use, or any other warranty is expressed or implied regarding the accuracy of this data, the results to be obtained from the use thereof, or the hazards connected with the use of the product. Since the use of this product is within the exclusive control of the user, it is the user's obligation to determine the conditions for safe use of the product. Such conditions should comply with all regulations concerning the product. The company referenced in this Safety Data Sheet assumes no liability for any injury or damage, direct or consequential, resulting from the use of this product unless such injury or damage is attributable to the gross negligence of such company.

End of Safety Data Sheet