

SAFETY DATA SHEET

Print date: Revision Date: 04/01/2015 Revision Number: 1

1. COMPANY AND PRODUCT IDENTIFICATION

Product identifier

Product Name: KEMIKO® ACID STAIN EBONY37B-1

Product code: 37B-1 A

Other means of identification

Synonyms No information available.

Application

Recommended Use Acid Stain

Uses advised against For industrial use only

Supplier/Manufacturer:

Supplier:

EPMAR Corporation 13240 E. Barton Circle Whittier, CA 90605-3254 Phone: 562-946-8781

FAX: 562-944-9958

E-mail: she@quakerchem.com (For Health and Safety Questions) Emergency telephone number:

* 24 HOUR TRANSPORTATION: **CHEMTREC: 1-800-424-9300

+703-527-3887 (Call collect outside of US)
* 24 HOUR EMERGENCY HEALTH & SAFETY:

**(800) 523-7010 (Within US only) Outside of US call (703)

Revision Date: 04/01/2015

527-3887

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute Toxicity - Oral	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Respiratory Sensitization	Category 1A
Skin Sensitization	Category 1
Germ cell mutagenicity	Category 1B
Carcinogenicity	Category 1B
Reproductive toxicity	Category 1B
Specific target organ toxicity (repeated exposure)	Category 1
Chronic aquatic toxicity	Category 2
Oxidizing liquids	Category 2
Corrosive to metals	Category 1

Label Elements

Emergency Overview

DANGER

Hazard Statements

harmful if swallowed

Harmful if inhaled

Causes severe skin burns and eye damage

May cause allergy or asthma symptoms or breathing difficulties if inhaled

May cause an allergic skin reaction

My cause genetic defects

May cause cancer

May damage fertility or the unborn child

Causes damage to organs through prolonged or repeated exposure

Toxic to aquatic life with long lasting effects

May intensify fire; oxidizer May be corrosive to metals



Appearance Dark brown

Physical State Liquid

Odor Strong, Pungent

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

In case of inadequate ventilation wear respiratory protection

Contaminated work clothing should not be allowed out of the workplace

wear protective gloves

Avoid release to the environment

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician

Specific treatment (see first aid on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse If skin irritation or rash occurs: Get medical advice/attention

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell Immediately call a POISON CENTER or doctor/physician

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth Do not induce vomiting Collect spillage

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None known

Other Information

Toxic to aquatic life

Unknown acute toxicity

0.0005% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS No.	Weight %
Manganese chloride	7773-01-5	10 - 20%
Sodium dichromate, dihydrate	7789-12-0	1 - 5%
Hydrochloric acid	7647-01-0	1 - 5%

Physico-chemical properties:

Sodium dichromate is an oxidizer

The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

General advice: Show this safety data sheet to the doctor in attendance. Remove contaminated

clothing and shoes. Wash contaminated clothing before re-use. Wash off with soap

and water. If symptoms persist, call a physician.

Eye contact: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Skin contact: Rinse immediately with plenty of water for at least 15 minutes. Remove and wash

> contaminated clothing before re-use. Wash off with soap and plenty of water. Discard contaminated shoes. Consult a physician. Wash off immediately with soap and plenty

of water. Call a physician immediately.

Ingestion: If swallowed, seek medical advice immediately and show this container or label. Do

not induce vomiting. If victim is conscious, give water. Never give anything by mouth to

an unconscious person. Do not induce vomiting without medical advice.

Move to fresh air in case of accidental inhalation of vapors. If not breathing, give Inhalation:

artificial respiration. If breathing is difficult, give oxygen. Consult a physician.

Note to physician: Massive overexposure to this product could lead to kidney failure and death. Ascorbic

> acid administered intravenously and locally is an effective antidote (converting Cr6 to Cr3) in preventing renal tubular failure. Up to 10 grams Ascorbic acid in stomach. Plus I.V. Ascorbic acid 1 gram in divided doses. Moniter blood chemistries, force fluids for diuresis (of chrome). Do not attempt chelation! Protect renal tubules. Contact with broken skin may lead to formation of firmly marginated "chrome sores.". Skin ulcers may be treated by removal from exposure, daily cleansing, debridement, and

application of antibiotic cream and dressing.

Medical condition aggravated by exposure:

Dermatitis and asthma.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Carbon dioxide (CO2) Dry chemical

Specific hazards: Do not allow material to contaminate ground water system.

Special protective equipment for

fire-fighters:

As in any fire, wear self-contained breathing apparatus pressure-demand,

MSHA/NIOSH (approved or equivalent) and full protective gear.

Specific methods: Water mist may be used to cool closed containers.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Ensure adequate ventilation. Avoid contact with the skin and the eyes Do not breathe

vapour/dust. Use personal protective equipment. Wash thoroughly after handling

Avoid contact with skin, eyes and clothing.

Environmental precautions: Do not flush into surface water or sanitary sewer system. Prevent further leakage or

spillage if safe to do so.

Methods for cleaning up: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal

binder, sawdust). Sweep up and shovel into suitable containers for disposal.

7. HANDLING AND STORAGE

Handling

Technical Provide sufficient air exchange and/or exhaust in work rooms.

measures/precautions:

Safe handling advice: In case of insufficient ventilation, wear suitable respiratory equipment. Wear personal

protective equipment. Keep away from combustible material. Keep container tightly closed. Avoid contact with skin and eyes. Do not breathe vapors or spray mist. Wash thoroughly after handling. Remove and wash contaminated clothing before re-use

Storage

Technical measures/storage

conditions:

DO NOT FREEZE Store in original container Keep containers tightly closed in a dry, cool

and well-ventilated place. Keep away from direct sunlight

Incompatible products: See Section 10, Materials to avoid.

Safe storage temperature: 40 - 100 ° F

Shelf life: 12 months

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	ACGIH Exposure Limits	OSHA TWA (final)	NIOSH - Pocket Guide
Manganese chloride	0.02 mg/m³ (TWA) None		1 mg/m³ (TWA)
	0.1 mg/m³ (TWA)		
Sodium dichromate, dihydrate	0.05 mg/m ³ (TWA)	5 μg/m³	0.0002 mg/m ³ (TWA)
Hydrochloric acid	None	None	5 ppm (Ceiling)
			7 mg/m³ (Ceiling)

Engineering measures: Use only in area provided with appropriate exhaust ventilation.

Personal Protective Equipment:

General: Eye Wash and Safety Shower

Respiratory protection: If engineering controls do not maintain airborne concentrations to a level which is

adequate to protect worker health, a NIOSH-certified respirator with organic

Revision Date: 04/01/2015

vapor/P100 filter should be worn.

Eye protection: Goggles. Face-shield.

Hand protection: Neoprene gloves

Skin and body protection: Long sleeved clothing Chemical resistant apron

Hygiene measures: Avoid contact with skin, eyes and clothing. Contaminated work clothing should not be

allowed out of the workplace.



9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Liquid

Appearance Dark brown

Odor Strong, Pungent

Odor Threshold No information available.

pH:

pH Dilution No information available

Melting/freezing point No information available

Boiling Point/Range $\sim 100 \, ^{\circ}\text{C} \, / \, 212 \, ^{\circ}\text{F}$

Flash Point No information available

Method No information available

Evaporation rateNo information available

Flammability Limits in Air

upper flammability limitNo information available.lower flammability limitNo information available.

VOC Content No information available

Vapor pressure No information available.

Vapor densityNo information available.

Specific Gravity (g/cc, 15 C) 1.15

Bulk Density (lb/gal, 15 C) 9.60

Water Solubility Soluble in water

Solubility in other solvents No information available.

Partition coefficient: n-octanol/water No information available

Autoignition temperature No information available

Decomposition TemperatureNo information available

Kinematic viscosity

No information available

Dynamic viscosity No information available

Revision Date: 04/01/2015

Molecular Weight No information available

10. STABILITY AND REACTIVITY

Stability: Stable under recommended storage conditions.

Conditions to avoid: Heat, flames and sparks.

Materials to avoid: Combustible material. Organic materials. Strong bases. Alkali metals. Potassium.

Sodium. Zinc powder.

Hazardous decomposition products: HCl, Cl2. Sodium oxides. Chromium oxides.

Hazardous Polymerization: Not applicable.

11. TOXICOLOGICAL INFORMATION

No toxicological information is available on the product. Data obtained on components are summarized below.

Information on likely routes of exposure

Inhalation Harmful if inhaled.

Eye Contact Corrosive to the eyes and may cause severe damage including blindness.

Skin Contact Contact causes severe skin irritation and possible burns. May cause sensitization by

skin contact.

Ingestion Harmful if swallowed.

Components	LD50 Oral	LD50 Dermal	LC50 Inhalation
Manganese chloride	250 mg/kg (Rat)	-	-
Sodium dichromate, dihydrate	-	-	-
Hydrochloric acid	700 mg/kg (Rat)	5010 mg/kg (Rabbit)	3120 ppm (Rat) 1 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a

carcinogen

Components	IARC Carcinogens NTP		OSHA -
			Select Carcinogens
Manganese chloride	Not listed	Not listed	Not listed
Sodium dichromate, dihydrate	Group 1 (Carcinogenic to	Known Carcinogen	Present
	Humans)		
Hydrochloric acid	Not listed	Not listed	Not listed

Sensitization Product contains a component that is classified as a skin sensitizer. No studies have

been conducted on the product itself.

Mutagenic effects: Product contains a component that is classified as a mutagen. No testing has been

conducted on the product itself.

.....

Reproductive Toxicity Product contains a componet that is classified as a reproductive hazard. No testing

has been conducted on the product itself.

Developmental ToxicityNo information available.

Teratogenic No information available.

Specific target organ systemic

toxicity (single exposure)

Respiratory system.

Specific target organ systemic toxicity (repeated exposure)

May cause disorder and damage to the, Respiratory system.

Aspiration hazard No information available.

Additional information on toxicological effects

No information available

12. ECOLOGICAL INFORMATION

Components	Ecotoxicity - Fish Species	Ecotoxicity - Freshwater	Ecotoxicity - Water Flea
	Data:	Algae Data:	Data:
Manganese chloride	No data	No data	No data
Sodium dichromate, dihydrate	No data	No data	No data
Hydrochloric acid	No data	No data	No data

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Persistence and Degradability No information available.

Bioaccumulation No information available.

Components	Octanol/water partition coefficient
Manganese chloride	-
Sodium dichromate, dihydrate	-
Hydrochloric acid	-

Mobility: No data available

Ozone: No data available

13. DISPOSAL CONSIDERATIONS

Waste from residues/unused products:

Waste disposal must be in accordance with appropriate Federal, State, and local regulations. This product, if unaltered by use, may be disposed of by treatment at a permitted facility or as advised by your local hazardous waste regulatory authority.

Contaminated packaging: Do not re-use empty containers

Methods for cleaning up: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal

binder, sawdust). Sweep up and shovel into suitable containers for disposal.

Revision Date: 04/01/2015

7789-12-0

RCRA - Hazardous Constituents - Appendix: hazardous constituent - no waste number

14. TRANSPORT INFORMATION

U. S. DEPARTMENT OF TRANSPORTATION:

UN/NA ID Number: UN3264

Proper shipping name: Corrosive liquid, acidic, inorganic, n.o.s. (contains sodium

dichromate and hydrochloric acid)

Hazard class:

Subsidiary risk:

PG:

RQ Sodium bichromate, RQ kg = 91

DOT ERG: ERG 154

Additional DOT Information: Not applicable for packages of 5 gallons or less

TDG (CANADA):

UN nr: UN3264

Proper shipping name: Corrosive liquid, acidic, inorganic, n.o.s. (contains sodium

dichromate and hydrochloric acid)

TDG Hazard Classification: 8

Subsidary class:

Packing group:

IMDG/IMO:

UN nr: UN3264

Proper shipping name: Corrosive liquid, acidic, inorganic, n.o.s. (contains sodium

dichromate and hydrochloric acid)

Class: 8

Subsidary class:

Packing group:

EMS:

F-A, S-B

Limited quantity:

1 L

IATA/ICAO:

UN nr: UN3264

Proper shipping name: Corrosive liquid, acidic, inorganic, n.o.s. (contains sodium

dichromate and hydrochloric acid)

Hazard Class:

Subsidary class:

Packing group: II

Maximum quantity for cargo only: 30 L

Maximum quantity for passenger: 1 L

Limited quantity: 0.5 L

15. REGULATORY INFORMATION

Federal Regulations

OSHA Hazard Communication

This product is considered to be hazardous under the OSHA Hazard Communication Standard.

Standard:

CERCLA/SARA Information:

SARA (311, 312) hazard class: This product possesses the following SARA Hazard Categories:

Immediate Health (Acute):YesDelayed Health (Chronic):YesFlammability:NoPressure:NoReactivity:No

Components	Hazardous Substances and RQs	Extremely Hazardous Substances and TPQs	SARA 313 Emission Reporting
Manganese chloride	Not listed	Not listed	1.0 %
Sodium dichromate, dihydrate	10 lb	Not listed	0.1 %
Hydrochloric acid	5000 lb	500 lb	1.0 %

Clean Air and Clean Water Acts:

Components	Hazardous Air Pollutants	CWA - Hazardous Substances	CWA - Toxic Pollutants	CWA - Priority Pollutants
Manganese chloride	Listed	Not listed	Not listed	Not listed
Sodium dichromate, dihydrate	Listed	Listed	Listed	Not listed
Hydrochloric acid	Listed	Listed	Not listed	Not listed

U.S. STATE REGULATIONS (RTK):

Components	California	PARTK	MI Critical	NJRTK	MARTK
	Proposition 65		Materials		
Manganese chloride	Not Listed	Environmental hazard	Not Listed	2324	Not Listed
Sodium dichromate, dihydrate	developmental toxicity	Environmental hazard Special hazardous substance Present	Not Listed	1695 3575 2245	Present
Hydrochloric acid	Not Listed	Environmental hazard	Not Listed	1012	Extraordinarily hazardous

California Proposition 65 Status: May contain trace amounts of listed chemicals: hexavalent chromium.

RCRA Status: To be disposed of as characteristic hazardous waste: characteristic: Corrosive D002

Chromium compounds: D007

CANADIAN REGULATIONS:

Canada - WHMIS Classification

Information:

This product has been classified according to the hazard criteria of the CPR and the

SDS contains all the information required by the CPR.

Canadian Product Classification: Class E - Corrosive Material

Class D1

Product Classification Graphic(s):



Component Classification Data:

Components	WHMIS hazard class	CEPA Schedule I	Challenge Substances
Manganese chloride	D2B	Not listed	Not listed
Sodium dichromate, dihydrate	C D1A D2A D2B	Not listed	Not listed
Hydrochloric acid	D1A E	Not listed	Not listed

INVENTORY STATUS:

United States TSCA - Sect. 8(b) Inventory:

This product complies with TSCA

Canada DSL/NDSL Inventory List Compliance has not been determined

16. OTHER INFORMATION

Sources of key data used to compile Material safety data sheets of the ingredients. **the data sheet:**

Prepared by: Safety, Health and Environmental Department

Revision Date: 04/01/2015 **Reason for revision:** New Format.

Personal protection recommendations should be reviewed by purchasers. Workplace conditions are important factors in specifying adequate protection.

Disclaimer

This product's safety information is provided to assist our customers in assessing compliance with safety/health/environmental regulations. The information contained herein is based on data available to us and is believed to be accurate. However, no warranty of merchantability, fitness for any use, or any other warranty is expressed or implied regarding the accuracy of this data, the results to be obtained from the use thereof, or the hazards connected with the use of the product. Since the use of this product is within the exclusive control of the user, it is the user's obligation to determine the conditions for safe use of the product. Such conditions should comply with all regulations concerning the product. The company referenced in this Safety Data Sheet assumes no liability for any injury or damage, direct or consequential, resulting from the use of this product unless such injury or damage is attributable to the gross negligence of such company.

End of Safety Data Sheet
