

# SAFETY DATA SHEET

Print date:

Revision Date: 03/27/2015

Revision Number: 1

## 1. COMPANY AND PRODUCT IDENTIFICATION

### Product identifier

**Product Name:** KEMIKO® ACID STAIN VINTAGE UMBER 37P-1  
**Product code:** 37P-1

### Other means of identification

**Synonyms** No information available.

### Application

**Recommended Use** Not determined  
**Uses advised against** For industrial use only

### Supplier/Manufacturer:

## 2. HAZARDS IDENTIFICATION

### Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute Toxicity - Oral	Category 4
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Chronic aquatic toxicity	Category 3

### Label Elements

#### Emergency Overview

**DANGER**

#### **Hazard Statements**

harmful if swallowed  
Causes severe skin burns and eye damage  
Harmful to aquatic life with long lasting effects



**Appearance** Dark green

**Physical State** Liquid

**Odor** Strong, Pungent

### Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling  
Do not eat, drink or smoke when using this product  
Do not breathe dust/fume/gas/mist/vapors/spray  
Wear protective gloves/protective clothing/eye protection/face protection  
Avoid release to the environment

### Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician  
Specific treatment (see first aid on this label)  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician  
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse  
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Immediately call a POISON CENTER or doctor/physician  
IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth Do not induce vomiting

### Precautionary Statements - Storage

Store locked up

### Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

None known

### Other Information

Harmful to aquatic life

### Unknown acute toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS No.	Weight %
Ferrous chloride	7758-94-3	10 - 20%
Chromic chloride, basic	50925-66-1	5 - 10%
Hydrochloric acid	7647-01-0	1 - 5%

The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. FIRST AID MEASURES

**General advice:** Show this safety data sheet to the doctor in attendance. Remove contaminated clothing and shoes. Wash contaminated clothing before re-use. Wash off with soap and water. If symptoms persist, call a physician.

**Eye contact:** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call a physician immediately

**Skin contact:** Remove contaminated clothing and shoes. Wash contaminated clothing before re-use. Wash off with soap and plenty of water. Call a physician immediately.

<b>Ingestion:</b>	If swallowed, seek medical advice immediately and show this container or label. Do not induce vomiting. If victim is conscious, give water. Never give anything by mouth to an unconscious person.
<b>Inhalation:</b>	Move to fresh air in case of accidental inhalation of vapors. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Consult a physician.
<b>Note to physician:</b>	In case of ingestion, the stomach should be emptied by gastric lavage under qualified medical supervision. Material is corrosive. It may not be advisable to induce vomiting. Possible mucosal damage may contraindicate the use of gastric lavage.
<b>Medical condition aggravated by exposure:</b>	Dermatitis and asthma.

## 5. FIRE-FIGHTING MEASURES

<b>Suitable extinguishing media:</b>	Use dry chemical, CO2, water spray or `alcohol` foam.
<b>Specific hazards:</b>	Do not allow material to contaminate ground water system.
<b>Special protective equipment for fire-fighters:</b>	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.
<b>Specific methods:</b>	Water mist may be used to cool closed containers.

## 6. ACCIDENTAL RELEASE MEASURES

<b>Personal precautions:</b>	Ensure adequate ventilation. Avoid contact with the skin and the eyes Do not breathe vapour/dust. Use personal protective equipment. Wash thoroughly after handling
<b>Environmental precautions:</b>	Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so.
<b>Methods for cleaning up:</b>	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up and shovel into suitable containers for disposal.

## 7. HANDLING AND STORAGE

### Handling

<b>Technical measures/precautions:</b>	Provide sufficient air exchange and/or exhaust in work rooms.
<b>Safe handling advice:</b>	In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin and eyes. Do not breathe vapors or spray mist. Wear personal protective equipment. Wash thoroughly after handling. Keep container tightly closed.

### Storage

<b>Technical measures/storage conditions:</b>	DO NOT FREEZE Store in original container Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from direct sunlight
-----------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------

**Incompatible products:** See Section 10, Materials to avoid.

**Safe storage temperature:** 40 - 100 ° F

**Shelf life:** 12 months

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	ACGIH Exposure Limits	OSHA TWA (final)	NIOSH - Pocket Guide
Ferrous chloride	1 mg/m <sup>3</sup> (TWA)	None	1 mg/m <sup>3</sup> (TWA)
Hydrochloric acid	None	None	5 ppm (Ceiling) 7 mg/m <sup>3</sup> (Ceiling)

**Engineering measures:** Ensure adequate ventilation.

### Personal Protective Equipment:

**General:** Eye Wash and Safety Shower

**Respiratory protection:** If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, a NIOSH-certified respirator with organic vapor/P100 filter should be worn.

**Eye protection:** Goggles. Face-shield.

**Hand protection:** Neoprene gloves

**Skin and body protection:** Chemical resistant apron Long sleeved clothing

**Hygiene measures:** Avoid contact with skin, eyes and clothing.



## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Physical State** Liquid

**Appearance** Dark green

**Odor** Strong, Pungent

**Odor Threshold** No information available.

**pH:** 1

**pH Dilution** No information available

**Melting/freezing point** No information available

**Boiling Point/Range** ~ 100 °C / 212 °F

<b>Flash Point</b>	No information available
<b>Method</b>	No information available
<b>Evaporation rate</b>	No information available
<b>Flammability Limits in Air</b>	
upper flammability limit	No information available.
lower flammability limit	No information available.
<b>VOC Content</b>	No information available
<b>Vapor pressure</b>	No information available.
<b>Vapor density</b>	No information available.
<b>Specific Gravity (g/cc, 15 C)</b>	1.21
<b>Bulk Density (lb/gal, 15 C)</b>	10.10
<b>Water Solubility</b>	Insoluble
<b>Solubility in other solvents</b>	No information available.
<b>Partition coefficient: n-octanol/water</b>	No information available
<b>Autoignition temperature</b>	No information available
<b>Decomposition Temperature</b>	No information available
<b>Kinematic viscosity</b>	No information available
<b>Dynamic viscosity</b>	No information available
<b>Molecular Weight</b>	No information available

## 10. STABILITY AND REACTIVITY

<b>Stability:</b>	Stable under recommended storage conditions.
<b>Conditions to avoid:</b>	Heat, flames and sparks.
<b>Materials to avoid:</b>	Alkali metals. Strong bases. Potassium. Sodium. ethylene oxide. Gives off hydrogen by reaction with metals.
<b>Hazardous decomposition products:</b>	HCl, Cl <sub>2</sub> . iron oxides.
<b>Hazardous Polymerization:</b>	Not applicable.

## 11. TOXICOLOGICAL INFORMATION

No toxicological information is available on the product. Data obtained on components are summarized below.

### Information on likely routes of exposure

**Inhalation** May cause irritation of respiratory tract.

**Eye Contact** Corrosive to the eyes and may cause severe damage including blindness.

**Skin Contact** Contact causes severe skin irritation and possible burns.

**Ingestion** Harmful if swallowed.

Components	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ferrous chloride	450 mg/kg ( Rat )	-	-
Chromic chloride, basic	-	-	-
Hydrochloric acid	700 mg/kg ( Rat )	5010 mg/kg ( Rabbit )	3120 ppm ( Rat ) 1 h

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen

Components	IARC Carcinogens	NTP	OSHA - Select Carcinogens
Ferrous chloride	Not listed	Not listed	Not listed
Chromic chloride, basic	Not listed	Not listed	Not listed
Hydrochloric acid	Not listed	Not listed	Not listed

**Sensitization** No information available.

**Mutagenic effects:** No information available.

**Reproductive Toxicity** No information available.

**Developmental Toxicity** No information available.

**Teratogenic** No information available.

**Specific target organ systemic toxicity (single exposure)** No information available.

**Specific target organ systemic toxicity (repeated exposure)** No information available.

**Aspiration hazard** No information available.

**Additional information on toxicological effects**

No information available

**12. ECOLOGICAL INFORMATION**

Components	Ecotoxicity - Fish Species Data:	Ecotoxicity - Freshwater Algae Data:	Ecotoxicity - Water Flea Data:
Ferrous chloride	No data	No data	No data
Chromic chloride, basic	No data	No data	No data

Hydrochloric acid	No data	No data	No data
-------------------	---------	---------	---------

5% of the mixture consists of component(s) of unknown hazards to the aquatic environment

**Persistence and Degradability** No information available.

**Bioaccumulation** No information available.

Components	Octanol/water partition coefficient
Ferrous chloride	-
Chromic chloride, basic	-
Hydrochloric acid	-

**Mobility:** No data available

**Ozone:** No data available

### 13. DISPOSAL CONSIDERATIONS

**Waste from residues/unused products:** Waste disposal must be in accordance with appropriate Federal, State, and local regulations. This product, if unaltered by use, may be disposed of by treatment at a permitted facility or as advised by your local hazardous waste regulatory authority.

**Contaminated packaging:** Do not re-use empty containers

**Methods for cleaning up:** Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up and shovel into suitable containers for disposal.

**Components** Chromic chloride, basic  
50925-66-1

<b>RCRA - Hazardous Constituents - Appendix:</b>	hazardous constituent - no waste number
--------------------------------------------------	-----------------------------------------

### 14. TRANSPORT INFORMATION

**U. S. DEPARTMENT OF TRANSPORTATION:**

**UN/NA ID Number:** UN3264  
**Proper shipping name:** Corrosive liquid, acidic, inorganic, n.o.s.(hydrochloric acid, ferrous chloride)  
**Hazard class:** 8  
**PG:** II  
**RQ** Ferrous chloride, RQ kg = 259  
**DOT ERG:** ERG 154  
**Additional DOT Information:** Not applicable for packages of 5 gallons or less

**TDG (CANADA):**

**UN nr:** UN3264  
**Proper shipping name:** Corrosive liquid, acidic, inorganic, n.o.s.(hydrochloric acid, ferrous chloride)  
**TDG Hazard Classification:** 8  
**Packing group:** II

**IMDG/IMO:**

**UN nr:** UN3264  
**Proper shipping name:** Corrosive liquid, acidic, inorganic, n.o.s.(hydrochloric acid, ferrous chloride)  
**Class:** 8  
**Packing group:** II  
**EMS:** F-A, S-B  
**Limited quantity:** 1 L

**IATA/ICAO:**

**UN nr:** UN3264  
**Proper shipping name:** Corrosive liquid, acidic, inorganic, n.o.s.(hydrochloric acid, ferrous chloride)  
**Hazard Class:** 8  
**Packing group:** II  
**Maximum quantity for cargo only:** 60 L  
**Maximum quantity for passenger:** 5L  
**Limited quantity:** 0.5 L

**15. REGULATORY INFORMATION**

**Federal Regulations**

**OSHA Hazard Communication Standard:** This product is considered to be hazardous under the OSHA Hazard Communication Standard.

**CERCLA/SARA Information:**

**SARA (311, 312) hazard class:** This product possesses the following SARA Hazard Categories:

**Immediate Health (Acute):** Yes  
**Delayed Health (Chronic):** Yes  
**Flammability:** No  
**Pressure:** No  
**Reactivity:** No

Components	Hazardous Substances and RQs	Extremely Hazardous Substances and TPQs	SARA 313 Emission Reporting
Ferrous chloride	100 lb	Not listed	Not listed
Chromic chloride, basic	Not listed	Not listed	Not listed
Hydrochloric acid	5000 lb	500 lb	1.0 %

**Clean Air and Clean Water Acts:**

Components	Hazardous Air Pollutants	CWA - Hazardous Substances	CWA - Toxic Pollutants	CWA - Priority Pollutants
Ferrous chloride	Not listed	Listed	Not listed	Not listed
Chromic chloride, basic	Listed	Not listed	Listed	Not listed
Hydrochloric acid	Listed	Listed	Not listed	Not listed

**U.S. STATE REGULATIONS (RTK):**



Components	California Proposition 65	PARTK	MI Critical Materials	NJRTK	MARTK
Ferrous chloride	Not Listed	Environmental hazard	Not Listed	0930	Present
Chromic chloride, basic	Not Listed	Environmental hazard	100 lb	2245	Not Listed
Hydrochloric acid	Not Listed	Environmental hazard	Not Listed	1012	Extraordinarily hazardous

**California Proposition 65 Status:** No components are listed

**RCRA Status:** To be disposed of as characteristic hazardous waste: Corrosive D002

**CANADIAN REGULATIONS:**

**Canada - WHMIS Classification Information:** This product has been classified according to the hazard criteria of the CPR and the SDS contains all the information required by the CPR.

**Canadian Product Classification:** Class E - Corrosive Material  
Class D1

**Product Classification Graphic(s):**



**Component Classification Data:**

Components	WHMIS hazard class	CEPA Schedule I	Challenge Substances
Ferrous chloride	E	Not listed	Not listed
Chromic chloride, basic	None	Not listed	Not listed
Hydrochloric acid	D1A E	Not listed	Not listed

**INVENTORY STATUS:**

**United States TSCA - Sect. 8(b) Inventory:** This product complies with TSCA

**Canada DSL/NDSL Inventory List** This product complies with DSL

**16. OTHER INFORMATION**

**Sources of key data used to compile the data sheet:** Material safety data sheets of the ingredients.

**Prepared by:** Quaker Chemical Corporation -Safety, Health and Environmental Affairs Group - US

**Revision Date:** 03/27/2015

**Reason for revision:** New Format.

**Personal protection recommendations should be reviewed by purchasers. Workplace conditions are important factors in specifying adequate protection.**

**Disclaimer**

This product's safety information is provided to assist our customers in assessing compliance with safety/health/environmental regulations. The information contained herein is based on data available to us and is believed to be accurate. However, no warranty of merchantability, fitness for any use, or any other warranty is expressed or implied regarding the accuracy of this data, the results to be obtained from the use thereof, or the hazards connected with the use of the product. Since the use of this product is within the exclusive control of the user, it is the user's obligation to determine the conditions for safe use of the product. Such conditions should comply with all regulations concerning the product. EPMAR Corporation ("EPMAR") assumes no liability for any injury or damage, direct or consequential, resulting from the use of this product unless such injury or damage is attributable to the gross negligence of EPMAR.

**End of Safety Data Sheet**