



DCA

PROFESSIONAL
POWER TOOLS



SHIMGE

for better life

2021

ASM05-100B

ANGLE GRINDER



Rated Power Input(W)	850
Max.Wheel Diameter(mm)	φ100
Hole Diameter of Wheel(mm)	φ16
Rated Speed(r/min)	13000
Net Weight(kg)	1.7
Packaging	10/ctn

₱ 1,800.00*

Accessories & Package

Auxiliary Handle, Wrench, Wheel Cover, Color Box Packing

ASM09-100S

ANGLE GRINDER



Rated Power Input(W)	800
Max.Wheel Diameter(mm)	φ100
Hole Diameter of Wheel(mm)	φ16
Rated Speed(r/min)	12000
Net Weight(kg)	1.6
Packaging	10/ctn

₱1,710.00*

Accessories & Package

Wrench, Wheel Cover, Color Box Packing

ASM10-100

ANGLE GRINDER



Rated Power Input(W)	1020
Max.Wheel Diameter(mm)	φ100
Hole Diameter of Wheel(mm)	φ16
Rated Speed(r/min)	4200-13000
Net Weight(kg)	2.1
Packaging	10/ctn

₱ 2,700.00

Accessories & Package

Auxiliary Handle, Wrench, Wheel Cover, Color Box Packing

ASM10-100H

ANGLE GRINDER



Rated Power Input (W)	1200
Max. Wheel Diameter (mm)	φ100
Hole Diameter of Wheel (mm)	φ16
Rated Speed (r/min)	13000
Net Weight (kg)	2.1
Packaging	10/ctn

₱ 2,790.00

Accessories & Package

Auxiliary Handle, Wrench, Wheel Cover, Color Box Packing

ASM14-100

ANGLE GRINDER



PADDLE SWITCH

Rated Power Input (W)	800
Max. Wheel Diameter (mm)	φ100
Hole Diameter of Wheel (mm)	φ16
Rated Speed (r/min)	13000
Net Weight (kg)	1.5
Packaging	10/ctn

₱ 2,475.00

Accessories & Package

Auxiliary Handle, Wrench, Wheel Cover, Color Box Packing

ASM15-100B

ANGLE GRINDER



Rated Power Input (W)	720
Max. Wheel Diameter (mm)	φ100
Hole Diameter of Wheel (mm)	φ16
Rated Speed (r/min)	13000
Net Weight (kg)	1.5
Packaging	10/ctn

₱ 1,530.00

Accessories & Package

Wrench, Wheel Cover, Color Box Packing

ASM03-115

ANGLE GRINDER



Rated Power Input(W)	850
Max.Wheel Diameter(mm)	φ115
Hole Diameter of Wheel(mm)	φ22
Rated Speed(r/min)	11800
Net Weight(kg)	1.8
Packaging	10/ctn

₱ 2,340.00

Accessories & Package

Auxiliary Handle, Wrench, Wheel Cover, Color Box Packing

ASM125A

ANGLE GRINDER



Rated Power Input(W)	850
Max.Wheel Diameter(mm)	φ125
Hole Diameter of Wheel(mm)	φ22
Rated Speed(r/min)	11800
Net Weight(kg)	1.8
Packaging	10/ctn

₱ 2,250.00

Accessories & Package

Auxiliary Handle,Wrench, Wheel Cover, Color Box Packing

ASM180A

ANGLE GRINDER



Rated Power Input(W)	2200
Max.Wheel Diameter(mm)	φ180
Hole Diameter of Wheel(mm)	φ22
Rated Speed(r/min)	8300
Net Weight(kg)	5.0
Packaging	2/ctn

₱ 4,275.00

Accessories & Package
Auxiliary Handle, Wrench, Carbon Brush, Color Box Packing

ASM230A

ANGLE GRINDER **SOFT START**



Rated Power Input(W)	2200
Max.Wheel Diameter(mm)	φ230
Hole Diameter of Wheel(mm)	φ22
Rated Speed(r/min)	6600
Net Weight(kg)	5.0
Packaging	2/ctn

₱ 4,725.00

Accessories & Package
Auxiliary Handle,Wrench, Color Box Packing

ASJ03-10

DIE GRINDER



Rated Power Input(W)	105
No-load Speed(r/min)	14000-30000
Max. Collet Size	3mm
Max.Grinding Wheel Dia.	φ10mm
Net Weight(kg)	0.6
Packaging	12/ctn

₱ 1,395.00

Accessories & Package
Wrench, Color Box Packing

ASJ25

DIE GRINDER



Rated Power Input (W)	240
Rated Speed (r/min)	26000
Max. Collet Size	6mm
Max. Grinding Wheel Dia.	φ25mm
Net Weight (kg)	1.2
Packaging	8/ctn

₱ 1,710.00*

Accessories & Package
Large Wrench, Small Wrench, Color Box Packing

ASJ03-25

DIE GRINDER



Rated Power Input (W)	400
No-load Speed (r/min)	27000
Max. Collet Size	6mm
Max. Grinding Wheel Dia.	φ25mm
Net Weight (kg)	1.8
Packaging	8/ctn

₱ 2,160.00

Accessories & Package
Wrench, Color Box Packing

ASJ04-25

DIE GRINDER



Rated Power Input (W)	260
No-load Speed (r/min)	26700
Max. Collet Size	6mm
Max. Grinding Wheel Dia.	φ25mm
Net Weight (kg)	1.3
Packaging	8/ctn

₱ 1,890.00

Accessories & Package
Chuck Key, Color Box Packing

ASE150

BENCH GRINDER



Rated Power Input(W)	250
Max. Wheel Dia. (mm)	φ150x20xφ32
No-load Speed(r/min)	2840
Net Weight(kg)	7.6
Packaging	2/ctn

₱ 3,375.00

Accessories & Package
Eyeshield Assembly, Shapping Holder, Bolts, Color Box Packing

ASE200

BENCH GRINDER



Rated Power Input(W)	370
Max. Wheel Dia. (mm)	φ250x20xφ32
No-load Speed(r/min)	2840
Net Weight(kg)	12.9
Packaging	2/ctn

₱ 4,950.00

Accessories & Package
Eyeshield Assembly, Bolts, Shapping Holder, Color Box Packing

ASS125B

STRAIGHT GRINDER



Rated Power Input(W)	710
Max.Wheel Diameter(mm)	φ125
Hole Diameter of Wheel(mm)	φ20
No-load Speed(r/min)	5300
Net Weight(kg)	4.3
Packaging	4/ctn

₱ 3,150.00*

Accessories & Package
Wrench, Sleeve, Color Box Packing

ASN100

GRINDING POLISHER



Rated Power Input(W)	1400
No-load Speed(r/min)	690-3800
Wheel Size (mm)	φ120x100
Net Weight(kg)	4.7
Packaging	2/ctn

₱ 6,300.00*

Accessories & Package
Auxiliary Handle, Wrench, Color Box Packing

ASB100

ORBITAL SANDER



Rated Power Input(W)	150
Orbits Frequency (/min)	12000
Pad Size (mm)	100x110
Net Weight(kg)	1.3
Packaging	16/ctn

₱ 1,575.00*

Accessories & Package
Color Box Packing

ASB185

ORBITAL SANDER



Rated Power Input(W)	180
Orbits Frequency (/min)	10000
Pad Size (mm)	93X185
Net Weight(kg)	1.7
Packaging	10/ctn

₱ 1,800.00*

Accessories & Package
Color Box Packing

ASB234

ORBITAL SANDER



Rated Power Input(W)	520
Orbits Frequency (/min)	10000
Pad Size (mm)	114x234
Net Weight(kg)	2.9
Packaging	8/ctn

₱ 3,240.00*

Accessories & Package
Color Box Packing

ASA150

DISK SANDER



Rated Power Input(W)	405
Orbits Frequency (/min)	4700
Grinding Disc Dia.	φ150mm
Net Weight(kg)	1.6
Packaging	10/ctn

₱ 2,025.00

Accessories & Package
Auxiliary Handle, Hex Wrench, Abrasive Disc, Color Box Packing

AST533

BELT GRINDER



Rated Power Input(W)	550
Belt Speed (m/s)	3.3-16.6
Belt Size (mm)	30x533
Net Weight(kg)	2.1
Packaging	8/ctn

₱ 3,465.00

Accessories & Package
Abrasive Belt (AP40, AP60, AP80, AP100, AP120), Auxiliary Handle, Color Box Packing

AST610

BELT GRINDER



Rated Power Input(W)	1200
Belt Speed (m/min)	500
Belt Size (mm)	100x610
Net Weight(kg)	5.8
Packaging	3/ctn

₱ 6,525.00

Accessories & Package
Abrasive Belt AP80, Dust Bag Assembly, Color Box Packing

SANDING/MIXER/CUTTING

ASF180

DRYWALL SANDER



Rated Power Input (W)	750
No-load Speed (r/min)	1500-2700
Grinding Disc Dia. (mm)	φ180
Net Weight (kg)	2.2
Packaging	8/ctn

₱ 5,175.00

Accessories & Package

Dust Cleaning Hose Assembly, Dust Bag, Abrasive Paper Assembly, Color Box Packing

ASF225

DRYWALL SANDER



Rated Power Input (W)	650
No-load Speed (r/min)	800-1650
Grinding Disc Dia. (mm)	φ225
Net Weight (kg)	4.7
Packaging	1/ctn

₱ 9,000.00

Accessories & Package

Hex Wrench, Black Bag, Auxiliary Handle, Hose, Extension Bar Assembly, Abrasive Paper, Carton Packing

ASF02-180

DRYWALL SANDER



Rated Power Input (W)	750
No-load Speed (r/min)	1500-2700
Grinding Disc Dia. (mm)	φ180
Net Weight (kg)	2.3
Packaging	8/ctn

₱ 5,400.00

Accessories & Package

Dust Cleaning Hose, Dust Bag, Abrasive Paper Assembly, Color Box Packing

AQU160

ELECTRIC MIXER



Rated Power Input (W)	800
No-Load Speed (r/min)	680
Stirring Paddle Dia.	160mm
Stirring Paddle Thread Dia.	M12
Net Weight (kg)	2.4
Packaging	6/ctn

₱ 3,510.00*

Accessories & Package

Stirring Paddle Assembly, Auxiliary Handle, Color Box Packing

AQU06-160

ELECTRIC MIXER



Rated Power Input (W)	2000
No-Load Speed (r/min)	500
Stirring Paddle Dia.	160mm
Stirring Paddle Thread Dia.	M14
Net Weight (kg)	5.1
Packaging	4/ctn

₱ 6,975.00

Accessories & Package

Stirring Paddle Assembly, Auxiliary Handle, Color Box Packing

AJB3

WELD JOINT BEVELLER



Rated Power Input (W)	800
No-Load Speed (r/min)	9000
Blade Size (mm)	9.5x3.5xφ4.2
Net Weight (kg)	2.5
Packaging	8/ctn

₱ 4,500.00

Accessories & Package

Auxiliary Handle, Hex Wrench, Color Box Packing

AJH32

ELECTRIC NIBBLER



Rated Power Input (W)	620
No-Load Speed (.../min)	1300
Max. Cutting Capacity	
Mild Steel (mm)	3.2
Stainless (mm)	2.5
Min. Cutting Radius	
Inner Dia. (mm)	120
Outer Dia. (mm)	128
Net Weight (kg)	3.8
Packaging	6/ctn

₱ 6,525.00*

Accessories & Package

Spacer Shim, Wrench, Color Box Packing

AJJ32

ELECTRIC SHEAR



Rated Power Input (W)	620
No-load Strokes (.../min)	1800
Cutting Capacity	
Mild Steel (mm)	3.2
Hard Steel (mm)	2.5
Stainless (mm)	2.5
Aluminum Plate (mm)	4.0
Min. Cutting Radius (mm)	50
Net Weight (kg)	3.8
Packaging	6/ctn

₱ 4,860.00*

Accessories & Package

Hex Wrench, Gauge, Color Box Packing

AJG04-355S

ELECTRIC CUT-OFF MACHINE



Rated Power Input (W)	2200
Wheel Size (mm)	355x3x25.4
Miter Cutting Angle	0-45°
No-Load Speed (r/min)	3800
Max. Cutting Capacity	Pipe (mm) 100
	Profiled (mm) 120x130
Net Weight (kg)	18.6
Packaging	1/ctn

₱ 5,940.00

Accessories & Package

Wrench, Stopper, Wing bolt, Color Box Packing

AJX03-255

ELECTRIC MITRE SAW



Rated Power Input (W)	1650
No-Load Speed (r/min)	6000
Blade Diameter (mm)	255
Hole Dia. of Blade (mm)	φ25.4
Net Weight (kg)	12
Packaging	1/ctn

₱ 9,000.00

Accessories & Package

Vertical Vise, Dust Bag Assembly, Socket Wrench, Triangle Ruler, Blade, Color Box Packing

AJX255

ELECTRIC MITRE SAW



Rated Power Input (W)	1650
No-Load Speed (r/min)	4600
Blade Diameter (mm)	255
Hole Dia. of Blade (mm)	φ25.4
Net Weight (kg)	12
Packaging	1/ctn

₱ 11,250.00*

Accessories & Package

Vertical Vise, Holder Assembly, Dust Bag Assembly, Socket Wrench, Triangle Ruler, Color Box Packing

AJX06-255

ELECTRIC MITRE SAW



Rated Power Input (W)	1650
No-Load Speed (r/min)	4600
Blade Diameter (mm)	255
Hole Dia. of Blade (mm)	φ25.4
Net Weight (kg)	18.5
Packaging	1/ctn

₱ 21,600.00

Accessories & Package

Saw Blade, Vertical Vise, Holder Assembly, Dust Bag Assembly, Socket Wrench, Triangle Ruler, Carton Packing

AJX355

ELECTRIC MITRE SAW



Rated Power Input (W)	1380
No-Load Speed (r/min)	3200
Blade Diameter (mm)	355
Hole Dia. of Blade (mm)	φ34
Net Weight (kg)	34
Packaging	1/ctn

₱ 20,250.00

Accessories & Package

Saw Blade, Rotation, Fixing Platem Hoder, Dust Bag., Color Box Packing

AZR110

ELECTRIC GROOVE CUTTER



Rated Power Input(W)	1600
Blade Diameter (mm)	φ110
No-load Speed (r/min)	10800
Max. Cutting Depth (mm)	32
Max. Cutting Width (mm)	50
Net Weight(kg)	4.1
Packaging	4/ctn

₱ 5,175.00*

Accessories & Package

Diamond Cutting Disc (Dry Cut), Socket Wrench, Open-end Wrench, Color Box Packing

AZE110

MARBLE CUTTER



Rated Power Input (W)	1200
Blade Diameter (mm)	φ110
Max. Cutting Capacity (mm)	30
No-load Speed (r/min)	13000
Net Weight (kg)	3.0
Packaging	4/ctn

₱ 2,610.00*

Accessories & Package

Water Pipe, Nozzle, Pipe Connector, Socket Wrench, Wrench, Color Box Packing

AZE180

MARBLE CUTTER



Rated Power Input (W)	1520
Blade Diameter (mm)	φ180
Max. Cutting Capacity (mm)	60
No-load Speed (r/min)	5000
Net Weight (kg)	7.0
Packaging	2/ctn

₱ 4,860.00

Accessories & Package

Water Pipe, Nozzle, Pipe Connector, Auxiliary Handle, Knob Handle, Cover Band, Rear Cover, Socket Wrench, Wrench, Color Box Packing

AJZ02-6A

ELECTRIC DRILL



Rated Power Input (W)	230
No-load Speed (r/min)	0-3800
Max. Drilling Capacity	
Steel (mm)	φ6.5
Wood (mm)	φ9
Net Weight (kg)	1.2
Packaging	10/ctn

₱ 1,440.00*

Accessories & Package

Depth Gauge Assembly, Chuck Wrench, Color Box Packing

AJZ06-10

ANGLE DRILL



Rated Power Input (W)	380
No-load Speed (r/min)	0-1400
Max. Drilling Capacity	
Steel (mm)	φ10
Wood (mm)	φ15
Net Weight (kg)	1.9
Packaging	10/ctn

₱ 3,690.00

Accessories & Package

Auxiliary Handle, Chuck Wrench, Color Box Packing

AJZ05-10A

ELECTRIC DRILL



Rated Power Input (W)	550
No-load Speed (r/min)	2600
Max. Drilling Capacity	
Steel (mm)	φ10
Wood (mm)	φ25
Net Weight (kg)	1.7
Packaging	5/ctn

₱1,575.00*

Accessories & Package

Twist Drill Bit, Chuck Wrench, Color Box Packing

AJZ07-10A

ELECTRIC DRILL



Rated Power Input (W)	550
No-load Speed (r/min)	2600
Max. Drilling Capacity	
Steel (mm)	φ10
Wood (mm)	φ25
Net Weight (kg)	1.7
Packaging	10/ctn

₱ 2,025.00

Accessories & Package

Twist Drill Bit, Chuck Wrench, Color Box Packing

AJZ02-13

ELECTRIC DRILL



Rated Power Input (W)	500
No-load Speed (r/min)	0-1450
Max. Drilling Capacity	
Steel (mm)	φ13
Wood (mm)	φ20
Net Weight (kg)	2.4
Packaging	8/ctn

₱ 1,980.00*

Accessories & Package

Auxiliary Handle, Depth Gauge, Chuck Wrench, Color Box Packing

AJZ06-13

ELECTRIC DRILL



Rated Power Input (W)	710
No-load Speed (r/min)	0-2800
Max. Drilling Capacity	
Steel (mm)	φ13
Wood (mm)	φ20
Net Weight (kg)	1.7
Packaging	5/ctn

₱ 1,710.00*

Accessories & Package

Chuck Wrench, Color Box Packing

AJZ16A

ELECTRIC DRILL



Rated Power Input (W)	800
No-load Speed (r/min)	680
Max. Drilling Capacity	
Steel (mm)	φ16
Wood (mm)	φ36
Net Weight (kg)	3.2
Packaging	6/ctn

₱ 2,385.00

Accessories & Package

Auxiliary Handle, Chuck Wrench, Color Box Packing

AJZ03-16A

ELECTRIC DRILL



Rated Power Input (W)	1010
No-load Speed (r/min)	620
Max. Drilling Capacity	
Steel (mm)	φ16
Wood (mm)	φ36
Net Weight (kg)	3.2
Packaging	6/ctn

₱ 2,430.00*

Accessories & Package

Auxiliary Handle, Chuck Wrench, Color Box Packing

AJS10

TAPPER



Rated Power Input (W)	500
No-load Speed (r/min)	Forward 0-580 Backward 0-1000
Tapping Capacity	
Cast Iron, Aluminum or Copper (mm)	M4-M12
Steel (mm)	M4-M10
Net Weight (kg)	2.5
Packaging	6/ctn

₱ 5,625.00

Accessories & Package

Depth Gauge, Hex Wrench, Color Box Packing

AZZ02-16

DIAMOND DRILL WITH WATER SOURCE



Rated Power Input (W)	1800
No-load Speed (r/min)	2900
Max. Drilling Capacity (mm)	φ160
Net Weight (kg)	5.2
Packaging	3/ctn

₱ 11,025.00

Accessories & Package

Water Pipe, Pipe Connector, Open-end Wrench, Auxiliary Handle, Shoulder Support Assembly, Plastic Case Packing

AZZ200S

DIAMOND DRILL WITH WATER SOURCE



Rated Power Input (W)	3300
Rated Impact Frequency (1/min)	500
Net Weight (kg)	3.2
Packaging	2/ctn

₱ 19,800.00*

Accessories & Package

Water Pipe, Pipe Connector, Hex Wrench, Plastic Case Packing

AJC30

MAGNETIC DRILL (CORE DRILL)



Rated Power Input (W)	900
Max. Drilling Capacity (mm)	φ30
Magnetism (N)	11500
No-Load Speed (r/min)	450
Max. Stroke (mm)	140
Connector	Straight shank φ19mm
Net Weight (kg)	11.5
Packaging	1/ctn

₱ 14,850

Accessories & Package

Core Drill Bit, Safety Belt, Open-end Wrench, Hex Wrench, Fuse, Plastic Case Packing

AZJ10

ELECTRIC IMPACT DRILL



Rated Power Input (W)	500
No-load Speed (r/min)	0-2500
Rated Impacting Frequency (.../min)	0-37500
Max. Drilling Capacity	
Concret (mm)	φ10
Steel	φ8
Wood	φ20
Net Weight (kg)	1.6
Packaging	10/ctn

₱ 2,160.00

Accessories & Package

Auxiliary Handle, Depth Gauge, Chuck Wrench, Color Box Packing

AZJ02-13

ELECTRIC IMPACT DRILL



Rated Power Input (W)	500
No-load Speed (r/min)	0-2600
Rated Impacting Frequency (.../min)	0-41600
Max. Drilling Capacity	
Concret (mm)	φ13
Steel	φ10
Wood	φ25
Net Weight (kg)	2
Packaging	8/ctn

₱ 1,710.00*

Accessories & Package

Auxiliary Handle, Depth Gauge, Chuck Wrench, Color Box Packing

AZJ03-13

ELECTRIC IMPACT DRILL



Rated Power Input (W)	500
No-load Speed (r/min)	0-1450
Rated Impacting Frequency (.../min)	0-18850
Max. Drilling Capacity	
Concret (mm)	φ13
Steel	φ13
Wood	φ20
Net Weight (kg)	2.5
Packaging	8/ctn

₱ 2,340.00*

Accessories & Package

Auxiliary Handle, Depth Gauge, Chuck Wrench, Color Box Packing

AZJ04-13

ELECTRIC IMPACT DRILL (TOOL KIT)



Rated Power Input (W)	500
No-load Speed (r/min)	2600
Rated Impacting Frequency (.../min)	0-41600
Max. Drilling Capacity	
Concret (mm)	φ13
Steel	φ10
Wood	φ25
Packaging	4/ctn

₱ 3,510.00

Accessories & Package

Hammer Drill Bit Set, Twist Drill Bit Set, Woodworking Drill Set, Level Ruler, Screwdriver Bit Set, Vice, Adjustable Wrench, Claw Hammer, Screwdriver, Screw Socket Set, Utility Knife, Tape Measure 3M, Auxiliary Handle, Depth Gauge, Chuck Wrench, Carbon Brush, Color Box Packing

AZJ16

ELECTRIC IMPACT DRILL



Rated Power Input (W)	710
No-load Speed (r/min)	0-3000
Max. Drilling Capacity	
Concrete (mm)	φ16
Steel	φ13
Wood	φ30
Net Weight (kg)	2.0
Packaging	8/ctn

₱ 2,700.00

Accessories & Package

Auxiliary Handle, Depth Gauge, Chuck Wrench, Color Box Packing

APL6

IMPACT SCREWDRIVER



Rated Power Input (W)	710
No-load Speed (r/min)	0-4300
Max. Screw Diameter (mm)	
Drywall Screw (mm)	5
Self Drilling Screw (mm)	6
Net Weight (kg)	1.6
Packaging	10/ctn

₱ 2,700.00

Accessories & Package

Cross Screwdriver Bit, Color Box Packing

AZJ20

ELECTRIC IMPACT DRILL



Rated Power Input (W)	720	
Low Speed	High Speed	
No-load Speed (r/min)	0-1150	0-2800
Rated Impacting Frequency	0-230000	0-56000
Max. Drilling Capacity		
Concrete (mm)		φ20
Steel (mm)	φ13	φ8
Wood (mm)	φ40	φ25
Net Weight (kg)		2.4
Packaging		4/ctn

₱ 4,320.00

Accessories & Package

Auxiliary Handle, Depth Gauge, Chuck Wrench, Plastic Box Packing

APL8

IMPACT SCREWDRIVER



Rated Power Input (W)	300
No-load Speed (r/min)	0-2200
Rated Impacting Frequency (1/min)	0-3000
Max. Fastening Torque (N.m)	98
Net Weight (kg)	1.3
Packaging	10/ctn

₱ 2,970.00

Accessories & Package

Double Cross Screwdriver Bit, Color Box Packing

IMPACT/HAMMER

AZC02-20

HAMMER DRILL



Rated Power Input (W)	500
No-load Speed (r/min)	0-850
Max. Drilling Capacity (mm)	φ20
Net Weight (kg)	2.9
Packaging	4/ctn

₱ 3,825.00

SDS-plus
Drill & Hammer & Demolition

Accessories & Package

Auxiliary Handle, Depth Gauge, Plastic Box Packing

AZC02-26

ELECTRIC ROTARY HAMMER



Rated Power Input (W)	750
No-load Speed (r/min)	0-500
Max. Drilling Capacity (mm)	φ26
Net Weight (kg)	5
Packaging	3/ctn

₱ 5,400.00*

SDS-plus &
SDS-square

Accessories & Package

Depth Gauge, Dust Cap, Dring 2, Grease, Plastic Box

AZC05-26

ELECTRIC ROTARY HAMMER



Rated Power Input (W)	720
No-load Speed (r/min)	0-1200
Rated Impact Frequency (1/min)	0-4000
Max. Drilling Capacity Concrete	φ26
Net Weight (kg)	2.9
Packaging	4/ctn

₱ 6,525.00

SDS-Plus

Accessories & Package

Depth Gauge, Plastic Box Packing

AZC04-30

ELECTRIC ROTARY HAMMER



Rated Power Input (W)	960
No-load Speed (r/min)	1000
Rated Impact Frequency (1/min)	5000
Max. Drilling Capacity Concrete (mm)	φ30
Net Weight (kg)	5.2
Packaging	3/ctn

₱ 7,200.00

SDS-square & SDS-plus
Hammer & Demolition

Accessories & Package

Oiler, Dust Cap, Depth Gauge, Plastic Box Packing

HAMMER/BREAKING

AZC38

ELECTRIC ROTARY HAMMER



Rated Power Input (W)	800
No-load Speed (r/min)	400
Rated Impact Frequency (/min)	3000
Max. Drilling Capacity Concrete (mm)	φ38
Net Weight (kg)	7.6
Packaging	2/ctn

₱ 10,350.00

Accessories & Package
Wrench, Hex Wrench, Oiler Assembly, Auxiliary Handle, Plastic Box Packing

AZC45

ELECTRIC ROTARY HAMMER



Rated Power Input (W)	1500
No-load Speed (r/min)	0-305
Rated Impact Frequency (/min)	1370-2700
Max. Drilling Capacity Concrete (mm)	φ45
Net Weight (kg)	8.2
Packaging	2/ctn

₱ 18,900.00

Accessories & Package
Chuck Oil, Plastic Box Packing

AZG05-6

PERCUSSION HAMMER



Rated Power Input (W)	1050
Rated Impact Frequency (/min)	3000
Net Weight (kg)	5.5
Packaging	3/ctn

₱ 6,525.00

Accessories & Package
Grease, Auxiliary Handle, Plastic Case Packing

AZG15

PERCUSSION HAMMER



Rated Power Input (W)	1240
Rated Impact Frequency (/min)	1400
Net Weight (kg)	16
Packaging	1/ctn

₱ 12,960.00*

Accessories & Package
Oil, Wrench, Hex Wrench, Plastic Carrying Case

AZC03-38

ELECTRIC ROTARY HAMMER



Rated Power Input (W)	1100
No-load Speed (r/min)	320
Rated Impact Frequency (/min)	2900
Max. Drilling Capacity Concrete (mm)	φ38
Net Weight (kg)	6.2
Packaging	3/ctn

₱ 10,350.00*

Accessories & Package
Chuck Wrench, Plastic Box Packing

AZG6

PERCUSSION HAMMER



Rated Power Input (W)	1050
Rated Impact Frequency (/min)	2900
Net Weight (kg)	3.2
Packaging	2/ctn

₱ 6,390.00 *

Accessories & Package
Grease, Auxiliary Handle, Special Wrench, Piston Ring, Plastic Case Packing

AZG10

PERCUSSION HAMMER



Rated Power Input (W)	1500
Rated Impact Frequency (/min)	900-1890
Net Weight (kg)	10.4
Packaging	1/ctn

₱ 12,825.00*

Accessories & Package
Grease, Auxiliary Handle, Hex Wrench, Plastic Case Packing

AZG04-15

PERCUSSION HAMMER



Rated Power Input (W)	1520
Rated Impact Frequency (/min)	1450
Net Weight (kg)	14.3
Packaging	1/ctn

₱ 17,010.00

Accessories & Package
Grease 2, Hex Wrench, Pointed 30x400, Plastic Carrying Case

AZG16

PERCUSSION HAMMER



Rated Power Input (W)	1700
Rated Impact Frequency (/min)	1300
Net Weight (kg)	18.8
Packaging	1/ctn

Hex 30mm

₱ 27,900.00

Accessories & Package

Auxiliary Handle, Hex Wrench, Pointed 300x400, Plastic Case Packing

AMR04-12

WOOD ROUTER



Rated Power Input (W)	1050
Max. Milling Cutter Dia. (mm)	φ12/12.7
No-load Speed (r/min)	22000
Net Weight (kg)	6
Packaging	2/ctn

₱ 6,075.00*

Accessories & Package

Wrench, Retainer Base Assembly, Templet Guide, Trimmer Guide Assembly, Collet, Color Box Packing

AMB82

ELECTRIC PLANER



Rated Power Input (W)	500
Max. Planing Width (mm)	82
Max. Planing Depth (mm)	1
No-load Speed (r/min)	16000
Net Weight (kg)	2.9
Packaging	3/ctn

₱ 2,250.00*

Accessories & Package

Sharpening Hoilder Assembly, Blade Gauge, Socket Wrench, Guide Plate Assembly, Color Box Packing

AMY02-185

ELECTRIC CIRCULAR SAW



Rated Power Input (W)	1100
No-load Speed (r/min)	5600
Blade Dia. (mm)	185
Max. Cutting Capacity (mm)	64
Max. Cutting Angle	45°
Net Weight (kg)	3.6
Packaging	2/ctn

₱ 3,240.00*

Accessories & Package

Hex Wrench, Blade, Rip Fence, Auxiliary Handle, Color Box Packing

AMR03-12

WOOD ROUTER



Rated Power Input (W)	1050
Max. Milling Cutter Dia. (mm)	φ12.7
No-load Speed (r/min)	23000
Net Weight (kg)	3.5
Packaging	2/ctn

₱ 4,275.00*

Accessories & Package

Wrench, Straight Guide Asassembly, Templet Guide, Trimmer Guide Assembly, Collet, Color Box Packing

AMR05-12

WOOD ROUTER



Rated Power Input (W)	1240
Max. Milling Cutter Dia. (mm)	φ12/12.7
No-load Speed (r/min)	24000
Net Weight (kg)	4.6
Packaging	2/ctn

₱ 4,410.00

Accessories & Package

Wrench, Straight Guide Asassembly, Templet Guide, Trimmer Guide Assembly, Collet, Color Box Packing

AMB110

ELECTRIC PLANER



Rated Power Input (W)	840
Max. Planing Width (mm)	110
Max. Planing Depth (mm)	2
No-load Speed (r/min)	16500
Net Weight (kg)	4.2
Packaging	4/ctn

₱ 4,275.00

Accessories & Package

Sharpening Holder Assembly, Blade Gauge, Socket Wrench, Guide Assembly, Carbon Brush, Color Box Packing

AMY235

ELECTRIC CIRCULAR SAW



Rated Power Input (W)	1520
No-load Speed (r/min)	4100
Blade Dia. (mm)	235
Max. Cutting Capacity (mm)	84
Max. Cutting Angle	45°
Net Weight (kg)	7.5
Packaging	2/ctn

₱ 5,310.00*

Accessories & Package

Wrench, Blade, Fixing Plate, Auxiliary Handle, Riving Knife, Color Box Packing

AFF02-150

DUST FREE SAW



Rated Power Input (W)	1520
No-load Speed (r/min)	5300
Blade Dia. (mm)	φ105-φ150
Fan Rated Power (W)	1000
Max. Vacuum Degree	2400Pa
Net Weight (kg)	11.9
Packaging	1/ctn

₱ 11,250.00

Accessories & Package

Saw Blade, Dust bag, Protective Cover, Hex Wrench, L-shaped Socket Wrench, Screwdriver, Angel Adjustin Diagram Assembly, Carton Packing

AMQ85

JIG SAW



Rated Power Input (W)	580
No-Load Strokes (.../min)	500-3100
Bevel Cutting Angle	0-45° Left/Right
Max. Cutting Capacity (mm)	Steel 10 Wood 85
Net Weight (kg)	2.7
Packaging	6/ctn

₱ 3,960.00*

Accessories & Package

Saw Blade, Screwdriver, Hex Wrench, Blade Gauge, Plastic Base, Plastic Box Packing

AMP04-6

TRIMMER



Rated Power Input (W)	550
Max. Milling Cutter Dia. (mm)	φ6.35
No-load Speed (r/min)	30000
Net Weight (kg)	1.6
Packaging	9/ctn

₱ 2,340.00

Accessories & Package

Straight Guide Asassembly, Templet Guide, Trimmer Guide Assembly, Color Box Packing

AML405

ELECTRIC CHAIN SAW



Rated Power Input (W)	1300
No-load Speed (m/min)	400
Max. Length of Guide Bar (mm)	405
Net Weight (kg)	6.0
Packaging	2/ctn

₱ 6,750.00

Accessories & Package

Saw Chain, Guide Bar, Socket Wrench, File, Cross Screwdriver, Oiler, Saw Dush Guard, Carton Brush, Color Box Packing

AMQ65

JIG SAW



Rated Power Input (W)	600
No-load Strokes (/min)	500-3000
Bevel Vutting Angel	0-45° Left/Right
Max. Cutting Capacity (mm)	Steel 10 Wood 65
Net Weight (kg)	2.5
Packaging	6/ctn

₱ 3,735.00*

Accessories & Package

Saw Blade, Hex Wrench, Anti-cracking Baseplate, Plastic Liner Panel, Carbon Brush, Color Box Packing

AMP02-6

TRIMMER



Rated Power Input (W)	350
Max. Milling Cutter Dia. (mm)	φ6.35
No-load Speed (r/min)	30000
Net Weight (kg)	1.8
Packaging	9/ctn

₱ 1,665.00*

Accessories & Package

Wrench, Straight Guide Asassembly, Templet Guide, Trimmer Guide Assembly, Color Box Packing

AMD320

MULTI-TOOL



Rated Power Input (W)	320
Oscillations Frequency (/min)	11000-20000
Speed Shifting	6(1-2-3-4-5-6)
Oscillation Angle	3°
Net Weight (kg)	1.3
Packaging	12/ctn

₱ 4,500.00

Accessories & Package

Adaptor for Tool Holder, HSC Plunge Cut Saw Blade, BIM Plunge Cut Saw Blade, Segment Saw Blad, Scraper, Sanding Plate, Abrasive Paper, Hex Wrench, File Holder Assembly, Color Case Packing

AML02-405

ELECTRIC CHAIN SAW



Rated Power Input (W)	1300
No-load Speed (m/min)	400
Max. Length of Guide Bar (mm)	405
Net Weight (kg)	5.6
Packaging	2/ctn

₱ 6,750.00

Accessories & Package

Saw Chain, Guide Bar, Socket Wrench, File, Cross Screwdriver, Oiler, Carton Brush, Color Box Packing

AJF30

RECIPROCATING SAW



Rated Power Input (W)	590
No-load Speed (r/min)	0-2300
Length of Strokes (mm)	30
Max. Cutting Capacity (mm)	Steel 90
	Wood 90
Net Weight (kg)	3.2
Packaging	3/ctn

₱ 3,960.00

Accessories & Package

Saw Blade, Hex Wrench, Plastic Box Packing

ASP02-180

SANDER POLISHER



Rated Power Input (W)	570
No-load Strokes (/min)	1000-2400
Wheel Size (mm)	φ180
Net Weight (kg)	3.3
Packaging	4/ctn

₱ 3,915.00

Accessories & Package

Wool Bonnet, Wrench, Auxiliary Handle, Abrasive Disc, Color Box Packing

ASP180

SANDER POLISHER



Rated Power Input (W)	750
No-load Strokes (/min)	1900-3200
Wheel Size (mm)	φ180
Net Weight (kg)	3.6
Packaging	4/ctn

₱ 4,095.00*

Accessories & Package

Wool Bonnet, Wrench, Auxiliary Handle, Abrasive Disc, Color Box Packing

ASP04-180

SANDER POLISHER



Rated Power Input (W)	1400
No-load Strokes (/min)	690-3800
Wheel Size (mm)	φ180
Net Weight (kg)	3.4
Packaging	4/ctn

₱ 5,625.00*

Accessories & Package

Wool Bonnet, Hex Wrench, Auxiliary Handle, Color Box Packing

AQB2000

HEAT GUN



Rated Power Input (W)	2000
Temperature	Low Temperature (°C) 50-480
	High Temperature (°C) 50-600
Air Flow	Low Temperature (L/min) 210-250
	High Temperature (L/min) 340-380
Net Weight (kg)	0.8
Packaging	10/ctn

₱ 1,440.00*

Accessories & Package

Glass Protection Nozzle, Reduction Nozzle, Color Box Packing

AQB03-2000

HEAT GUN



Rated Power Input (W)	2000
Temperature	Low Temperature (°C) 50
	Middle Temperature (°C) 50-630
	High Temperature (°C) 50-630
Air Flow	Low Temperature (L/min) 300
	Middle Temperature (L/min) 300
	High Temperature (L/min) 500
Net Weight (kg)	0.7
Packaging	10/ctn

₱ 2,925.00

Accessories & Package

Glass Protection Nozzle, Reduction Nozzle, Color Box Packing

AQB04-2000

HEAT GUN



Rated Power Input (W)	2000
Temperature	Low Temperature (°C) 50
	Middle Temperature (°C) 50-480
	High Temperature (°C) 50-600
Air Flow	Low Temperature (L/min) 210-250
	Middle Temperature (L/min) 210-250
	High Temperature (L/min) 340-380
Net Weight (kg)	0.8
Packaging	10/ctn

₱ 1,620.00

Accessories & Package

Glass Protection Nozzle, Reduction Nozzle, Color Box Packing

AQF32

ELECTRIC BLOWER



Rated Power Input (W)	680
No-load Speed (m/min)	8300-16300
Air Volume (m³/min)	1.6-3.2
Net Weight (kg)	1.8
Packaging	6/ctn

₱ 1,890.00*

Accessories & Package

Blowpipe Assembly, Dust Bag Assembly, Carton Brush, Color Box Packing

CLEANING/AUTONOTIVE

AQW5.5-10

HIGH-PRESSURE WASHER



Rated Power Input (W)	1600
Rated Operating Pressure (Bar)	100
Rated Flow (/min)	5.5
Net Weight (kg)	8.5
Packaging	2/ctn

₱ 6,210.00

Accessories & Package

High-Pressure Tube, High Pressure Water Gun, High Pressure Cleaning Pot, Inlet Pipe, Handle Assy Water Filter Assembly, Water Tap Connector, Nozzle Cleaner, Color Box Packing

AVC30

VACUUM CLEANER



Rated Power Input (W)	1200
Capacity (L)	30
Cooling System (kg)	Recycle
Net Weight (kg)	8.8
Packaging	1/ctn

₱ 7,425.00

Accessories & Package

Dust Cleaning Brush, Water Cleaning Brush, Sofa Ceaning Piece, Flat Suction Nozzle, Round Brush, Telescopic Steel Pipe, Vacuum Hose, Connexion for Steel Pipe, Hose Connection Assembly, Carton Packing

AVC80

VACUUM CLEANER



Rated Power Input (W)	3200
Capacity (L)	80
Cooling System (kg)	Recycle
Net Weight (kg)	26.5
Packaging	1/ctn

₱ 17,100.00

Accessories & Package

Dust Cleaning Brush, Water Cleaning Brush, Flat Suction Nozzle, Round Brush, Telescopic Steel Pipe, Vacuum Hose, Connexion for Steel Pipe, Hose Connection Assembly, Carton Packing

APB22C

ELECTRIC WRENCH



Rated Power Input (W)	620
No-load Speed (m/min)	1700
Rated Impacting Frequency (.../min)	1600
Capacities (Bolt Size) (mm)	M16-M22
Square Drive Size (mm)	(3/4) 19x19
Max. Fastening Torque (N.m)	588
Net Weight (kg)	5.0
Packaging	3/ctn

₱ 6,210.00

Accessories & Package

Socket 32x19L, Socket Pin, O Ring, Auxiliary Handle Assembly, Plastic Case Packing

AVC15

VACUUM CLEANER



Rated Power Input (W)	1200
Capacity (L)	15
Cooling System (kg)	Recycle
Net Weight (kg)	7.6
Packaging	1/ctn

₱ 6,750.00

Accessories & Package

Dust Cleaning Brush, Water Cleaning Brush, Sofa Ceaning Piece, Flat Suction Nozzle, Round Brush, Telescopic Steel Pipe, Vacuum Hose, Connexion for Steel Pipe, Hose Connection Assembly, Carton Packing

AVC60

VACUUM CLEANER



Rated Power Input (W)	2300
Capacity (L)	60
Cooling System (kg)	Recycle
Net Weight (kg)	24
Packaging	1/ctn

₱ 14,400.00

Accessories & Package

Dust Cleaning Brush, Water Cleaning Brush, Flat Suction Nozzle, Round Brush, Telescopic Steel Pipe, Vacuum Hose, Connexion for Steel Pipe, Hose Connection Assembly, Carton Packing

APB20C

ELECTRIC WRENCH



Rated Power Input (W)	340
No-load Speed (m/min)	1700
Rated Impacting Frequency (.../min)	2000
Capacities (Bolt Size) (mm)	M12-M20
Square Drive Size (mm)	(1/2) 12.7x12.7
Max. Fastening Torque (N.m)	294
Net Weight (kg)	3.2
Packaging	6/ctn

₱ 3,960.00*

Accessories & Package

Socket 24x12.5L, Socket Pin, O Ring, Carton Packing

APB30

ELECTRIC WRENCH



Rated Power Input (W)	1050
No-load Speed (m/min)	1400
Rated Impacting Frequency (.../min)	1500
Capacities (Bolt Size) (mm)	M24-M30
Square Drive Size (mm)	(1") 25.4x25.4
Max. Fastening Torque (N.m)	400-900
Net Weight (kg)	10.0
Packaging	2/ctn

₱ 11,160.00

Accessories & Package

Socket 36mm, Socket Pin, O Ring, Auxiliary Handle Assembly, Plastic Case Packing

CLEANING/AUTOMOTIVE

APB24E

ELECTRIC WRENCH



Rated Power Input (W)	1050
No-load Speed (r/min)	18
Max. Fastening Torque (N.m)	1100
Net Weight (kg)	8
Packaging	2/ctn

₱ 20,250.00

Accessories & Package

Outer Socket, M22, Inner Socket Assembly, Iron Carrying Case

AFF06-11

GREEN LASER LEVEL



Power Supply	3x1.5V LR6(AA)
Laser Diode (nm)	520
Centering Laser Diode (nm)	650
Vertical Accuracy (mm)	5m±1
Leveling Accuracy (mm)	5m±1
Auto-leveling Range	±3°
Leveling Range	±120°
Vertical Range	±120°
Width of Laser Line	2mm at distance of 5m
Operating Temperature	-10°~40°C
Laser Class	3R
Packaging	6/ctn

₱ 5,175.00

Function Code: 1V 1H

Accessories & Package

Power Adapter, 3x1.5V LR6 (AA) Batteries, Goggles, Suspension Strap, Plastic Carrying Case, Color Box Packing

AFF06-41

GREEN LASER LEVEL



Power Supply	3x1.5V LR6(AA)
Laser Diode (nm)	520
Centering Laser Diode (nm)	650
Vertical Accuracy (mm)	5m±1
Leveling Accuracy (mm)	5m±1
Auto-leveling Range	±3°
Leveling Range	±120°
Vertical Range	±120°
Width of Laser Line	2mm at distance of 5m
Operating Temperature	-10°~40°C
Laser Class	3R
Packaging	6/ctn

₱ 8,325.00

Function Code: 4V 1H

Accessories & Package

Power Adapter, 3x1.5V LR6 (AA) Batteries, Goggles, Suspension Strap, Plastic Carrying Case, Color Box Packing

ADF04-80

LASER DISTANCE METER



Measuring Range (m)	0.1-80
Accuracy of Measurement (mm)	±1.5
Laser Class	2
Laser Diode	620-650nm, P<1mW
Min. Display Unit (mm)	1
Auto Cut-off (without operation for) (s)	180
Battery Lifetime (Individual Measurements) (times)	5000
Battery Specification	2x1.5V LR03(AAA)
Working Temperature	-10°C to 50°C
Storage Temperature	-25°C to 70°C
Product Size (mm)	122x46x25
Net Weight (g)	95
Packaging	28/ctn

₱ 5,625.00

Accessories & Package

Cloth Carrying Bag, Battery LR03, Color Box Packing

AF30

AIR BRAD NAILER



Working Pressure (Bar)	4-8
Inner Diameter of Air Pipe (mm)	8
Capacity of Magazine (PCS)	100
Nails Type	Brad Nail
Nails Size (mm)	φ1.05x30 (max)
Net Weight (kg)	1.1
Packaging	16/ctn

₱ 1,440.00

Accessories & Package

Wrench, Lubricating Oil, Color Box Packing

AF50

AIR BRAD NAILER



Working Pressure (Bar)	5-7
Inner Diameter of Air Pipe (mm)	8
Capacity of Magazine (PCS)	100
Nails Type	Brad Nail
Nails Size (mm)	1.25x1.05x50 (max)
Net Weight (kg)	1.5
Packaging	10/ctn

₱ 2,250.00*

Accessories & Package

Wrench, Hex Wrench, Lubricating Oil, Color Box Packing

A1022J

AIR STAPLER



Working Pressure (Bar)	4-8
Inner Diameter of Air Pipe (mm)	8
Capacity of Magazine (PCS)	100
Nails Type	Staple
Nails Size (mm)	0.6x10x22 (max)
Net Weight (kg)	1.1
Packaging	5/ctn

₱ 1,395.00*

Accessories & Package

Wrench, Lubricating Oil, Color Box Packing

AST64C

AIR CONCRETE NAILER



Working Pressure (Bar)	4-8
Inner Diameter of Air Pipe (mm)	8
Capacity of Magazine (PCS)	75
Nails Type	Steel Nail
Nails Size (mm)	φ2.2 (18-64)
Net Weight (kg)	3.0
Packaging	6/ctn

₱ 3,420.00*

Accessories & Package

Wrench, Lubricating Oil, Color Box Packing

MEASURING/NAILER

PERIPHERAL PUMP



QB Model is small in size but with high lift ability. The pump body is cast iron with SS304 insert, motor is copper wires with built-in thermal protector and brass impeller.

QB Model with Bladder tank as a collaborative automatic unit, can operate automatic start and stop according to use of water. Assembled by separate parts such as pipe, mechanical pressure switch.

Model No.	Rated Power		Max Head (m)	Max Flow (m ³ /h)	Head Range (m)	Outlet Diameter (inch)	Price
	KW	HP					
QB60L 1	0.37	0.5	33	2.4	1-27	1	₱ 1,890.00
QB70G	0.55	0.75	48	3.0	1.5-44	1	₱ 3,150.00
QB80G	0.75	1.0	60	3.6	2.5-53	1	₱ 3,330.00

JET PUMP



JET Model is high self-priming, large flow, high head and with suction ability of 9 meters.

Brass impeller, 100% copper wires with built-in thermal protector and stainless steel shaft.

SGJW series pump body is full iron. And also available with bladder tank as a collaborative automatic unit, start and stop according to use of water. Separate parts such as pipe, mechanical pressure switch.

Model No.	Rated Power		Max Head (m)	Max Flow (m ³ /h)	Head Range (m)	Inlet/Outlet Diameter (mm)	Suction (m)	Price
	KW	HP						
SGJW37	0.37	0.5	32	3.0	2.5-32	1	8	₱ 3,510.00
SGJW55	0.55	0.75	41	3.6	3-41	1	9	₱ 4,410.00
SGJW75	0.75	1.0	46	4.5	4.5-46	1	9	₱ 5,040.00

CENTRIFUGAL PUMP



Centrifugal Pump Model has big flow. Ideal for agricultural irrigation.

Application Fleds

- Suitable for transferring water without abrasive particles or other liquid whose properties are similar to water.

Model No.	Rated Power		Max Head (m)	Max Flow (m ³ /h)	Head Range (m)	Outlet Diameter (inch)	Price
	KW	HP					
SHFm5AM (Cast Iron Propeller)	1.5	2.0	36	22.5	10-22.5	2	₱ 7,920.00
SHFm6A (Cast Iron Propeller)	2.2	3.0	18.5	78.0	8-18.5	2	₱ 10,800.00
CPm130 (Cast Iron Propeller)	0.37	0.5	22	6.0	8-22	1	₱ 3,330.00
CPm146 (Cast Iron Propeller)	0.55	0.75	26	6.6	11-26	1	₱ 3,960.00
CPm158 (Cast Iron Propeller)	0.75	1.0	32	7.2	14-32	1	₱ 4,320.00

JET PUMP WITH BLADDER TANK



Application Fleds

Widely used in well water lifting, garden irrigation, vegetable greenhouse water supply, breeding industry water supply and drainage, pipeline boosting, etc.

Features:

- Rubber Diaphragm tank
- Pressure can be adjusted

Model No.	Rated Power		Max Head (m)	Max Flow (m ³ /h)	Head Range (m)	Inlet/Outlet Diameter (mm)	Suction (m)	Price
	KW	HP						
SGJW37+24L	0.37	0.5	32	3.0	2.5-32	1	8	₱ 6,210.00
SGJW55+24L	0.55	0.75	41	3.6	3-41	1	9	₱ 7,110.00
SGJW75+24L	0.75	1.0	36	4.5	4.5-46	1	9	₱ 7,560.00

BOOSTER WITH BLADDER TANK



Application Fleds

- Suitable for transferring water without abrasive particles or other liquid whose properties are similar to water.
- Widely used in garden irrigation, vegetable greenhouse water supply, breeding industry water supply and drainage, various corollary equipment, etc

Features:

- Easy Installation & Maintain

Model No.	Rated Power		Max Head (m)	Max Flow (m ³ /h)	Head Range (m)	Outlet Diameter (inch)	Price
	KW	HP					
QB60L1+24L	0.37	0.5	33	2.4	1-27	1	₱ 4,410.00
QB80G+24L	0.75	1.0	60	3.6	2.5-53	1	₱ 6,300.00

JET PUMP WITH STAINLESS HEAD



Features:

- Potable
- Impeller is plastics PPO

Model No.	Rated Power		Max Head (m)	Max Flow (m ³ /h)	Head Range (m)	Inlet/Outlet Diameter (mm)	Suction (m)	Price
	KW	HP						
JET320G1	0.37	0.5	28	3.5	2-30	1	8	₱ 4,050.00
JET551G1	0.55	0.75	40	3.8	2-40	1	9	₱ 5,310.00
JET751G1	0.75	1.0	48	3.8	4-48	1	9	₱ 5,580.00

SHIMGE PUMP

SUBMERSIBLE DRAINAGE PUMP (CLEAR WATER)



Application Fleds

With small size and light weight, the QDX series pump is especially suitable for the rural wells water pumping, farmland irrigation a drainage, garden watering, water spraying and family households, as well as other applications such as industrial , construction, aquaculture, fish ponds, etc.

Features:

- New designed motor structure, longer service life.
- Portable and durable aluminum alloy structure.
- Alloy impeller of high performance engineering plastics or aluminum.

Model No.	Rated Power		Head Range (m)	Rated Flow (m³/h)	Head Range (m)	Outlet Diameter (mm)	Price
	KW	HP					
QDX1.5-17.037L2F	0.37	0.5	4~19	1.5	17	25	P 4,770.00
QDX1.5-25-0.55L2F	0.55	0.75	17~26	1.5	25	25	P 5,760.00
QDX1.5-32-0.75L2F	0.75	1.0	17~32	1.5	32	25	P 6,300.00
QDX10-16-0.75L2F	0.75	1.0	10~19	10	16	51	P 6,210.00
QDX15-7-0.55L2F	0.55	0.75	2~9	15	7	64	P 5,940.00
QDX3-30-1.1L2F	1.1	1.5	0~30	3	30	25	P 7,560.00
QDX40-6-1.1L2F	1.1	1.5	0~7.5	40	6	76	P 7,830.00
QDX15-14-1.1L2F	1.1	1.5	0~17	15	14	64	P 7,650.00

SUBMERSIBLE SEWAGE PUMP



Application Fleds

WVSD series pumps are widely applied in industry, agriculture, mining, construction, municipal, environmental protection, etc. They are suitable for draining water containing particles such as short fibers, paper scraps, etc. and soft solid, such as muddy water, dirty water, domestic wastewater, sewage, manure, etc. They are ideal equipment for agricultural irrigation and drainage, pool silt cleaning and site construction, but do not apply to the location with explosion-proof requirements.

Features:

- Stainless steel casing and rod bolts, durable and stable.
- Opening impeller with good flow ability.
- The stainless steel shaft extension, carbide double sides mechanical sealing

Model No.	Rated Power		Head Range (m)	Rated Flow (m³/h)	Head Range (m)	Outlet Diameter (mm)	Price
	KW	HP					
WVSD55F	0.55	0.75	5~9	18	10	51	P 7,200.00
WVSD75F	0.75	1.0	5~9	21	12	51	P 8,460.00
WVSD110F	1.1	1.5	5~9	27	13	51	P 10,530.00
WVSD150F	1.5	2.0	5~9	30	14	51	P 11,160.00

SUBMERSIBLE DEEP WELL PUMP



Application Fleds

Building/Construction work/ Domestic water supply; irrigation and small water work; landscaping, water conservancy system and factory.

Features:

- Edible oil filled motor, stable and reliable running with pressure regulating membrane
- Available with cable, motor plug and control box
- Engineering plastic impeller and stainless steel shaft

Model No.	Rated Power		Max Flow (m³/h)	Rated Flow (m³/h)	Max Head (m)	Head Range (m)	Outlet Diameter (mm)	Cable	Price
	KW	HP							
4SPm4/11-1.5	1.5	2.0	8	4	117	69-109	1.25	2.3m	P 10,620.00
4SPm4/16-2.2	2.2	3.0	8	4	171	96-157	1.25	2.3m	P 12,600.00
4SPm6/8-1.5	1.5	2.0	12	6	86	44-97	1.50	2.3m	P 10,530.00
4SPm6/12-2.2	2.2	3.0	12	6	128	66-116	1.50	2.3m	P 13,500.00

SHIMGE PUMPS