




LED VANITY LIGHT







SPECIFICATIONS







- •VOLTAGE 120V DIMMABLE
- •IP RATED ETL DAMP LOCATION •OPERATING TEMPRATURE -20~45°C
- •MATERIAL STEEL+ ACRYLIC
- •FINISH BRUSHED NICKEL •MOUNTING WALL MOUNTING
- •SHADE SHAPE HALF ROUND
- •SHADE MATERIAL ACRYLIC
- •SHADE COLOR WHITE
- •WARRANTY 5-YEAR LIMITED
- •FIXTURE SIZE L26"xW5-7/8"xH4-3/8"
- CASE QUANTITY 1 PACK
- MASTER CARTON SIZE 67x20x16CM
- NET WEIGHT 1.92KG
- GROSS WEIGHT 2.58KG
















SPECIFICATIONS



- •LUMENS 2100LM
- •COLOR TEMPERATURE 3000K/4000K/ 5000K CCT CHANGABLE
- •CRI RA>80
- •VOLTAGE 120V DIMMABLE
- •IP RATED ETL DAMP LOCATION •OPERATING


TEMPRATURE -20~45°C


- •MATERIAL STEEL+ ACRYLIC
- •FINISH BRUSHED NICKEL •MOUNTING WALL MOUNTING
- •SHADE SHAPE HALF ROUND
- •SHADE MATERIAL ACRYLIC
- •SHADE COLOR WHITE
- •WARRANTY 5-YEAR LIMITED
- •FIXTURE SIZE L36"xW5-7/8"xH4-3/8"
- CASE QUANTITY 1 PACK
- MASTER CARTON SIZE 96.5x20x16CM
- NET WEIGHT 2.84KG
- GROSS WEIGHT 3.60KG














LIGHT SPECIFICATIONS LED VANITY FIXTURE

SPECIFICATIONS



- •LUMENS 2450LM
- •COLOR TEMPERATURE 3000K/4000K/ 5000K CCT CHANGABLE
- •CRI RA>80
- •VOLTAGE 120V DIMMABLE
- •IP RATED ETL DAMP LOCATION •OPERATING TEMPRATURE
- •MATERIAL STEEL+ ACRYLIC
- •FINISH BRUSHED NICKEL •MOUNTING WALL MOUNTING
- •SHADE SHAPE HALF ROUND
- •SHADE MATERIAL ACRYLIC
- •SHADE COLOR WHITE
- •WARRANTY 5-YEAR LIMITED
- •FIXTURE SIZE L48"xW5-7/8"xH4-3/8"
- CASE QUANTITY 1 PACK
- MASTER CARTON SIZE 126.5x20x16CM
- NET WEIGHT 4.20KG
- GROSS WEIGHT 5.12KG





