

LED WORK LIGHT





H5-9 Series



LEDMYPLACE.COM



LM79
LM80

H5-9 Series LED Temporary Work Light

| | |
|------------------|-----------------|
| Power | 60W 100W 150W |
| LEDs Type | Epistar 2835 |
| Lumen Per Watt | 120lm/w |
| Driver | Internal Driver |
| Input Voltage | AC120V, 50-60Hz |
| Beam Angle | 360° |
| CCT | 3000K-6500K |
| CRI | >80 |
| Power Factor | >0.9 |
| Surge Protection | 6KV |
| Work Temp. | -40-40°C |
| Life Span | 50,000 Hours |
| Warranty | 5 years |
| Certificates | ETL,FCC,CE,Rohs |




50,000 hours



5 year warranty



Customized Service



Epistar 2835



Rubycon Capacitor 5FT 18/3 SJTW



| Model No. | Watt | Lumen(lm) | Dimensions(mm) | Unit N.W(KG) | Wire&Plug |
|-------------|------|-----------|----------------|--------------|------------------|
| LK-H5-9-60W | 60W | 7200 | 30*H215 | 1.58 | SJTW,5-15P,5-15R |
| -H5-9-100W | 100W | 12000 | 30*H265 | 1.9 | SJTW,5-15P,5-15R |
| -H5-9-150W | 150W | 18000 | 30*H310 | 2.5 | SJTW,5-15P,5-15R |



Features:



Life span: 50,000hrs



Efficacy: 120LPW







Damp Location




6KV Surge Protection

Applications



Dimension:



60W 100W 150W

Packing info:

| Power | Pack Quantity | Box Size | G.W./Box | Carton Size | G.W./ CTN |
|-------|---------------|---------------|----------|---------------|-----------|
| 60W | 4pcs/ carton | 212*152*282mm | 1.70KG | 438*318*H294m | 7KG |
| 100W | 4pcs/ carton | 212*152*332mm | 2.3KG | 438*318*H344m | 9.5KG |
| 150W | 4pcs/ carton | 212*152*332mm | 2.8KG | 438*318*H390m | 11.6KG |

