

LED WORK LIGHT





H5-9 Series


LED MY PLACE .COM

    LM79
LM80

H5-9 Series LED Temporary Work Light

Power	60W 100W 150W
LEDs Type	Epistar 2835
Lumen Per Watt	120lm/w
Driver	Internal Driver
Input Voltage	AC120V, 50-60Hz
Beam Angle	360°
CCT	3000K-6500K
CRI	>80
Power Factor	>0.9
Surge Protection	6KV
Work Temp.	-40-40°C
Life Span	50,000 Hours
Warranty	5 years
Certificates	ETL,FCC,CE,Rohs



50,000 hours



5 year warranty



Customized Service



Epistar 2835



Rubycon Capacitor 5FT 18/3 SJTW



Model No.	Watt	Lumen(lm)	Dimensions(mm)	Unit N.W(KG)	Wire&Plug
LK-H5-9-60W	60W	7200	30*H215	1.58	SJTW,5-15P,5-15R
-H5-9-100W	100W	12000	30*H265	1.9	SJTW,5-15P,5-15R
-H5-9-150W	150W	18000	30*H310	2.5	SJTW,5-15P,5-15R



Features:



Life span: 50,000hrs



Efficacy: 120LPW







Damp Location




6KV Surge Protection

Applications



Dimension:



60W 100W 150W

Packing info:

Power	Pack Quantity	Box Size	G.W./Box	Carton Size	G.W./ CTN
60W	4pcs/ carton	212*152*282mm	1.70KG	438*318*H294m	7KG
100W	4pcs/ carton	212*152*332mm	2.3KG	438*318*H344m	9.5KG
150W	4pcs/ carton	212*152*332mm	2.8KG	438*318*H390m	11.6KG

