MATERIAL SAFETY DATA SHEET



1. PRODUCT AND COMPANY IDENTIFICATION

COMPANY: T/A Locks Lash Australia

Eye Am Beautiful Pty Ltd.

ADDRESS: 55 Down St, Collingwood VIC 3066

TEL: (03) 9376 4426

PRODUCT NAME: Lash Lift/Brow Lamination Glue

2. COMPOSITION, INFORMATION ON INGREDIENTS

Ingredient	CAS No.	%wt
Aqua	7732-18-5	42.1
Polyvinyl Alcohol	9002-89-5	8.0
Glycerin	56-81-5	2.3
AMP/Acrylates Copolymer	192065-20-6	42.0
PEG-60 Hydrogenated Castor Oil	61788-85-0	0.2
Caprylhydroxamic Acid	7377-03-09	0.6
Caprylyl Glycol	1117-86-8	0.3
Alcohol	64-17-5	4.5

3. HAZARDS IDENTIFICATION

None.

4. FIRST AID MEASURES

Ingestion: In case of larger amount, it is recommended to get medical attention. It may caused diarrhea.

Inhalation: Not Relevant

Skin Contact: Non-toxic, non-irritation in skin

Eye Contact: Enter the eyes, it may caused a little local irritation, Flash eye with plenty of water.

MATERIAL SAFETY DATA SHEET



5. FIRE-FIGHTING MEASURES

Flash Point : 150 °C Flamable Limits :

> Lower: Not determined (non volatile material) Upper: Not determined (non volatile material)

Extingushing Media: Does not constitute a fire hazard. If involved in a fire

dry powder, foam, water mist or carbon dioxide

extinguishers are suitable.

Special Fire Fighting Procedures: Don't spray pool fires directly; a solid stream of

water direct into hot burning liquid can cause frothing.

6. ACCIDENTAL RELEASE MEASURES

Personal Precaution: Remove all sources of ignition Use personal protective equipment.

Environmental Precaution:

Remove all sources of ignition : Prevent product from entering drains. Should not be released into the environment.

Methods of cleaning up: Damp up. Soak up with inert absorbent meterial and dispose of as hazardous waste. After cleaning, flush away traces with water.

7. HANDLING AND STORAGE

Handling Information: Care normally exercised when handling chemicals

Technical Measures / Prec: Keep away from sources of ignition No-smoking. Avoid contact with skin and eyes **Storage:** Keep away from heat and sources of ignition. Recommended storage at 25°C of room temperature. Do not freeze.

Spill or Leak Procedures: Recollect where possible then hose to drains until area not slippery

Waste Disposal: Can be washed to drains without treatment.

8. EXPOSURE CONTROLS/PERSONAL PROTETION

Engineering Measures: Ensure adequate ventilation, especially in confined areas.

Personal Protection Equipment: Safety glasses, impervious gloves.

MATERIAL SAFETY DATA SHEET



9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance and odor: White Clear Liquid 37~39

Solid Contents (%): 37~39

pH: 7.0~8.0

Boiling Point (°C): 100°C **Flammability**: Not Applicable

Authorization Temperature: No Data Available

Explosive Properties : Not Applicable **Oxidizing Properties :** Not Applicable

Vapour Pressure : No data Vapour Density : No data

Water Solubility: Miscible in all proportions

Specific Gravity: 1.05±0.08 Viscosity: 900~1900 cps

10. STABILITY AND REACTIVITY

Conditions to Avoid: To avoid thermal decomposition, do not overheat.

Materials to Avoid: Strong oxidizing agents.

Hezardous Decomposition Products: None reasonably foreseeable.

11. TOXOLOGICAL INFORMATION

The product contains no substances known to be hazardous to health.

12. ECOLOGICAL INFORMATION

Contains no substances known to be hazardous to the environments or not degradable in waste water treatment plants.

13. DISPOSAL CONSIDERATION

Disposal should be in accordance with local, state or national legislation.

14. TRANSPORT INFORMATION

CLASS: Unlisted UN Number: Unlisted

According to IATA regulation, this glue is not a dangerous item.

MATERIAL SAFETY DATA SHEET



15. REGILATORY INFORMATION

Not applicable.

16. OTHER INFORMATION

This information is furnished without warranty, except that it is accurate to

the best knowledge of *(REDACTED SUPPLIER)* The data on this sheet relates only to the specific material designated herein.