

NELLA

Serving Canada Since 1951

FOOD EQUIPMENT

ELITE SERIES STAINLESS STEEL WORK TABLE AND ACCESSORIES



ELITE
SERIES
PREMIUM QUALITY

180 DAYS LIMITED WARRANTY



Authorized Dealer

Serving Canada Since 1951



Elite Series Work table

- 18 Gauge 430 stainless steel
- Support channels are secured via bolt and acorn style nut
- The galvanized under-shelf has rolled die cast leg clamps
- Legs are secured by single set screw design
- Plastic bullet feet



TECHNICAL SPECIFICATION					
ITEM	DESCRIPTION	LOAD CAPACITY	HEIGHT	GROSS WEIGHT	GROSS DIMENSIONS
17577	S.S. Table 24" x 24" / 610 x 610 mm, 4 legs	826.7 lbs./ 375 kg.	34" / 863.6 mm	34.6 lbs./ 15.7 kg.	30.5" x 36" x 3.1" 775 x 915 x 80 mm
17578	S.S. Table 24" x 30" / 610 x 762 mm, 4 legs	903.9 lbs./ 410 kg.	34" / 863.6 mm	38.4 lbs./ 17.4 kg.	30.5" x 36" x 3.1" 775 x 915 x 80 mm
17579	S.S. Table 24" x 36" / 610 x 762 mm, 4 legs	992.1 lbs./ 450 kg.	34" / 863.6 mm	42.3 lbs./ 19.2 kg.	30.5" x 37.4" x 3.1" 775 x 950 x 80 mm
17580	S.S. Table 24" x 48" / 610 x 1219 mm, 4 legs	1069.2 lbs./ 485 kg.	34" / 863.6 mm	50 lbs./ 22.7 kg.	25.4" x 49.4" x 3.1" 645 x 1255 x 80 mm
*17581	S.S. Table 24" x 60" / 610 x 1524 mm, 4 legs	1102.3 lbs./ 500 kg.	34" / 863.6 mm	57.8 lbs./ 26.2 kg.	25.4" x 61.4" x 3.1" 645 x 1560 x 80 mm
*17582	S.S. Table 24" x 72" / 610 x 1829 mm, 4 legs	1146.4 lbs./ 520 kg.	34" / 863.6 mm	65.5 lbs./ 29.7 kg.	25.4" x 73.4" x 3.1" 645 x 1865 x 80 mm
*20198	S.S. Table 24" x 84" / 610 x 2134 mm, 6 legs	1411 lbs./ 640 kg.	34" / 863.6 mm	73.2 lbs./ 33.2 kg.	25.4" x 85.4" x 3.1" 645 x 2170 x 80 mm
*18854	S.S. Table 24" x 96" / 610 x 2438 mm, 6 legs	1510.2 lbs./ 685 kg.	34" / 863.6 mm	80.9 lbs./ 36.7 kg.	25.4" x 97.4" x 3.1" 645 x 2475 x 80 mm
17584	S.S. Table 30" x 30" / 762 x 762 mm, 4 legs	992.1 lbs./ 450 kg.	34" / 863.6 mm	48 lbs./ 21.8 kg.	31.5" x 97.4" x 3.1" 800 x 2475 x 80 mm
17585	S.S. Table 30" x 36" / 762 x 762 mm, 4 legs	1080.3 lbs./ 490 kg.	34" / 863.6 mm	52.5 lbs./ 23.8 kg.	36.6" x 37.4" x 3.1" 930 x 950 x 80 mm
*17586	S.S. Table 30" x 48" / 762 x 1219 mm, 4 legs	1157.4 lbs./ 525 kg.	34" / 863.6 mm	61.5 lbs./ 27.9 kg.	31.1" x 49.4" x 3.1" 790 x 1255 x 80 mm
*17587	S.S. Table 30" x 60" / 762 x 1524 mm, 4 legs	1190.5 lbs./ 540 kg.	34" / 863.6 mm	70.5 lbs./ 32 kg.	31.5" x 61.4" x 3.1" 800 x 1560 x 80 mm
*17588	S.S. Table 30" x 72" / 762 x 1829 mm, 4 legs	1234.6 lbs./ 560 kg.	34" / 863.6 mm	79.6 lbs./ 36.1 kg.	31.5" x 73.4" x 3.1" 800 x 1865 x 80 mm
*20434	S.S. Table 30" x 84" / 762 x 2134 mm, 6 legs	1499.1 lbs./ 680 kg.	34" / 863.6 mm	93.9 lbs./ 42.6 kg.	31.5" x 85.4" x 3.1" 800 x 2170 x 80 mm
*18855	S.S. Table 30" x 96" / 762 x 2438 mm, 6 legs	1598.4 lbs./ 725 kg.	34" / 863.6 mm	103 lbs./ 46.7 kg.	31.5" x 97.4" x 3.1" 800 x 2475 x 80 mm



Serving Canada Since 1951



Elite series work table with backsplash

- 18 Gauge 430 stainless steel
- Support channels are secured via bolt and acorn style nut
- The galvanized under-shelf has rolled die cast leg clamps
- Legs are secured by single set screw design
- Plastic bullet feet



TECHNICAL SPECIFICATION					
ITEM	DESCRIPTION	LOAD CAPACITY	HEIGHT	GROSS WEIGHT	GROSS DIMENSIONS
23793	S.S. Table 24" x 24" / 610 x 610 mm with 4" / 101.6 mm backsplash, 4 legs	793.7 lbs./ 360 kg.	38" / 965 mm	38.1 lbs./ 17.3 kg.	25.4" x 36" x 6.9" 645 x 915 x 175 mm
23794	S.S. Table 24" x 30" / 610 x 762 mm with 4" / 101.6 mm backsplash, 4 legs	881.8 lbs./ 400 kg.	38" / 965 mm	43.7 lbs./ 19.8 kg.	25.4" x 35.6" x 7.1" 645 x 905 x 180 mm
23795	S.S. Table 24" x 36" / 610 x 1219 mm with 4" / 101.6 mm backsplash, 4 legs	948 lbs./ 430 kg.	38" / 965 mm	48.9 lbs./ 22.2 kg.	25.4" x 37.4" x 6.9" 645 x 950 x 175 mm
23796	S.S. Table 24" x 48" / 610 x 1219 mm with 4" / 101.6 mm backsplash, 4 legs	1025.1 lbs./ 465 kg.	38" / 965 mm	59.3 lbs./ 26.9 kg.	25.4" x 49.4" x 6.9" 645 x 1255 x 175 mm
*23797	S.S. Table 24" x 60" / 610 x 1524 mm with 4" / 101.6 mm backsplash, 4 legs	1058.2 lbs./ 480 kg.	38" / 965 mm	69.7 lbs./ 31.6 kg.	25.4" x 61.4" x 6.9" 645 x 1560 x 175 mm
*23798	S.S. Table 24" x 72" / 610 x 1829 mm with 4" / 101.6 mm backsplash, 4 legs	1102.3 lbs./ 500 kg.	38" / 965 mm	80 lbs./ 36.3 kg.	25.4" x 73.4" x 6.9" 645 x 1865 x 175 mm
*23799	S.S. Table 24" x 84" / 610 x 2134 mm with 4" / 101.6 mm backsplash, 6 legs	1366.9 lbs./ 620 kg.	38" / 965 mm	95.7 lbs./ 43.4 kg.	25.2" x 85.4" x 7.1" 640 x 2170 x 180 mm
*23800	S.S. Table 24" x 96" / 610 x 2438 mm with 4" / 101.6 mm backsplash, 6 legs	1466.1 lbs./ 665 kg.	38" / 965 mm	106 lbs./ 48.1 kg.	25.4" x 97.4" x 6.9" 645 x 2475 x 175 mm
23801	S.S. Table 30" x 30" / 762 x 762 mm with 4" / 101.6 mm backsplash, 4 legs	948 lbs./ 430 kg.	38" / 965 mm	49.1 lbs./ 22.3 kg.	31.5" x 37.4" x 7.7" 800 x 950 x 195 mm
23802	S.S. Table 30" x 36" / 762 x 762 mm with 4" / 101.6 mm backsplash, 4 legs	1036.2 lbs./ 470 kg.	38" / 965 mm	55.1 lbs./ 25 kg.	31.5" x 37.4" x 7.7" 800 x 950 x 195 mm
23803	S.S. Table 30" x 48" / 762 x 1219 mm with 4" / 101.6 mm backsplash, 4 legs	1113.3 lbs./ 505 kg.	38" / 965 mm	67.2 lbs./ 30.5 kg.	30.7" x 49.2" x 7.1" 780 x 1250 x 180 mm
*23804	S.S. Table 30" x 60" / 762 x 1524 mm with 4" / 101.6 mm backsplash, 4 legs	1146.4 lbs./ 520 kg.	38" / 965 mm	79.4 lbs./ 36 kg.	31.5" x 61.4" x 6.9" 800 x 1560 x 175 mm
*23805	S.S. Table 30" x 72" / 762 x 1829 mm with 4" / 101.6 mm backsplash, 4 legs	1190.5 lbs./ 540 kg.	38" / 965 mm	91.7 lbs./ 41.6 kg.	31.1" x 73.2" x 7.1" 790 x 1860 x 180 mm
*23806	S.S. Table 30" x 84" / 762 x 2134 mm with 4" / 101.6 mm backsplash, 6 legs	1455.1 lbs./ 660 kg.	38" / 965 mm	109.1 lbs./ 49.5 kg.	31.1" x 85.2" x 7.1" 790 x 2165 x 180 mm
*23807	S.S. Table 30" x 96" / 762 x 2134 mm with 4" / 101.6 mm backsplash, 6 legs	1554.3 lbs./ 705 kg.	38" / 965 mm	121.3 lbs./ 55 kg.	31.5" x 97.4" x 6.9" 800 x 2475 x 175 mm



Serving Canada Since 1951

Under-shelf for Elite series worktable - Galvanized under-shelf with rolled die cast leg clamps



				TECHNICAL SPECIFICATION
ITEM	DESCRIPTION	LOAD CAPACITY	GROSS WEIGHT	GROSS DIMENSIONS
17614	24" x 24" / 610 x 610 mm Undershelf for 17577 and 23793	341.7 lbs./ 155 kg.	7.7 lbs./ 3.5 kg.	20.5" x 20.5" x 2.2" / 520 x 520 x 55 mm
17615	24" x 30" / 610 x 762 mm Undershelf for 17578 and 23794	374.8 lbs./ 170 kg.	9.9 lbs./ 4.5 kg.	20.3" x 26.4" x 2.4" / 515 x 670 x 60 mm
17616	24" x 36" / 610 x 1219 mm Undershelf for 17579 and 23795	418.9 lbs./ 190 kg.	12.1 lbs./ 5.5 kg.	20.3" x 32.3" x 2.2" / 515 x 820 x 55 mm
17617	24" x 48" / 610 x 1219 mm Undershelf for 17580 and 23796	451.9 lbs./ 205 kg.	14.3 lbs./ 6.5 kg.	20.3" x 44.3" x 2.4" / 515 x 1125 x 60 mm
*17618	24" x 60" / 610 x 1524 mm Undershelf for 17581 and 23797	463 lbs./ 210 kg.	16.5 lbs./ 7.5 kg.	20.3" x 56.3" x 2.2" / 515 x 1430 x 55 mm
*17619	24" x 72" / 610 x 1829 mm Undershelf for 17582 and 23798	485 lbs./ 220 kg.	18.7 lbs./ 8.5 kg.	20.3" x 68.3" x 2.4" / 515 x 1735 x 60 mm
*17620	24" x 84" / 610 x 2134 mm Undershelf for 20198 and 23799	595.2 lbs./ 270 kg.	20.9 lbs./ 9.5 kg.	20.3" x 2.4" x 80.3" / 515 x 2040 x 60 mm
*17621	24" x 96" / 610 x 2438 mm Undershelf for 18854 and 23800	650.4 lbs./ 295 kg.	23.1 lbs./ 10.5 kg.	20.3" x 92.3" x 2.4" / 515 x 2345 x 60 mm
17622	30" x 30" / 762 x 762 mm Undershelf for 17548 and 23801	396.8 lbs./ 180 kg.	11 lbs./ 5 kg.	25" x 26.4" x 2.4" / 635 x 670 x 60 mm
17623	30" x 36" / 762 x 762 mm Undershelf for 17585 and 23802	440.9 lbs./ 200 kg.	13.2 lbs./ 6 kg.	25" x 32.3" x 2.4" / 635 x 820 x 60 mm
17624	30" x 48" / 762 x 1219 mm Undershelf for 17586 and 23803	474 lbs./ 215 kg.	15.4 lbs./ 7 kg.	25" x 44.3" x 2.4" / 635 x 1125 x 60 mm
*17625	30" x 60" / 762 x 1524 mm Undershelf for 17587 and 23804	485 lbs./ 220 kg.	17.6 lbs./ 8 kg.	25" x 56.3" x 2.4" / 635 x 1430 x 60 mm
*17626	30" x 72" / 762 x 1829 mm Undershelf for 17588 and 23805	507.1 lbs./ 230 kg.	19.8 lbs./ 9 kg.	25" x 68.3" x 2.4" / 635 x 1735 x 60 mm
*17627	30" x 84" / 762 x 2134 mm Undershelf for 20434 and 23806	617.3 lbs./ 280 kg.	22 lbs./ 10 kg.	25" x 72.2" x 2.4" / 635 x 1835 x 60 mm
*17628	30" x 96" / 762 x 2134 mm Undershelf for 18855 and 23807	672.4 lbs./ 305 kg.	24.3 lbs./ 11 kg.	25" x 92.3" x 2.4" / 635 x 2345 x 60 mm

Bullet feet

TECHNICAL SPECIFICATION	
ITEM	DESCRIPTION
39313	Stainless Steel Bullet Foot
23510	Plastic Bullet Foot
23520	Bullet Foot- Plastic Inside Stainless Steel Outside



23520



23510



39313