

Lirika

# TRADITION MADE NEW. THE EVOLUTION.

Saeco has always been a pioneer in the OCS and small Ho.Re.Ca. locations market.

Today, thanks to its flair for development, to address the increasing needs of coffee consumption outside the home, Saeco developed a complete range with new solutions that express the best and most developed aspects of the OCS world.

**Lirika** is the entry-level reference point for OCS bean-to-cup, and guarantees superior performance and user-friendliness in a modern and compact shell.

### DESIGNED FOR YOUR WORLD.

Saeco addresses the increasingly specific requirements of out-of-home consumption with a complete range of bean-to-cup machines that fully comply with customers' requests.

The need to be able to choose among different types of drinks, including fresh-milk-based specialties, the user-friendliness in self-service contexts, and the reduction of operating costs are only some of the requirements that Saeco addressed in designing its range.

A range of products designed specifically for the B2B sector, and equipped with revolutionary systems for the distribution of milk-based drinks, a compact and innovative design and an operating software that was custom-made for the reference market, for better credit management, for instance.

In addition, these machines are 60335-2-75 certified for professional use.





Lirika is a simple, compact and performing machine, ideal for the office and small Ho.Re.Ca. venues.

It has modern and essential lines, high capacity water and coffee tanks and is incredibly easy to use.

Lirika, Lirika Plus and Lirika OTC are the best expression of Saeco know-how, in three versions that offer a concentrated mix of top quality and performance.

The wide display (in the OTC version with completely redesigned icons) allows the user to choose espresso or coffee and hot water or steam delivered through an independent wand (steam not available in the OTC version).

They can also prepare creamy and tasty cappuccinos and latte macchiato, also with the "One Touch" system in Lirika OTC, thanks to the innovative "Pinless Wonder" cappuccinatore.

All the models are characterised by the pre-brewing system, a Class A boiler, ceramic blades and a removable brewing unit (with aroma intensity calibration in the OTC and Plus versions), to facilitate cleaning and maintenance activities.





# THE BEST CAPPUCCINO WITH ONE TOUCH.

"One Touch Cappuccino" is Saeco's exclusive system for brewing a perfect cappuccino or latte macchiato, in the best Italian tradition, thanks to the special cappuccinatore, the "Pinless Wonder".

An innovative system, mounted only on the Lirika OTC version, that creates a delightful foam, collecting milk directly from its pack or from the fridge, as required in B2B applications.

In this way, the "One Touch Cappuccino" system delivers creamy cappuccinos or latte macchiato directly in your cup.

In addition, Lirika OTC has a "Mini-Clean" function: after every milk delivery, the system asks whether to activate the self-cleaning procedure with about 20 cc of hot water.

## THE MODELS



## Lirika OTC



#### Capacities

500 gr coffee beans 2.5 I water 15 coffee grounds 0.5 I drip tray

#### One-Touch cappuccino

l coffee cups simultaneously Hot water dispenser (no steam) iingle circuit

#### Cappuccinatore

Integrated Pinless Wonder

Ceramic blades



Lirika Plus



#### Capacities

500 gr coffee beans 2.5 I water 15 coffee grounds 0.5 I drip tray

#### Milk from steam wand

2 coffee cups simultaneously Hot water / steam wand Single circuit

#### Cappuccinatore

Tuono on steam wand Siluro (optional)

Ceramic blades



Lirika



#### Capacities

500 gr coffee beans 2.5 I water 15 coffee grounds 0.5 I drip tray

#### Milk from steam wand


2 coffee cups simultaneously Hot water / steam wand Single circuit

#### Cappuccinatore

Pannarello on steam wand Tuono or Siluro (optional)

Ceramic blades

## LIRIKA. A CLOSE LOOK.



# TECHNICAL DATA



#### Lirika OTC

Dimensions (w $\times$ h $\times$ d)	215 × 370 × 429 mm	
Weight	8 kg	
Colour	dark grey	
Electrical specifications		
Power supply	220-240 V/50-60 Hz	
Absorbed power	1850 W	
Water specifications		
Hydraulic system	single circuit	
Hot water / steam wand	dedicated hot water wand (no steam)	
Water connections		
Water supply	independent tank	
Capacities		
Coffee beans container	500 gr	
Water tank	2.5 I, removable	
Coffee grounds container	15	
Other specifications		
Cappuccinatore	Pinless Wonder, completely automatic	
Grinder setting	yes	
Coffee strength adjustment	yes (light 6.5, medium 8, strong 10)	
Electronic pre-infusion	yes	
Simultaneous dispensing of 2 coffee cups	yes	
Coffee dispenser height adjustment	yes (105-145 mm)	
Possibility of using latte macchiato glasses (14 cm)	yes	
Interface		
Graphic display with icons and text messages	yes	
One touch cappuccino / latte macchiato	yes	
Certification		
Approval pursuant to the 60335-2-75 professional standard	yes	





	Lirika Plus	Lirika
Structural specifications		
Dimensions ( $w \times h \times d$ )	215 × 370 × 429 mm	215 × 370 × 429 mm
Weight	8 kg	8 kg
Colour	silver / black	black
Electrical specifications		
Power supply	220-240-120 V/50-60 Hz	220-240-120 V/50-60 Hz
Absorbed power	1850 W	1850 W
Water specifications		
Hydraulic system	single circuit	single circuit
Hot water / steam wand	with Tuono	with pannarello
Water connections		
Water supply	independent tank	independent tank
Capacities		
Coffee beans container	500 gr	500 gr
Water tank	2.5 I, removable	2.5 I, removable
Coffee grounds container	15	15
Other specifications		
Cappuccinatore	Tuono on the steam wand	pannarello on the steam wand
Grinder setting	yes	yes
Coffee strength adjustment	yes (light 6.5, medium 8, strong 10)	aroma fixed
Electronic pre-infusion	yes	yes
Simultaneous dispensing of 2 coffee cups	yes	yes
Coffee dispensers height adjustment	yes (105-145 mm)	yes (105-145 mm)
Possibility of using latte macchiato glasses (14 cm)	yes	yes
Interface		
Graphic display with icons and text messages	yes	yes
One touch cappuccino / latte macchiato	no	no
Certification		
Approval pursuant to the 60335-2-75 professional standard	yes	yes

### Milk Cooler



Milk Cooler to keep milk fresh, with a capacity of I litre.

The cooling is generated by a Peltier cooling system with no CFCs.

It can be combined with both Aulika and Lirika

Technical data

150 × 215 × 190 mm Dimensions ( $w \times h \times d$ ) Weight 100-240 V/50-60 Hz Power supply Power consumption Capacity

1.7 kg

20 W

## Lirika Tuono Cappuccinatore



Tuono cappuccinatore to be mounted on the steam wand for the frothing of creamy cappuccinos and milk drinks. It can be used also in combination with the Milk Cooler.

# SOLUTIONS THAT MEET YOUR EXPECTATIONS.

For several years now Saeco has been developing its projects in partnership with important players in the world of coffee brewing outside the home.

The willingness of the company to address the needs of the market and of the users more and more closely has led to the development of customised solutions.

Moreover, the company supports its products throughout the development and sales phases and beyond, thanks to its solid after-sales service.

Saeco has also a dedicated team and a set of on-line and off-line tools to support the customer on a daily basis, in terms of information, technical skills, spare parts and accessories.

Saeco, your ideal partner

