

JUICE BAR SOLUTION

CENTER OF ALL YOUR FOOD SERVICE NEEDS

ICE CRUSHER- 2.4 KG./ MIN

Item #: 39689

Model: SANTOS #53


















JUICE BAR SOLUTION

ICE CRUSHER- 2.4 KG/ MIN



Diagram



Powerful, efficient and reliable:

- Makes both fine and coarse crushed ice in iust one touch of a button.
- Exceptional output: simply and quickly makes 1.2 kg of crushed ice in 30 seconds.
- It is equipped with a heavy duty and quiet asynchronous motor.
- It is adapted to intensive use and allows a hands free use thanks to its high capacity ice cube tank (1.2 kg).

2 Function modes:

- Manual function: continuous ice crushing as long as the button is being pushed.
- Automatic function: quick touch of the button automatically brushes the ice placed in the tank (hands-free use).

PRODUCT SPECIFICATIONS			
ITEM NUMBER	39689	BASE/CASING	ABS
MODEL	Santos #53	WEIGHT	10 kg./ 22 lbs.
POWER	155 W	PACKAGING WEIGHT	11 kg./ 24 lbs.
EFFICIENCY	2.4kg/ min	OVERALL DIMENSIONS (DWH)	12" x 8" x 19"
RPM	89	PACKAGING DIMENSIONS	16" x 15" x 21"
ELECTRICAL	120V/ 60Hz/ 1		

Safety, Standards, Hygiene

In accordance with the following regulations:

Machinery directive 2006/42/EC

Electromagnetic compatibility 2004/108EC

"Low voltage" directive 2006/95/EC

RoHs directive 2002/95/EC

Regulation 1935/2004/EC (contact with food)

Electric safety:

- On/Off interlock switch is waterproof.
- All mechanical parts are ground (earth) connected.
- All equipment is perfectly controlled after assembly (special electrical testing bay).

Harmonized European standards:

EN ISO 12100 - 1 AND 2:2004

EN 60204 - 1:2006

EN 60335 - 2-64: 2004: commercial electric kitchen machines

CE (European standards)

Acoustic safety:

The asynchronous motor with clutch system is particularly silent.

Hygiene:

All removable parts can be put in a dishwasher or easily cleaned with hot soapy water (NSF approved).

Thermal safety:

Motor protected by internal thermal detector.



Telephone: 416-740-2424 Email: help@nellaonline.com Website: www.nellaonline.com