



FOOD EQUIPMENT

SERVING THE INDUSTRY SINCE 1952

## Hydraulic Sausage Stuffers



\*Locally QPS applied to  
13743, 13745, 13744,  
13753, 13755, 13750,  
13751 & 41709 Only



Authorized Dealer



# FOOD EQUIPMENT HYDRAULIC SAUSAGE STUFFER

# NELLA


These machines come with extra power, automatic piston decompression, independent oil reservoir, spare lid seal, oil, piston extracting wrench, and three stainless steel spouts (12mm, 20mm, and 30mm). The piston is perfectly sealed and removable.




High pressure hydraulic group. Independent oil reservoir



Equipped with wheels, pressure gauges, and waterproof electric switchboards.



Turn on/off motor automatically by knee lever or manual switch



Removable sealed piston. Ergonomically designed for comfort.



Special Order: Manual portioning device. Curved nozzle/horn with cutting valve to fill cans.

## TECHNICAL SPECIFICATION

ITEM	MODEL	POWER	CAPACITY	LID AND PISTON	ELECTRICAL	WEIGHT	PACKAGING WEIGHT	PACKAGING DIMENSIONS
13743*	SS-ES-0015-PA	0.75 HP / 0.56 kW	33 lbs.	Aluminum	208V/60Hz/3	± 223 lbs.	254 lbs.	21" x 23" x 47"
13744*	SS-ES-0015-PAM	1.75 HP / 1.31 kW	33 lbs.	Aluminum	220V/60Hz/1	± 223 lbs.	254 lbs.	21" x 23" x 47"
41708					110V/60Hz/1			
13745	SS-ES-0020-PA	0.75 HP / 0.56 kW	44 lbs.	Aluminum	208V/60Hz/3	± 231.5 lbs	260 lbs.	24" x 22" x 56"
13746	SS-ES-0020-PAM	1.75 HP / 1.31 kW	44 lbs.	Aluminum	220V/60Hz/1	± 231.5 lbs	260 lbs.	24" x 22" x 56"
13750*	SS-ES-0026-PA	1.5 HP / 1.12 kW	57 lbs.	Aluminum	208V/60Hz/3	± 289 lbs.	313 lbs.	24" x 22" x 56"
13751*	SS-ES-0026-PAM	2.25 HP / 1.68 kW	57 lbs.	Aluminum	220V/60Hz/1	± 289 lbs.	313 lbs.	24" x 22" x 56"
13752	SS-ES-0026-PAS	1.5 HP / 1.12 kW	57 lbs.	Stainless Steel	208V/60Hz/3	± 289 lbs.	313 lbs.	24" x 22" x 56"
13753	SS-ES-0026-PASM	2.25 HP / 1.68 kW	57 lbs.	Stainless Steel	220V/60Hz/1	± 289 lbs.	313 lbs.	24" x 22" x 56"
41709*					110V/60Hz/1			
13755	SS-ES-0031-PAS	2 HP / 1.5 kW	68 lbs.	Stainless Steel	208V/60Hz/3	± 315.25 lbs.	350 lbs.	24" x 22" x 56"
13756	SS-ES-0031-PASM	2.25 HP / 1.68 kW	68 lbs.	Stainless Steel	220V/60Hz/1	± 315.25 lbs.	350 lbs.	24" x 22" x 56"
13757	SS-ES-0042-PAS	2.5 HP / 1.86 kW	92 lbs.	Stainless Steel	208V/60Hz/3	± 527 lbs.	594 lbs.	30" x 25" x 56"
13758	SS-ES-0042-PASM	2.5 HP / 1.86 kW	92 lbs.	Stainless Steel	220V/60Hz/1	± 527 lbs.	594 lbs.	30" x 25" x 56"
13759	SS-ES-0052-PAS	2.5 HP / 1.86 kW	114 lbs.	Stainless Steel	208V/60Hz/3	± 610.7 lbs.	662 lbs.	30" x 26" x 59"
17146	SS-ES-0052-PASM	2.5 HP / 1.86 kW	114 lbs.	Stainless Steel	220V/60Hz/1	± 610.7 lbs.	662 lbs.	30" x 26" x 59"

\* Locally QPS Approved

### Accessories for Hydraulic Stuffer

36051	All Stainless Steel Nozzle/horn, 12 mm
36054	All Stainless Steel Nozzle/horn, 20 mm
36057	All Stainless Steel Nozzle/horn, 30 mm
18944	Portion Control Head


<b>P = professional</b>	Fixed and stronger rectified barrel (cylinder) with solid construction. Motor start and stop by contactor
<b>A = automatic</b>	Less wear, noise and power consumption; lower temperature; longer life of oil; pump and hydraulic group; water proof, low voltage switchboard.
<b>M = HD</b>	Single Phase Motor-Heavy Duty
<b>S=Steel</b>	Stainless Steel Lid and Piston (opt. On SS-ES-0026-PAS)

# NELLA


Telephone: 416-740-2424  
Email: [help@nellaonline.com](mailto:help@nellaonline.com)  
Website: [www.nellaonline.com](http://www.nellaonline.com)




**TECHNICAL DIMENSIONS**




SS-ES-0015, GROSS WEIGHT: 250 LBS.




SS-ES-0020, GROSS WEIGHT: 260 LBS.




SS-ES-0026, GROSS WEIGHT: 317 50 LBS



SS-ES-0031, GROSS WEIGHT: 344 LBS.



SS-ES-0042, GROSS WEIGHT: 613 LBS.



SS-ES-0052, GROSS WEIGHT: 696 LBS.