

SERVING THE FOOD INDUSTRY SINCE 1951

ENTRY MAX SERIES PIZZA OVENS WITH SINGLE CHAMBER AND DOUBLE CHAMBER

Item: 40635/ 40636

Model: PE-IT-0019-S/ PE- IT-0038-D









COOKING EQUIPMENT

ENTRY MAX SERIES PIZZA OVEN WITH SINGLE CHAMBER




Features:


- Stainless steel front, two mechanical thermostats per chamber, heat resistant, light, main switch for each chamber, stainless steel door with glass and handle (Each chamber is independent)
- Up to 2 single-chamber oven can be placed on top of each other without the need for an exhauster connection
- · Insulation is evaporated fiberglass
- · Left-sided handles
- Upon request the machines can be produced in a "full refractory stone" version and for single-phase operation.
- * Special Order are available for the following upon request: stands, casters, hoods, vents and suction motor




Related Accessories - sold separately	
ITEM NUMBER	DESCRIPTION
41600	Stainless steel stand
41607	Stainless steel hood
40645	Wheels for all pizza oven stands

5.56 kW Entry Max Series Pizza Oven with Single Chamber		
ITEM NUMBER	40635	
MODEL	PE-IT-0019-S	
MAXIMUM TEMPERATURE	842° F / 450° C	
ELECTRICAL	220V/60/3	
POWER	5.56 kW	
CHAMBER DIMENSIONS (LxDxH)	27.6" x 27.6" x 5.9"/ 700 x 700 x 150 mm	
FULL REFRACTORY STONE DIMENSIONS	26.4" x 27" x 5.31"/ 670 x 685 x 135 mm	
EXTERNAL DIMENSIONS (LxDxH)	39" x 36" x 15"/ 990 x 920 x 380 mm	
PACKAGING DIMENSIONS (LxDxH)	40.2" x 39" x 20.9"/ 1020 x 990 x 530 mm	
WEIGHT	Net weight: 74 kg./ 163 lbs. Gross weight: 88 kg / 194 lbs	









max 4 x 12"



max 4 x 13"



max 1 x 18"



max 1 x (24" x 16")



Telephone: 416-740-2424 Email: help@nellaonline.com Website: www.nellaonline.com



COOKING EQUIPMENT

ENTRY MAX SERIES PIZZA OVEN WITH DOUBLE CHAMBER


Features:


- Stainless steel front, two mechanical thermostats per chamber, heat resistant, light, main switch for each chamber, stainless steel door with glass and handle (Each chamber is independent)
- Up to 2 single-chamber oven can be placed on top of each other without the need for an exhauster connection
- · Insulation is evaporated fiberglass
- · Left-sided handles
- Upon request the machines can be produced in a "full refractory stone" version and for single-phase operation.
- * Special Order are available for the following upon request: stands, casters, hoods, vents and suction motor




Related Accessories - sold separately	
ITEM NUMBER	DESCRIPTION
41422	Stainless steel stand
41607	Stainless steel hood
40645	Wheels for all pizza oven stands

11.2 kW Entry Max Series Pizza Oven with Double Chamber ITEM NUMBER 40636 MODEL PE-IT-0038-D **MAXIMUM TEMPERATURE** 842° F / 450° C **ELECTRICAL** 220V/60/3 11.2 kW **POWER** 27.6" x 27.6" x 5.9" (x2) / CHAMBER DIMENSIONS (LxDxH) 700 x 700 x 150 mm (x2) **FULL REFRACTORY STONE** 26.4" x 27" X 5.31"/ **DIMENSIONS** 670 x 685 x 135 mm 39" x 36" x 26.7"/ EXTERNAL DIMENSIONS (LxDxH) 990 x 920 x 680 mm PACKAGING DIMENSIONS 40.2" x 39" x 32.3"/ (LxDxH) 1020 x 990 x 820 mm Net Weight: 149 kg./ 328.5 lbs. WEIGHT Gross Weight: 165 kg./ 363 lbs.













max 4 x 13"

max 1 x 18"

max 1 x (24" x 16")



Telephone: 416-740-2424 Email: help@nellaonline.com Website: www.nellaonline.com