

# QGWB.MH49608 - FLAME-RESISTANT CLOTHING FOR PROTECTION OF INDUSTRIAL PERSONNEL AGAINST SHORT-DURATION THERMAL EXPOSURES FROM FIRE

## Flame-resistant Clothing for Protection of Industrial Personnel Against Short-duration Thermal Exposures from Fire

See General Information for Flame-resistant Clothing for Protection of Industrial Personnel Against Short-duration Thermal Exposures from Fire

### LAPCO MFG INC

MH49608

98 Glenwood St

Morgan City, LA 70380-2317 USA

Flame-resistant clothing for protection of industrial personnel against short-duration thermal exposures from fire certified to NFPA 2112 (2018).

Type	Model	Closure System
<b>Protective garments:</b>		
<b>Coveralls</b>	<i>CVEFR7</i>	Zipper with 2 Snap Fasteners at Top
	<i>CVDHXXYY</i>	
	<i>CVINFXXYY</i>	
	<i>CVFRDYXX</i>	
	<i>CVFR9XXX</i>	
	<i>CVIN9XX</i>	
	<i>DHCDXXYY</i>	
	<i>DHCExXXYY</i>	
	<i>DHCVFXXYY</i>	
	<i>GGCYXX</i>	
	<i>GGCEYYXX</i>	
	<i>GOCFACXXYY</i>	
	<i>GOCFXXYY</i>	
	<i>GOC6XXX</i>	
	<i>GOCAC7XXX</i>	
	<i>GOCD7</i>	

	<i>GOCDYYXX</i>	
	<i>GOCEYYXX</i>	
	<i>GOCLW6XX</i>	
	<i>L-CVFRCCXXYY</i>	
	<i>L-CVFRXXYY</i>	
	<i>L-GOCXXYY</i>	
	<i>L-GOCACXXYY</i>	
	<i>L-NXCCDYXX</i>	
	<i>L-NXCDXX</i>	
	<i>NXCD45</i>	
	<i>NXCCDYXX</i>	
	<i>NXCE45XX</i>	
	<i>NXCCEYYXX</i>	
	<i>NXCCFXXYY</i>	Zipper with 2 Snap Fasteners at Top
	<i>NXCFXXYY</i>	
	<i>CVFRC7XX</i>	Zipper with Buttons at Top
<b>Insulated Coverall</b>	<i>CIFRXXX</i>	Zipper with snap at the neck and snap at the waist
	<i>CIFRWSYYXX</i>	
<b>Long Sleeve Shirts</b>	<i>DHSXXYY</i>	Button Front
	<i>GGSYXX</i>	
	<i>GOS7</i>	
	<i>GOSAC7XXX</i>	
	<i>GOSACXXX</i>	
	<i>GOSLW6XX</i>	
	<i>GOSYYXX</i>	
	<i>IBW7</i>	
	<i>IXX7</i>	
	<i>IXXY</i>	
	<i>L-GOSFRXXYY</i>	
	<i>L-SFRACXX</i>	
	<i>L-SFRXXYY</i>	
	<i>NXS45XX</i>	
	<i>NXSCYYXX</i>	
	<i>DHSXXYY</i>	Snap Fastener Front
	<i>GGSYXXS</i>	
	<i>GGSYXXWS</i>	

	<i>INXWSX</i>	
	<i>IXX7WS</i>	
	<i>IXXX7S</i>	
	<i>IXXXYYWS</i>	
	<i>NXS45XXS</i>	
	<i>NXSCYYXXS</i>	
	<i>FRT-HJE-XXX</i>	Pullover with Buttons at Collar, Henley Style
	<i>FRT-HJE-HVXX</i>	
	<i>FRT-USHLS-XXX</i>	Pullover with Crewneck Collar
	<i>FRT-USHLS-HVXXX</i>	
<b>Short Sleeve Shirt</b>	<i>FRT-USHSS-XXX</i>	Pullover with Crewneck Collar
<b>Trousers</b>	<i>P-BWCJXXYY</i>	Zipper Fly with Single Button at Waist
	<i>P-CJXXYY</i>	
	<i>P-DHCXXYY</i>	
	<i>P-DHCJXXYY</i>	
	<i>P-DHXXYY</i>	
	<i>P-DHXXXYCP</i>	
	<i>P-DNCJXXYY</i>	
	<i>P-GACCJXXY</i>	
	<i>P-CJXXYY</i>	
	<i>P-INDFCXX</i>	
	<i>P-INXACXXCP</i>	
	<i>P-IXXXYCP</i>	
	<i>P-NXCJXXYY</i>	
	<i>P-NXCYYXXCP</i>	
	<i>P-NXCCJXXYY</i>	
	<i>P-NXMHCJXXYY</i>	
	<i>D-PINDXX</i>	
	<i>P-INCXX</i>	
	<i>P-INCYYXX</i>	
	<i>P-INDC</i>	
	<i>P-INDCXX</i>	
	<i>P-INDMXX</i>	
	<i>P-INDXX</i>	
	<i>P-INK</i>	
	<i>P-INXACXX</i>	

	<i>P-NXCYYXX</i>	
	<i>P-NXYYYXX</i>	
	<i>P-NXYYYXXCP</i>	
	<i>P-XXX7</i>	
	<i>P-XXXAC</i>	
	<i>P-XXXACCP</i>	
	<i>P-XXXYY</i>	
	<i>L-GOPFRCXXYY</i>	
	<i>L-GOPFRXXYY</i>	
	<i>L-GOPFRXXXYYCP</i>	
	<i>L-NXCYYXX</i>	
	<i>L-NXYYYXX</i>	
	<i>L-PFRACXX</i>	
	<i>L-PFRCXXYY</i>	
	<i>L-PFRACXXYYCP</i>	
	<i>L-PFRDXXC</i>	
	<i>L-PFRDXXM</i>	
	<i>L-PFRXXYY</i>	
<b>Bib Overalls</b>	<i>B13FRDNXX</i>	Buckle Shoulder Straps, Button Sides and Zipper Fly
	<i>BXXFRDN</i>	
	<i>BXXFRYY</i>	
	<i>BGOACXXFRYY</i>	
	<i>BGOXXFRYY</i>	
<b>Insulated Bib Overalls</b>	<i>BIFRXXXX</i>	Buckle Shoulder Straps, Button Sides and Zipper Fly
	<i>BIFRWSYYXX</i>	
<b>Sweatshirt</b>	<i>SWHFR14XX</i>	Crewneck with Drawstring Hood
	<i>SWHFR14ZXX</i>	Zipper Front with Hood
<b>Jacket</b>	<i>JUFRYYXX</i>	Zipper Front with Snaps
<b>Insulated Coat/Jacket</b>	<i>JLFRXXXX</i>	Zipper inside with 4 snaps on the outside
	<i>JLFRWSYYXX</i>	
	<i>JTFRXXXX</i>	
	<i>JTFRWSYYXX</i>	
	<i>JCFRXXXX</i>	
	<i>JCFRWSYYXX</i>	
	<i>JUFR7XX</i>	
	<i>JUFRWSYYXX</i>	

	<i>PKFRXXXX</i>	
	<i>PKFRWSYYXX</i>	
Balaclavas	<i>BALFRYYXX</i>	Pullover Hood
	<i>BALFRDYYXX</i>	

Note: "X", "XX", "XXX" and "XXXX" can represent any combination of letters or numbers that are used to indicate the color of the garment. 'YY' represents a combination of numbers or letters in the model number utilized to indicate fabric weight. Model numbers may include a suffix that is used to indicate use of Optional Construction Features.

Last Updated on 2019-01-22

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"