Qubed POS80

SIMPLE TRANSACTION




Fashionable design
80mm Thermal Printer with auto-cutter
Well suited to many environments
Unique design all-in-one touch POS
Flexible configurations with multioptional peripherals



KEY FEATURES

- Aesthetically Pleasing
- Splash-proof and Dust-proof
- Modular Architecture
- Custom Design Options
- Options with or without Printer
- Small Footprint & Lightweight
- Optional 3D Camera for Facial Recognition



SPECIFICATIONS

CPU

Baytrail J1900 (Current) i3 and i5 options are available

Memory RAM

DDRIII 8GB

HDD/SDD

256GB mSATA SSD

Display

Main display: 15.6" TFT 1920*1080 2nd display (optional): 15.6" TFT 1920*1080, 7" TFT 1024*600

Windows

OS

Windows 7/10,/11 or Linux

Touch Panel

PCAP touch with multi-touch support

Wi-Fi

Optional, IEEE 802.11b/g/n

Power Adapter

DC 24V/2.75A (w/ printer) DC 12V/4A (w/o printer)

Ethernet

1*10/100M

Printer

80mm thermal printer w/Auto Cutter (optional w/o printer)

Bluetooth

Optional, BT4.0

Dimensions (mm)

378*353*242 mm (w/ printer) or 350*360*240 mm (w/o printer)

I/O Ports

6*USB, 2*RS232, 1*Cash Drawer, 1*Lan, 1*24V DC In (w/ printer)

Speaker

1*3W speaker

Optional

MSR, 3D Camera, 2D Barcode Scanner, or Biometric Fingerprint Reader







SPECIFICATIONS

CPU

RK3288 Quadcore 1.8GHz

Memory RAM

4GB

HDD/SDD

32GB

Display

Main display: 15.6" TFT 1920*1080 2nd display (optional): 15.6" TFT 1920*1080, 7" TFT 1024*600

Android

OS

Android 7.1

Touch Panel

PCAP touch with multi-touch support

Wi-Fi

IEEE 802.11b/g/n

Power Adapter

DC 24V/2.75A (w/ printer)

Ethernet

1*10/100M

Printer

80mm thermal printer w/Auto Cutter (optional w/o printer)

Bluetooth

BT4.0

Dimensions (mm)

378*353*242/350*360*240 mm (w/ printer)

I/O Ports

6*USB, 2*RS232, 1*Cash Drawer, 1*RJ45, 1*USB OTG, 1*24V DC In (w/ printer)

Speaker

1*3W speaker

Optional

MSR, 3D Camera, 2D Barcode Scanner



