

SAFETY DATA SHEET

Nutri-Key Boron Shuttle™

Date of Issue: 24/07/2023

CLASSIFICATION OF MATERIAL

HAZARDOUS CHEMICAL

Classified as Hazardous according to Safe Work Australia (GHS)

Not a Dangerous Good according to the Australian Dangerous Goods Code

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name:	Nutri-Key Boron Shuttle™
UN Proper Shipping Name:	N/A
Recommended Use:	Fertiliser
Company Name:	Nutri-Tech Solutions Pty Ltd
Address:	7 Harvest Road, Yandina, Qld 4561, Australia
Email:	info@nutri-tech.com.au
ABN:	83 010 472 590
Telephone:	+61 5472 9900
Emergency Telephone Numbers:	Police, Ambulance, Fire: 000 (Mobile 112) Poisons Information Centre (Australia) 13 11 26 Nutri-Tech Solutions Mon-Fri 8:00am-4pm AEST 07 5472 9900 (Australia)

2. HAZARDS IDENTIFICATION

GHS Classification

Reproductive Toxicity – category 1B

GHS Label elements



SAFETY DATA SHEET

Nutri-Key Boron Shuttle™

Date of Issue: 24/07/2023

Signal Word:	DANGER
Hazard Statement(s):	
H360	May damage fertility or the unborn child.
Precautionary Statement(s):	
Prevention:	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P281	Use personal protective equipment as required.
Response:	
P308 + P313	If exposed or concerned get medical advice.
Storage:	
P405	Store locked up.
Disposal:	
P501	Dispose of contents and container in accordance with local and national regulations.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Proportion
Disodium octaborate tetrahydrate	12280-03-4	10-30%
Other fertiliser ingredients determined to be non-hazardous	N/A	To 100%

4. FIRST AID MEASURES

Ingestion:	Do not induce vomiting unless directed to do so by medical personnel. Consult a physician or call the poisons information centre.
Eye:	Immediately rinse with plenty of water for at least 15 minutes. Hold eyelids apart to ensure rinsing of the entire surface of the eyes and lids with water and contact a physician or poisons information centre if irritation persists.
Skin:	Remove contaminated clothing and wash skin with soap and water. If symptoms such as redness or irritation occur, consult a physician.
Inhalation:	Remove to fresh air. Get medical attention if irritation occurs or breathing difficulty develops.
First Aid Facilities:	Eye wash station and normal washing facilities.
Advice to Doctor:	Treat symptomatically.
General Information:	N/A

SAFETY DATA SHEET

Nutri-Key Boron Shuttle™

Date of Issue: 24/07/2023

5. FIRE FIGHTING MEASURES

Flammability:	Non-flammable and non-combustible. May decompose on heating to emit harmful vapours. Fire fighters recommended to wear SCBA.
Extinguishing media:	Use extinguishing media suitable for surrounding fire situations.
Hazchem Code:	N/A
Precautions in connection with fire	Wear SCBA and contain run-off to prevent entry in water or drainage systems.

6. ACCIDENTAL RELEASE MEASURES

Emergency procedures:	Contain spill, do not discharge waste liquid into streams or waterways. Use personal protective equipment as outlined in section 8.
Methods and materials for contamination and clean-up:	Wear protective clothing when cleaning up major spills. Do not contaminate streams or waterways. Wipe up with inert materials and place in labelled containers for waste disposal. Dispose of in compliance with local, state and federal regulations.

7. HANDLING AND STORAGE

Precautions for safe handling:	Avoid handling if pregnant. Do not handle until all safety precautions have been read and understood. Wear protective equipment to avoid skin and eye exposure (refer to section 8). Do not inhale spray mist. Prohibit eating, drinking and smoking in contaminated areas.
Storage:	Keep out of reach of children. Store in a cool, dry area in a sealed container. Do not store in prolonged sunlight.

SAFETY DATA SHEET

Nutri-Key Boron Shuttle™

Date of Issue: 24/07/2023

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

National Exposure Standards	None established.
Biological Limit Values:	None established.
Engineering Controls:	Ensure sufficient ventilation to minimise exposure.
Personal Protective Equipment:	The following protective equipment is recommended when handling this product: safety glasses with side shields or a face shield complying with AS/NZS 1337, gloves of an impervious material conforming to AS/NZS 2161, rubber boots, overalls, plastic apron. Suitable respiratory equipment (e.g. disposable fume mask conforming to AS/NZS 1716) is required when spray mist is present. Ensure a high level of personal hygiene is maintained when using this product. Always wash hands before eating, drinking, smoking and going to the toilet.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Brown liquid
Odour:	Slight odour
pH:	6.4 -7.4
Flammability:	Not combustible
Solubility in Water:	Fully miscible
Lower Explosion Limit:	No data available
Upper Explosion Limit:	No data available
Specific Gravity:	1.2
Conductivity:	20-40mS/cm
Melting Point:	No data available
Boiling Point:	No data available
Vapour Pressure:	No data available
Evaporation Rate:	No data available

10. STABILITY AND REACTIVITY

Stability:	Stable under normal conditions of use.
Hazardous Reactions & Materials to Avoid:	Avoid extreme heat, flames and ignition sources. Hazardous polymerization will not occur.
Hazardous Decomposition Products:	Toxic gases may be released in the event of a fire.

SAFETY DATA SHEET

Nutri-Key Boron Shuttle™

Date of Issue: 24/07/2023

11. TOXICOLOGICAL INFORMATION

Acute Toxicity:	No LD ₅₀ data available for this product. Disodium octaborate tetrahydrate LD ₅₀ (Oral, rat) >2000 mg/kg.
Skin:	No data available. May cause irritation, wash with soap and water.
Eye:	No data available. May cause irritation, wash immediately with water.
Respiratory or skin sensitisation:	No data available.
Germ cell mutagenicity:	No data available.
Carcinogenicity:	No data available.
Reproductive toxicity:	No data available.
Specific Target Organ Toxicity (STOT) single exposure:	No data available.
Specific Target Organ Toxicity (STOT) – repeated exposure:	No data available.
Aspiration Hazard:	No data available.

12. ECOLOGICAL INFORMATION

Ecotoxicity:	No data available
Persistence/Degradability:	No data available
Mobility:	No data available
Environmental Protection:	No data available

13. DISPOSAL CONSIDERATIONS

Disposal Method:	Where possible, product should be used for its intended purpose including the rinsings of the container. Dispose of in accordance with all local state and national regulations. Do not discard into drains or waterways.
Container:	Triple or preferably pressure rinse containers before disposal. Dispose of used container in accordance with all local and national regulations. Recycle containers if possible (replace cap and return cleaned container to recyclers or collection point). Empty containers and product should not be burned.

14. TRANSPORT INFORMATION

Land Transport (ADG Code):	Not regulated for transport of Dangerous Goods
Air Transport (IATA)	Not regulated for transport of Dangerous Goods
Sea Transport (IMDG Code)	Not regulated for transport of Dangerous Goods

SAFETY DATA SHEET

Nutri-Key Boron Shuttle™

Date of Issue: 24/07/2023

15. REGULATORY INFORMATION

SUSMP Poisons Schedule:	Not scheduled.
--------------------------------	----------------

16. OTHER INFORMATION

Acronyms	
ADG Code:	Australian Code for the Transport of Dangerous Foods by Road and Rail
AICS:	Australian Inventory of Chemical Substances
CAS Number:	Chemical Abstracts Service Registry
GHS:	Globally Harmonised System of Classification and Labelling of Chemicals
Hazchem Code:	Emergency action code of numbers and letters that provide information to emergency services especially firefighters
IARC:	International Agency for Research on Cancer
NOS:	Not Otherwise Specified
NTP:	National Toxicology Program (USA)
UN Number:	United Nations Number
SUSMP:	Standard for the Uniform Scheduling of Medicines and Poisons
STEL:	Short Term Exposure Limit
TWA:	Time Weighted Average (the average airborne concentration when calculated over a normal eight hour working day for five days a week)
LD₅₀:	Lethal Dose for 50% Mortality
SCBA:	Self Contained Breathing Apparatus

Disclaimer

The data and recommendations presented herein are based upon research of others and are believed to be accurate. However, no warranty is expressed or implied regarding this data or the results to be obtained from use thereof. Nutri-Tech Solutions P/L, assumes no responsibility for the injury to customers or third party proximity caused by the material if reasonable safety procedures are not adhered to as stipulated in this data sheet.

END OF SDS