



PHOTO-FINISH™

Cell strengthening silicon & potassium with humic acid & kelp

Silica is the cell-strengthener that can harden the cell walls, making the leaf tissue less palatable to herbivorous insects. Photo-Finish™ is a multidimensional foliar fertiliser that features the cell-strengthening and brix-building benefits of silicon, the neglected nutrient. This formulation also includes kelp and humic acid, and supplies a significant potassium boost.

GROWTH STAGE

- ✓ Vegetative Growth

KEY PERFORMANCE

- Improve plant resilience
- Promote photosynthesis for improved plant growth
- Cell strengthening

SIZES:

1 L, 5 L, 20 L, 200 L

PRODUCT CODE:

PF

ACO Certification No. 456

TYPICAL ANALYSIS W/V:

Total Potassium (K)	10.60%
<i>Potassium (as silicate)</i>	9.18%
<i>Potassium (as organic)</i>	1.42%
Silicon (Si)	10.38%
SG	1.3
pH	11 – 12
Conductivity	65 – 75 mS/cm
Appearance	Brown liquid



PHOTO-FINISH™

APPLICATION RATES

Vegetables

FOLIAR SPRAY RATE 0.5 L per 100 L water up to 3 L/ha equivalent

FREQUENCY Every 2 weeks or as required

Orchards & Vineyards

FOLIAR SPRAY RATE 0.5 L per 100 L water up to 5 L/ha equivalent

FREQUENCY Every 4 weeks or as required

Ornamentals

FOLIAR SPRAY RATE 0.5 L per 100 L water up to 3 L/ha equivalent

FREQUENCY Every 4 weeks or as required

Turf

FOLIAR SPRAY RATE 0.5 L per 100 L water up to 3 L/ha equivalent

FREQUENCY Every 4 weeks or as required

Broadacre Crops

FOLIAR SPRAY RATE 2 – 3 L/ha in 80 – 120 L water

FREQUENCY As required

Pasture

FOLIAR SPRAY RATE 2 – 3 L/ha in 80 – 120 L water

FREQUENCY As required

Spot-Spraying

FOLIAR SPRAY RATE 25 mL per 10 L water

FREQUENCY As required

INSTRUCTIONS

Shake or stir well before use. Where higher water rates are required for good foliar coverage, do not exceed maximum product rate per hectare. Sensitive foliage or plants should be test sprayed prior to full scale application.

Frequencies are a guideline only and can be adjusted according to farm practices and/or in conjunction with crop monitoring. Ensure suitable spray conditions (e.g. temperature, humidity, wind-speed), prior to foliar application.

Compatibility and/or performance cannot be guaranteed when combined with other products. Jar test for compatibility and spray test on small area before wide-spread use.

IMPORTANT

Do not spray during flowering.

Avoid spraying close to harvest if produce is susceptible to staining.

Not compatible with acidic inputs. Photo-Finish™ is very alkaline and recommended rates should never be exceeded to avoid possible plant damage.

As silicon is not readily transported within the plant more than one application will be required per season to ensure the full benefits.

STORAGE & HANDLING

Read safety directions before use.

Store in a cool dry area out of direct sunlight. This product has been tested to store safely down to 5°C. Crystallisation or sedimentation may occur below 5°C. Do not pre-mix or store in diluted form. Seal lid/cap immediately after use.

* Disclaimer: Any recommendations provided by Nutri-Tech Solutions Pty Ltd (NTS) or its Distributors are advice only. As no control can be exercised over storage, handling, mixing, application or use, or weather, plant or soil conditions before, during or after application (all of which may affect the performance of our program), no responsibility for, or liability for any failure in performance, losses, damages, or injuries (consequential or otherwise), arising from such storage, mixing, application, or use will be accepted under any circumstances whatsoever. NTS recommend you contact an Agronomist prior to product application. The Buyer assumes all responsibility for the use of any NTS products.

Nutri-Tech Solutions P/L (NTS)

7 Harvest Road, Yandina, Queensland 4561, Australia

P +61 7 5472 9900 | E info@nutri-tech.com.au

www.nutri-tech.com.au

YOUR LOCAL NTS DISTRIBUTOR: