






# SAFETY TAGS & LOCKOUT DEVICES

## Guide and Usage Material

Use these safety tags as a great way to communicate health and safety issues in any work environment. We offer a wide variety of stock legends for most applications. We also offer 2 different material types to meet all budget and durability requirements. All tags are printed on both sides and come with a 3/8" drilled hole or 3/8" metal grommet. Tags are sold in packs of 10 and come with compliant cable ties.

|   |   |  |   |  |
|---|---|--|---|--|
|  <p><i>"Are designed for use where major hazard situations present an immediate threat of death or serious injuries."</i></p> <p>Source:<br/>ANSI spec Z535.5.4.1.</p> <p>Complies with OSHA 29 CFR 1910.145 (f)(5)</p> <p>Consult local regulations for specific guidelines</p> |  <p><i>"Are designed for use where hazard situation that, if not avoided could result in minor or moderate injuries."</i></p> <p>Source:<br/>ANSI spec Z535.5.4.1.</p> <p>Complies with OSHA 29 CFR 1910.145 (f)(5)</p> <p>Consult local regulations for specific guidelines</p> |  <p><i>"Indicate hazardous situations that, if not avoided, could result in minor or moderate injuries."</i></p> <p>Source:<br/>ANSI spec Z535.5.4.1.</p> <p>Complies with OSHA 29 CFR 1910.145 (f)(5)</p> <p>Consult local regulations for specific guidelines</p> |  <p><i>"Indicates information considered important, but not hazard related."</i></p> <p>Source:<br/>ANSI spec Z535.5.4.1.</p> <p>Complies with OSHA 29 CFR 1910.145 (f)(5)</p> <p>Consult local regulations for specific guidelines</p> |  <p><i>"Indicates a type safety sign, or separate panel on safety sign, where specific safety-related instructions or procedures are described."</i></p> <p>Source:<br/>ANSI spec Z535.5.4.1.</p> <p>Complies with OSHA 29 CFR 1910.145 (f)(5)</p> <p>Consult local regulations for specific guidelines</p> |
|---|---|--|---|--|

## Tag Size and Appearance

Our Safety Tags are 3" x 5.75" with 3/8" diameter drilled holes. They have rounded edges for maximum safety. The front of each tag clearly displays the type of hazard the tag warns about, as well as clear and concise instruction pertaining to the hazard. There is an area reserved for the signature of the supervisor as well as an area for the date of the lockout. The back of each tag has room for further remarks.



## Tag Materials

**CP** Cardstock

**HP** P15mil tear-resistant PolyPermanent



ANSI & OSHA  
Compliant



Easy to  
Write on



80 lb pull  
Strength



Oil Resistant  
(HP Series)



Chemical  
Resistant



Tear Proof



Rounded Corners  
for Maximum  
Safety

## Lockout Devices

### Safety & Standards Compliance

Lockout tags are the best solution for accident prevention involving high-risk equipment. These facility safety tags help prevent workers from accidentally turning on equipment that can result in harm and injury. Our lockout tags come in various styles such as heavy-duty, lock-on, padlock and bilingual.

Lockout/Tagout (LOTD) refers to the specific practices and procedures for safely de-energizing and re-energizing equipment when service or maintenance must be performed.

#### Reasons for Lockout/Tagout Compliance:

- ✓ Keep employees and machine operators safe from the unexpected start up of machines when they are being serviced.
- ✓ OSHA estimates the Lockout / Tagout standard prevents 120 fatalities and 50,000 injuries annually
- ✓ Significantly cut costs by minimizing lost time and insurance costs
- ✓ Improve productivity by minimizing equipment downtime with an effective maintenance program
- ✓ Lockout/Tagout is being adopted industry-wide and on a global scale as a best practice for increasing facility safety

# DANGER Safety Tags

"Are designed for use where major hazard situations present an immediate threat of death or serious injuries."


Source: ANSI spec Z535.5.4.1. Complies with OSHA 29 CFR 1910.145 (f) (5).

Consult local regulations for specific guidelines.

We offer 2 different material types to meet all budgets and durability issues. All tags are printed on both sides with state of the art digital printing and come with a 3/8" drilled hole or 3/8" drilled metal grommet. Sold in packages of 25.



Back Print




**How to Order Tags:** Select the tag number (TA1000), select the tag type (CP) and add together (TA1000CP)

| Stock No. | Material type             | Size            | Price Per 10 (Includes Cable Ties) |
|-----------|---------------------------|-----------------|------------------------------------|
| CP        | Cardstock                 | 3-3/8" x 5-3/4" | \$00.00                            |
| HP        | 15mil Tear-Resistant Poly | 3-3/8" x 5-3/4" | \$00.00                            |

Contact for Volume Discounts



TA1024



TA1025



TA1026



TA1027



TA1028



TA1029



TA1030



TA1031



TA1032



TA1033



TA1034



TA1035



TA1036



TA1037



TA1038



TA1039



TA1040



TA1041



TA1042



TA1043



TA1044



TA1045



TA1046



TA1047



TA1048



TA1049



TA1050



TA1051



TA1052



TA1053



TA1054



TA1055




TA1056



TA1057



TA1058



TA1059



TA1060



TA1061



TA1062



TA1063



TA1064



TA1065



TA1066



TA1067



TA1068



TA1069



TA1070



TA1071



TA1072



TA1073



TA1074



TA1075



TA1076



TA1077



TA1078



TA1079



TA1080



TA1081



TA1082



TA1083



TA1084



TA1085



TA1086



TA1087



TA1088



TA1089



TA1090



TA1091



TA1092



TA1093



TA1094




TA1095

**How to Order Tags:** Select the tag number (TA1000), select the tag type (CP) and add together (TA1000CP)

| Stock No. | Material type             | Size            | Price Per 10 (Includes Cable Ties) |
|-----------|---------------------------|-----------------|------------------------------------|
| CP        | Cardstock                 | 3-3/8" x 5-3/4" | \$00.00                            |
| HP        | 15mil Tear-Resistant Poly | 3-3/8" x 5-3/4" | \$00.00                            |

Contact for Volume Discounts



If you want to customize or personalize these products to your company, or cannot find what you are looking for, talk to us. We have a full line of custom design capability and a large selection of health, safety and industrial products that we can help you with.

See pages 24 - 25 for details



TA1096




TA1097



TA1098



TA1099



TA1100



TA1101



TA1102



TA1103



TA1104



TA1105



TA1106



TA1107



TA1108



TA1109



TA1110



TA1111



TA1112



TA1113

# WARNING Safety Tags

"Are designed for use where hazard situation that, if not avoided could result in minor or moderate injuries."

Source: ANSI spec Z535.5.4.2. Complies with OSHA 29 CFR 1910.145 (f) (5).

Consult local regulations for specific guidelines.

We offer 2 different material types to meet all budgets and durability issues. All tags are printed on both sides with state of the art digital printing and come with a 3/8" drilled hole or 3/8" drilled metal grommet. Sold in packages of 25.




Back Print



**How to Order Tags:** Select the tag number (TB1000), select the tag type (CP) and add together (TB1000CP)

| Stock No. | Material type             | Size            | Price Per 10 (Includes Cable Ties) |
|-----------|---------------------------|-----------------|------------------------------------|
| CP        | Cardstock                 | 3-3/8" x 5-3/4" | \$00.00                            |
| HP        | 15mil Tear-Resistant Poly | 3-3/8" x 5-3/4" | \$00.00                            |

Contact for Volume Discounts



If you want to customize or personalize these products to your company, or cannot find what you are looking for, talk to us. We have a full line of custom design capability and a large selection of health, safety and industrial products that we can help you with.

See pages 24 - 25 for details



TB1024



TB1025



TB1026



TB1027



TB1028



TB1029



TB1030



TB1031



TB1032



TB1033



TB1034



TB1035



TB1036



TB1037



TB1038



TB1039




TB1040




TB1041




TB1042



TB1043



TB1044



TB1045



TB1046



TB1047



# CAUTION Safety Tags

"Indicates hazardous situations that, if not avoided, could result in minor or moderate injuries."

Source: ANSI spec Z535.5.4.3. Complies with OSHA 29 CFR 1910.145 (f) (5).

Consult local regulations for specific guidelines.

We offer 2 different material types to meet all budgets and durability issues. All tags are printed on both sides with state of the art digital printing and come with a 3/8" drilled hole or 3/8" drilled metal grommet. Sold in packages of 25.



Back Print



**How to Order Tags:** Select the tag number (TC1000), select the tag type (CP) and add together (TC1000CP)

| Stock No. | Material type             | Size            | Price Per 10 (Includes Cable Ties) |
|-----------|---------------------------|-----------------|------------------------------------|
| CP        | Cardstock                 | 3-3/8" x 5-3/4" | \$00.00                            |
| HP        | 15mil Tear-Resistant Poly | 3-3/8" x 5-3/4" | \$00.00                            |

Contact for Volume Discounts



If you want to customize or personalize these products to your company, or cannot find what you are looking for, talk to us. We have a full line of custom design capability and a large selection of health, safety and industrial products that we can help you with.

See pages 24 - 25 for details



TC1024



TC1025



TC1026



TC1027



TC1028



TC1029



TC1030



TC1031



TC1032



TC1033



TC1034




TC1035



TC1036



TC1037



TC1038



TC1039



TC1040



TC1041



TC1042



TC1043



TC1044



TC1045



TC1046



TC1047



TC1048



TC1049

# NOTICE Safety Tags

"Indicates information considered important, but not hazard related."

Source: ANSI spec Z535.5.4.4. Complies with OSHA 29 CFR 1910.145 (f) (5).

Consult local regulations for specific guidelines.

We offer 2 different material types to meet all budgets and durability issues. All tags are printed on both sides with state of the art digital printing and come with a 3/8" drilled hole or 3/8" drilled metal grommet. Sold in packages of 25.



Back Print



**How to Order Tags:** Select the tag number (TD1000), select the tag type (CP) and add together (TD1000CP)


| Stock No. | Material type             | Size            | Price Per 10 (Includes Cable Ties) |
|-----------|---------------------------|-----------------|------------------------------------|
| CP        | Cardstock                 | 3-3/8" x 5-3/4" | \$00.00                            |
| HP        | 15mil Tear-Resistant Poly | 3-3/8" x 5-3/4" | \$00.00                            |

Contact for Volume Discounts

# LOCKOUT Safety Tags

"Are designed for use where major hazard situations present an immediate threat of death or serious injuries."  
 Source: ANSI spec Z535.5.4.5. Complies with OSHA 29 CFR 1910.145 (f) (5).  
 Consult local regulations for specific guidelines.

We offer 2 different material types to meet all budgets and durability issues. All tags are printed on both sides with state of the art digital printing and come with a 3/8" drilled hole or 3/8" drilled metal grommet. Sold in packages of 25.



Back Print



TE1000



TE1001



TE1002



TE1003



TE1004



TE1005



TE1006



TE1007



TE1008



TE1009



TE1010



TE1011



TE1012



TE1013



TE1014



TE1015



TE1016



TE1017



TE1018



TE1019



TE1020



TE1021



TE1022



TE1023



TE1024



TE1025



TE1026


# BILINGUAL Safety Signs English/French

Use these safety tags as a great way to communicate health and safety issues in a bilingual working environment. We offer 2 different material types to meet all budgets and durability issues. All tags are printed on both sides with state of the art digital printing and come with a 3/8" drilled hole or 3/8" metal grommet. Sold in packages of 25.

## Bilingual DANGER Tags English/French

"Are designed for use where major hazard situations present an immediate threat of death or serious injuries."

Source: ANSI spec Z535.5.4.1. Complies with OSHA 29 CFR 1910.145 (f) (5).



## Bilingual WARNING Tags English/French

"Are designed for use where hazard situation that, if not avoided could result in minor or moderate injuries."

Source: ANSI spec Z535.5.4.2. Complies with OSHA 29 CFR 1910.145 (f) (5).



**How to Order Tags:** Select the tag number (TF1000), select the tag type (CP) and add together (TF1000CP)

| Stock No. | Material type             | Size            | Price Per 10 (Includes Cable Ties) |
|-----------|---------------------------|-----------------|------------------------------------|
| CP        | Cardstock                 | 3-3/8" x 5-3/4" | \$00.00                            |
| HP        | 15mil Tear-Resistant Poly | 3-3/8" x 5-3/4" | \$00.00                            |

Contact for Volume Discounts

## Bilingual CAUTION Tags English/French

"Indicates hazardous situations that, if not avoided, could result in minor or moderate injuries."


Source: ANSI spec Z535.5.4.3. Complies with OSHA 29 CFR 1910.145 (f) (5).



## Bilingual NOTICE Tags English/French

"Indicates information considered important, but not hazard related."

Source: ANSI spec Z535.5.4.4. Complies with OSHA 29 CFR 1910.145 (f) (5).



## Bilingual SAFETY FIRST Tags English/French

"Are designed for use where major hazard situations present an immediate threat of death or serious injuries."

Source: ANSI spec Z535.5.4.5. Complies with OSHA 29 CFR 1910.145 (f) (5).



# Custom Printed TAGS

Full Colour

**YOUR NAME, YOUR COLOURS, YOUR BRAND.**

Unable to find the tag you need to communicate your message in our wide variety of off-the-shelf tags? Let us help you design the exact tag you will need for your application.

Our tag production capabilities offer a wide range of design, print and finishing options. With our state-of-the-art digital printing, we are able to produce cost effective, rapid delivery signs to meet the needs of any application.

Email us at [visuals@cyanvis.com](mailto:visuals@cyanvis.com) to see what we can do for your next sign requirement.

# 1

## Material

Select a tag stock from our wide selection of materials to suit your needs and price point. We can provide a material ideally suited for Indoor use, Outdoor use, Daylight and Night-time Visibility, High durability requirements, Recyclable needs, Temporary and long term use.

**CP**

**Cardstock**

**HP**

**P15mil tear-resistant PolyPermanent**

# 2

## Size, Shape & Style

We can manufacture your signs in the industry standard sizes; or unique shapes to fit your application. We also offer additional features to increase your tags usefulness: detachable perforated sections, consecutive numbers, self laminating style tags, and assorted eyelet and grommet sizes.

# 3

## Content

Choose what you want your tag to say, whether or not you need additional graphics such as icons and more.



# Five Steps to Lockout/Tagout Compliance



## 1. Develop and document a written lockout/tagout program

According to OSHA 29 CFR 1910.147(c), a written lockout/tagout program should address the following:

- ✓ Purpose and scope of the program
- ✓ Personnel authorized to perform LOTO
- ✓ Group lockout procedures
- ✓ Enforcement policy
- ✓ Training methods
- ✓ Lock removal procedures
- ✓ Shift transfer procedures
- ✓ Method for auditing/updating procedures
- ✓ Coordination with outside contractors



## 2. Create written lockout procedures for each piece of energized equipment

OSHA 29 CFR 1910.147(c)(4) "Energy Control Procedures" requires the following:

- ✓ - Lockout procedures must be documented and identify the equipment covered.
- ✓ - A separate procedure must be created for each piece of equipment to be locked out.
- ✓ - Procedures must include specific steps for shutting down, isolating, blocking & securing equipment to control energy.
- ✓ - Specific steps for the placement, removal and transfer of lockout/tagout devices should be identified.
- ✓ Inspections must be performed by employers at least once a year.

Equipment-specific visual lockout procedures are necessary to serve as a check list to ensure that employees de-energize before servicing to avoid injury. Graphical signs and labels are considered best practice for lockout procedures in industry today.



## 3. Identify all energy control points with lockout/tagout tags, labels or signs

OSHA 29 CFR 1910, 147(c)(5)(III) "Energy Source Identification" requires facilities to locate and mark all electrical energy isolation points (such as switches, breakers and plugs) with permanent labels or tags.

ANSI Z244.1-2003 "Control of Hazardous Energy" states that all energy isolation controls, including valves, should be labeled or marked. Identification should include: machine, equipment, process supplied, energy type and magnitude.

1 2 3

## 4. Train employees and promote awareness of safe work practices.

OSHA requires employers to educate employees on lockout/tagout policy and procedures:

- Employers shall provide training to ensure that the purpose and function of the energy control program is understood by employees.
- Employers should certify that employees have been trained and are kept up to date.



## 5. Equip employees with proper lockout tools and warning devices

Accurate application of devices, plus the right tools, are paramount to the success of any lockout/tagout program.

- ✓ Isolate all energy types at any of the electrical, valve and other shutoff points.
- ✓ Have the correct circuit breaker, plug and other lockout devices for your electrical equipment.
- ✓ Supply the optimal valve lockouts for various ball, plug and butterfly valves
- ✓ Each employee authorized to perform lockout must have exclusive control of the lock used. No other employee should have a key.

# Locks & Lockout Devices

There are many types of potentially hazardous energy including, electrical, thermal, chemical, pneumatic, hydraulic, mechanical and gravitational energy. All such forms of energy must be locked out, blocked or released to ensure that machinery or equipment does not turn on or move during installation, repair or maintenance.

## Zenex™ Thermoplastic Safety Padlocks **Master Lock.**

- ✓ Designed exclusively for lockout/tagout
- ✓ Durable, lightweight, non-conductive body is easy to carry
- ✓ Special thermoplastic body offers superior performance against chemicals, moisture, temperature and UV
- ✓ Reserved-for-safety cylinder provides over 40,000 unique key changes available
- ✓ Key retaining - ensures that padlocks are not left unlocked, cannot remove key until shackle is closed
- ✓ Includes write-on "Danger" and "Property of" labels in English, French and Spanish
- ✓ Locks comes with one key: Compliance with OSHA "one employee, one lock, one key" directive
- ✓ Optional shackle heights of 1 1/2" or 3" are available upon request
- ✓ For extra keys, keyed alike options or master keying, please call us



| Model No.      | Description      | Colour | Price/ea |
|----------------|------------------|--------|----------|
| <b>CSAL134</b> | 410 Series (1¾") | Black  | \$16.60  |
| <b>CSAL135</b> | 410 Series (1¾") | Blue   | \$16.60  |
| <b>CSAL136</b> | 410 Series (1¾") | Green  | \$16.60  |
| <b>CSAL137</b> | 410 Series (1¾") | Orange | \$16.60  |
| <b>CSAL138</b> | 410 Series (1¾") | Red    | \$16.60  |
| <b>CSAL139</b> | 410 Series (1¾") | Yellow | \$16.60  |

| Model No.      | Description     | Colour | Price/ea |
|----------------|-----------------|--------|----------|
| <b>CSAL140</b> | 411 Series (3") | Black  | \$18.30  |
| <b>CSAL141</b> | 411 Series (3") | Blue   | \$18.30  |
| <b>CSAL142</b> | 411 Series (3") | Green  | \$18.30  |
| <b>CSAL143</b> | 411 Series (3") | Orange | \$18.30  |
| <b>CSAL144</b> | 411 Series (3") | Red    | \$18.30  |
| <b>CSAL145</b> | 411 Series (3") | Yellow | \$18.30  |

## Zenex™ Dielectric Safety Padlocks **Master Lock.**

- ✓ Designed exclusively for confined space, medical, military and electrical lockout/tagout
- ✓ Nylon shackle does not conduct electricity and is non-sparking
- ✓ All components are non-sparking and non-magnetic plastic, copper and brass
- ✓ Shackle withstands over 300-lb. pull force



| Model No.      | Description | Colour | Price/ea |
|----------------|-------------|--------|----------|
| <b>CSAR833</b> | 406 Series  | Red    | \$17.60  |
| <b>CSAR834</b> | 406 Series  | Orange | \$17.60  |
| <b>CSAR835</b> | 406 Series  | Yellow | \$17.60  |
| <b>CSAR836</b> | 406 Series  | Green  | \$17.60  |
| <b>CSAR837</b> | 406 Series  | Blue   | \$17.60  |
| <b>CSAR838</b> | 406 Series  | Black  | \$17.60  |
| <b>CSAR839</b> | 406 Series  | Purple | \$17.60  |
| <b>CSAR840</b> | 406 Series  | Teal   | \$17.60  |

## S31 Global Zenex™ Thermoplastic Safety Padlocks **Master Lock**

- ✓ Designed to fit smaller diameter lockout points for lockout/tagout applications (ie European OEM Equipment)
- ✓ 3/16" (4.76 mm) diameter shackle
- ✓ Marine grade 316 stainless steel shackle for superior corrosion resistance
- ✓ Special thermoplastic body offers superior performance against chemicals, moisture, heat, cold and UV
- ✓ Operates from -70°F to +350°F (-56°C to +176°C)
- ✓ Key retaining, cannot remove key unless the shackle is closed
- ✓ Shackle withstands over 300-lb. pull force



| Model No. | Description | Colour | Price/ea |
|-----------|-------------|--------|----------|
| CSED617   | S31 Series  | Black  | \$16.50  |
| CSED618   | S31 Series  | Blue   | \$16.50  |
| CSED619   | S31 Series  | Green  | \$16.50  |
| CSED620   | S31 Series  | Orange | \$16.50  |
| CSED621   | S31 Series  | Red    | \$16.50  |
| CSEJ529   | S31 Series  | Yellow | \$16.50  |

## Master Lock® Aluminum Safety Padlocks **Master Lock**

- ✓ Lightweight solid aluminum body
- ✓ Durable, baked on powder-coat colour finish stays bright in all UV conditions
- ✓ 1/4" diameter boron steel shackle with plated finish for corrosion resistance
- ✓ Over 10,000 unique key changes available
- ✓ Key retaining option available. Includes two keys per lock
- ✓ Optional shackle heights of 1", 1 1/2" or 3" are available upon request
- ✓ Your facility's padlocks can be key charted to ensure no key duplication on site
- ✓ For keyed alike options or master keying, please call us



| Model No. | Description | Colour | Price/ea |
|-----------|-------------|--------|----------|
| CSN709    | 6835 Series | Red    | \$15.20  |
| CSN710    | 6835 Series | Blue   | \$15.20  |
| CSN711    | 6835 Series | Green  | \$15.20  |
| CSN712    | 6835 Series | Yellow | \$15.20  |
| CSN713    | 6835 Series | Orange | \$15.20  |
| CSN714    | 6835 Series | Black  | \$15.20  |

## Padlock Identification Labels

- ✓ Optimize your facility's lockout practices with photo ID labels or laminated safety padlock labels for your employee's safety padlocks
- ✓ Photo ID labels: Self adhesive labels to be applied to your safety padlocks
- ✓ Customer can print their own photo and size it to fit photo ID label
- ✓ Laminated identification labels: Self adhesive labels with clear overlaminates to be applied to your safety padlocks



| Model No.      | Description  | W      | T     | Price   |
|----------------|--|--------|-------|---------|
| <b>CSEJ530</b> | Photo ID Labels for 410, S31, S33 Padlocks (6 labels/pkg.)   | 1"     | 1     | \$6.29  |
| <b>CSEJ531</b> | Photo ID Labels for 411 Series Padlocks (6 labels/pkg.)      | 1"     | 3 5/8 | \$7.66  |
| <b>CSEJ532</b> | Photo ID Labels for Aluminum Padlocks (6 labels/pkg.)        | 1 1/4" | 2 3/4 | \$6.29  |
| <b>CSEJ533</b> | Padlock Safety Labels w/clear overlaminates (50 labels/pkg.) | 5      | 1     | \$60.60 |

## Master Lock® Laminated Steel Safety Lockout Padlocks **Master Lock**

- ✓ Reinforced laminated steel body construction withstands physical abuse
- ✓ Key code stamped on key and on bottom of padlock for easy identification
- ✓ Uses FDA approved lubricants safe for use in food processing
- ✓ 9/32" diameter boron steel shackle with plated finish for corrosion resistance
- ✓ Over 1,400 unique key changes available
- ✓ Comes with two keys per padlock
- ✓ Optional shackle heights of 3/4", 1 1/2" or 2" are available upon request
- ✓ Your facility's padlocks can be key charted to ensure no key duplication on site
- ✓ For keyed alike options or master keying, please call us



| Model No.      | Description     | Colour | Price/ea |
|----------------|-----------------|--------|----------|
| <b>CSAL146</b> | 3 Series (3/4") | Blue   | \$13.30  |
| <b>CSAL147</b> | 3 Series (3/4") | Red    | \$13.30  |
| <b>CSAL148</b> | 3 Series (3/4") | Yellow | \$13.30  |
| <b>CSAL149</b> | 3 Series (3/4") | Green  | \$13.30  |
| <b>CSAL150</b> | 3 Series (3/4") | Black  | \$13.30  |
| <b>CSAL151</b> | 3 Series (3/4") | White  | \$13.30  |


| Model No.      | Description   | Colour | Price/ea |
|----------------|---------------|--------|----------|
| <b>CSAL152</b> | 3 Series (2") | Blue   | \$17.50  |
| <b>CSAL153</b> | 3 Series (2") | Red    | \$17.50  |
| <b>CSAL154</b> | 3 Series (2") | Yellow | \$17.50  |
| <b>CSAL155</b> | 3 Series (2") | Green  | \$17.50  |
| <b>CSAL156</b> | 3 Series (2") | Black  | \$17.50  |
| <b>CSAL157</b> | 3 Series (2") | White  | \$17.50  |

# Lockout Stations **Master Lock**

- ✓ Integrated, one-piece molded construction eliminates loose parts
- ✓ Resilient polycarbonate material provides twice the heat resistance and quadruples the impact strength of typical stations
- ✓ Reinforced snap-lock clips provide easy padlock and hasp storage and removal
- ✓ Exclusive translucent lockable cover protects contents and prevents loss of valuable safety lockout padlocks
- ✓ Innovative hinge holds cover open for easy product selection
- ✓ Available with your choice of safety lock design with highly visible red locks keyed different of Zenex™, aluminum or laminated steel in 4, 10 or 20 lock format
- ✓ Zenex™ locks available with up to 100,000 key changes available to fit even the largest lockout systems
- ✓ Compliant with OSHA “One employee, One lock, One key” directive
- ✓ Lockout stations are bilingual with English/ French labels and lockout tags

## 4-Lock Stations Include:

- ✓ 4 Master Lock® Safety Series™ padlocks
- ✓ 2 Safety Series™ hasps for lockouts by up to six workers
- ✓ 12 Safety Series™ heavy-duty bilingual “Do Not Operate” lockout I.D. tags with brass grommets
- ✓ Dimensions: 12.25” x 16” x 1.75”



| Model No. | Description                                   | Price    |
|-----------|---|----------|
| CSA0598   | Base only (unfilled)                          | \$91.20  |
| CSA0601   | Station with Laminated Padlocks               | \$170.00 |
| CSA0602   | Station with Zenex™ Padlocks                  | \$183.00 |
| CSA0603   | Station with American Lock® Aluminum Padlocks | \$181.00 |

## 10-Lock Stations Include:

- ✓ 10 Master Lock® Safety Series™ padlocks
- ✓ 2 Safety Series™ hasps for lockouts by up to six workers
- ✓ 24 Safety Series™ heavy-duty bilingual “Do Not Operate” lockout I.D. tags with brass grommets
- ✓ Dimensions: 15.5” x 22” x 1.75”



| Model No. | Description                                   | Price    |
|-----------|---|----------|
| CSA0599   | Base only (unfilled)                          | \$137.00 |
| CSA0604   | Station with Laminated Padlocks               | \$314.00 |
| CSA0605   | Station with Zenex™ Padlocks                  | \$352.00 |
| CSA0606   | Station with American Lock® Aluminum Padlocks | \$345.00 |

**20-Lock Stations Include:**

20 Master Lock® Safety Series™ padlocks  
 4 Safety Series™ hasps for lockouts by up to six workers  
 48 Safety Series™ heavy-duty bilingual “Do Not Operate”  
 lockout I.D. tags with brass grommets  
 Dimensions: 22” x 22” x 1.75”



| Model No. | Description                                   | Price    |
|-----------|---|----------|
| CSAO600   | Base only (unfilled)                          | \$137.00 |
| CSAO607   | Station with Laminated Padlocks               | \$314.00 |
| CSAO608   | Station with Zenex™ Padlocks                  | \$352.00 |
| CSAO609   | Station with American Lock® Aluminum Padlocks | \$345.00 |

**Deluxe Lockout Stations**



- ✓ Durable construction ensures long life in your facility
- ✓ Covered compartments protects devices and keep dust and grime out
- ✓ Upper and lower section are lockable ensuring lockout devices are there when needed
- ✓ Add a combination lock for simple access control
- ✓ 16 hanger clips holds two padlocks or hasps each
- ✓ Moveable dividers in top and bottom trays help organize devices
- ✓ Holes provided along the bottom for optional peg hook hangers to hang bulky devices
- ✓ Lower half has two tip-out drawers, each measuring 10” W x 6 7/8” H x 1/4” D
- ✓ Dividers included to create 2, 3, 4, 5 or 6 compartments
- ✓ Each compartment in lower section holds 25 tags, 150 tags total
- ✓ Lockout stations are bilingual with English/French labels and lockout tags
- ✓ Dimension: 23.5” W x 4.5” D x 27” H
- ✓ Station includes: 6 padlocks, 2 hasps, 1 snap-on hasp, 1 adjustable cable lockout, 4 gate valve lockout, 2 ball valve lockout, 1 compact plug prong lockout, 1 plug cover, 6 circuit breaker lockout, 2 wall switch covers, 2 packs of tags (12/pack)



| Model No. | Description                                   | Price    |
|-----------|---|----------|
| CSAS415   | Base only (unfilled)                          | \$235.00 |
| CSAS412   | Station with Zenex™ Padlocks                  | \$729.00 |
| CSAS413   | Station with American Lock® Aluminum Padlocks | \$726.00 |
| CSAS414   | Station with Steel Padlocks                   | \$699.00 |

## Lockout Stations



- ✓ Durable construction for years of use in corrosive environments
- ✓ Eight hanger clips holds two padlocks or lockout hasps each
- ✓ Top and bottom compartments each have five moveable dividers
- ✓ Holes provided along with bottom for optional peg hook hangers to hang bulky devices
- ✓ Lockable - use a combination padlock to limit access to authorized employees
- ✓ Covered compartments protect devices and keep dust and grime out
- ✓ Dimensions: 23.5" W x 4.5" D x 15.5" H
- ✓ Electrical focus station includes: 6 padlocks, 1 hasp, 1 snap-on hasp, 1 compact plug prong lockout, 1 plug cover, 6 circuit breaker lockout, 2 wall switch covers, 2 packs of tags (12/pack)
- ✓ Valve lockout focus station includes: 6 padlocks, 1 hasp, 1 snap-on hasp, 3 gate valve lockout, 2 ball valve lockout, 2 tags (12/pack)



### Electrical Focus Stations

| Model No. | Description                                   | Price    |
|-----------|---|----------|
| CSAS416   | Base only (unfilled)                          | \$150.00 |
| CSAS417   | Station with Zenex™ Padlocks                  | \$428.00 |
| CSAS418   | Station with American Lock® Aluminum Padlocks | \$426.00 |
| CSAS419   | Station with Steel Padlocks                   | \$399.00 |

### Valve Lockout Focus Stations

| Model No. | Description                                   | Price    |
|-----------|---|----------|
| CSAS416   | Base only (unfilled)                          | \$150.00 |
| CSAS420   | Station with Zenex™ Padlocks                  | \$456.00 |
| CSAS421   | Station with American Lock® Aluminum Padlocks | \$453.00 |
| CSAS422   | Station with Steel Padlocks                   | \$426.00 |

## Deluxe Tag Centres



- ✓ Two tip-out bins each have three compartments for tags
- ✓ Each compartment holds 25 tags, capacity 150 tags
- ✓ Compartments can also hold safety eyewear and ear protection
- ✓ Each tip-out drawer measures 10" W x 6 7/8" H x 3 1/4" D
- ✓ Eight hanger clips can hold safety padlocks or hasps
- ✓ Lockable - use a combination padlock to limit access to authorized employees
- ✓ Dimension: 22" W x 4 1/8" D x 11" h



| Model No. | Price   |
|-----------|---------|
| CSAS423   | \$85.40 |

## Electrical Pouch Lockout Kits **Master Lock**

- ✓ Easy to carry pouch holds lockout essentials
- ✓ Holds one worker's personal padlocks, tags and circuit breaker devices



### KIT CONTAINS:

- ✓ 1 Padlock SAL138 for SAL515 and SED603 and SAL147 for SAL516
- ✓ 1 Pouch SAL538
- ✓ 1 Breaker switch padlock SAL525
- ✓ 1 Hasp SA875
- ✓ 2 Circuit breaker lockouts SAO595
- ✓ 1 Circuit breaker lockouts SAO594
- ✓ 12 "DO NOT OPERATE" tags - see SBD042 for English and SEC862 for French replacement tags (25/pkg.)

| Model No.      | Description                    | Price    |
|----------------|--------------------------------|----------|
| <b>CSAL515</b> | Large Pouch w/Zenex™ Padlock   | \$118.00 |
| <b>CSAL516</b> | Large Pouch w/Steel Padlock    | \$114.00 |
| <b>CSAL538</b> | Large Pouch Only               | \$34.40  |
| <b>CSED603</b> | Compact pouch w/Zenex™ padlock | \$107.00 |
| <b>CSED602</b> | Compact pouch only             | \$19.90  |

## Electrical Lockout Kits (Keyed Alike Padlocks) **Master Lock**

### (Keyed Alike Padlocks)

- ✓ Safety lockout carrying case keeps important lockout devices and padlocks together
- ✓ Personal kits are for the individual worker; padlocks supplied are keyed-alike for added worker convenience
- ✓ Kits include high-use components, satisfying most applications



### KIT CONTAINS:

- ✓ 3 Zenex™ Padlocks
- ✓ 1 Portable safety carrying case SEC446
- ✓ 1 Breaker switch padlock SAL525
- ✓ 1 Hasp SA875
- ✓ 1 Snap-on hasp SAL541
- ✓ 3 Circuit breaker lockouts SAO595
- ✓ 2 Circuit breaker lockouts SAO594
- ✓ 1 Wall switch cover - see SAO708 for replacement cover
- ✓ 12 "DO NOT OPERATE" tags - see SBD042 for English and SEC862 for French replacement tags (25/pkg.)

| Model No.      | Description        | Price    |
|----------------|--------------------|----------|
| <b>CSAL536</b> | w/Zenex™ Padlocks  | \$188.00 |
| <b>CSAL537</b> | w/Steel Padlocks   | \$180.00 |
| <b>CSEC446</b> | Carrying Case Only | \$29.30  |



## Electrical & Valve Lockout Kits **Master Lock**

- ✓ Modular lockout/tagout organizers
- ✓ Lightweight safety lockout carrying case with modular, translucent storage compartments for improved organization and fast component selection
- ✓ Separate compartments for effective grouping of (1) padlocks and hasps, (2) valve lockout and (3) electrical lockout components
- ✓ Kits include high-use components, satisfying most applications
- ✓ Group kits are for multiple workers; padlocks supplied are keyed-different, so that no unwanted key interchange occurs
- ✓ Include permanent write-on labels (English, French and Spanish) that allow instant on-site customization for each worker




### KIT CONTAINS:

- ✓ 6 Padlocks SAL138 for SAL517
- ✓ 1 Portable safety organizer SAL543
- ✓ 2 Breaker switch padlocks SAL525
- ✓ 1 Hasp SA875
- ✓ 1 Snap-on hasp SAL541
- ✓ 1 Adjustable cable lockout SED597
- ✓ 1 Plug cover lockout SAL520
- ✓ 1 Plug cover lockout SAL521
- ✓ 1 SAL526, SAL527 and SAL528 gate valve cover
- ✓ 2 Ball valve covers - see SAO596 for replacement covers
- ✓ 6 Circuit breaker lockouts SAO595
- ✓ 3 Circuit breaker lockouts SAO594
- ✓ 2 Wall switch covers - see SAO708 for replacement cover
- ✓ 24 "DO NOT OPERATE" tags - see SBD042 for English and SEC862 for French replacement tags (25/pkg.)

| Model No. | Description                    | Price    |
|-----------|--------------------------------|----------|
| CSAL517   | w/Zenex™ Padlocks              | \$527.00 |
| CSAL543   | Portable Safety Organizer Only | \$61.20  |

## Adjustable Cable Lockouts **Master Lock**

- ✓ Infinitely adjustable for a secure fit every time
- ✓ Integrated, single-piece safety hasp and cable for ease-of-use
- ✓ Ideal for both multiple circuit breaker panel and side-by-side gate valve lockouts
- ✓ Tough, lightweight, Zenex™ thermoplastic body withstands chemicals; performs effectively in extreme conditions
- ✓ Tough flexible multistranded steel cable is insulated with a clear plastic coating
- ✓ Up to four workers can apply their personal safety locks
- ✓ Red lockout colour identifies the safety lockout application
- ✓ Complete with high-visibility permanent safety labels (English, French and Spanish) that can be written on to identify the responsible person and then erased for the next job
- ✓ Custom cable lengths available



| Model No. | Description               | Price   |
|-----------|---------------------------|---------|
| CSED596   | Cable lockout w/3' cable  | \$30.30 |
| CSED597   | Cable lockout w/6' cable  | \$29.90 |
| CSED598   | Cable lockout w/15' cable | \$36.10 |

## Labeled Snap-On Hasps **Master Lock**

- ✓ Combines multiple-person lockout and tagout identification
- ✓ Features an easy-to-apply “snap-on” advantage with its spring-loaded locking arm
- ✓ Fits more lockout points than alternative rivet-hinge labeled lockout hasps
- ✓ Anodized aluminum and stainless steel construction for combined corrosion resistance and strength
- ✓ Complete with high-visibility permanent safety labels (English, French and Spanish) that can be written on to identify the responsible person and then erased for the next job



| Model No. | Colour          | Price   |
|-----------|-----------------|---------|
| CSAL541   | Red             | \$14.60 |
| CSAP994   | Black           | \$14.60 |
| CSAP995   | Blue            | \$14.60 |
| CSAP998   | Green           | \$14.60 |
| CSAQ002   | Yellow          | \$14.60 |
| CSAQ003   | Assorted 6/pkg. | \$97.40 |

## Safety Lockout Hasps **Master Lock**

- ✓ Keeps equipment inoperative while repairs or adjustments are made
- ✓ Attach device to energy disconnect switch
- ✓ Control cannot be turned on until last worker's padlock is removed
- ✓ Up to six workers at each lockout point
- ✓ Heavy gauge steel jaws resist prying against unauthorized access
- ✓ Lockout hasp has vinyl coated handles and is plated to resist rust
- ✓ Compatible with nos. 3, 410, 411, 6835 and 6836 safety lockout padlocks with shackle diameters as large as 3/8"
- ✓ Spark resistant aluminum



### Yellow (economy) w/locking tabs

| Model No. | Diameter | Price  |
|-----------|----------|--------|
| CSAN507   | 1"       | \$5.40 |
| CSAN508   | 1½"      | \$6.27 |

### Red w/o Locking Tabs

| Model No. | Diameter | Price  |
|-----------|----------|--------|
| CSA875    | 1"       | \$8.24 |
| CSA876    | 1½"      | \$8.73 |

### Red Aluminum w/o Locking tabs

| Model No. | Diameter | Price   |
|-----------|----------|---------|
| CSEA314   | 1"       | \$8.67  |
| CSEA315   | 1½"      | \$10.10 |

## Safety Lockout Hasps



Multiple lockouts provide a means of locking control devices for machinery or electrical power sources, while maintenance or repairs are being carried out. Designed for use on fuse and switchboxes, air, steam, or acid valves. Accommodates padlock shackles up to 3/8" diameter and hasp is 1" diameter.



| Model No. | Description                                | Dimensions"   | Price   |
|-----------|--|---------------|---------|
| CSC703    | Dual Scissor, Steel Polyester-Coated       | 5 1/4         | \$6.63  |
| CXA231    | Single Scissor, Aluminum Polyester-Coated  | 4 3/8 x 3/8   | \$4.74  |
| CSC706    | Nylon Dielectric Single Vertical Line Lock | 1 5/8 x 6 7/8 | \$5.16  |
| CSA0703   | Dual Jaw Aluminum                          | 2 x 5 7/8     | \$11.90 |
| CSA0704   | 4-Lock Heavy-Duty Steel                    | 2 3/8 x 3 1/4 | \$9.07  |
| CSA0705   | 8-Lock Heavy-Duty Steel                    | 2 3/8 x 6 5/8 | \$10.40 |

## Steel Hasps



- ✓ 4 mm (1/8") diameter hasp to fit smaller lockout holes
- ✓ Fits European OEM equipment
- ✓ Lockout by multiple workers at each lockout point
- ✓ Control cannot be turned on until last worker's padlock is removed from hasp
- ✓ Accepts two padlocks
- ✓ Dimensions: 2 1/4" x 3"



| Model No. | Price  |
|-----------|--------|
| CSED601   | \$6.85 |

## Rotating Electrical Plug Lockouts



- ✓ Outward/inward rotation allows for easier installation and storage
- ✓ Unique outward rotation allows for easier installation in confined space applications
- ✓ Surrounds the electrical plug; protects against accidental reconnection
- ✓ Each size rotates into itself to fit effectively into safety tool boxes
- ✓ Tough, lightweight, dielectric Zenex™ thermoplastic bodies withstand chemicals; perform effectively in extreme conditions (temperature range -50°F (-46°C) to 350°F (177°C))
- ✓ Complete with high-visibility permanent safety labels (English, French and Spanish)
- ✓ The SAL521 labels can be written-on to identify the responsible person and then erased for the next job



| Model No. | For Electrical Plugs Sizes Up To  | Price   |
|-----------|---|---------|
| CSAL520   | 2 1/4" Dia. x 3 1/4" w/Cord Dia. up to 3/4" (Most 110- and Many 220-Volt Plugs) | \$14.60 |
| CSAL521   | 3" Dia. x 6" w/Cord Dia. up to 3/4" (Most 220- and 550-Volt Plugs)              | \$19.10 |

## Circuit Breaker Switch Padlocks



- ✓ Provides the flexibility to effectively lock out breaker switches
- ✓ Flexi-cable allows the lock body to be moved out of the way and panel door to be closed properly
- ✓ Fits the tight space constraints within a circuit breaker shutoff boxes
- ✓ Numerous key changes are available to minimize the possibility of unwanted key duplication
- ✓ 1 1/8" wide steel body; 4-pin cylinder; 5" flexible steel cable



| Model No. | Price   |
|-----------|---------|
| CSAL525   | \$11.70 |

## Grip Tight™ Circuit Breaker Lockouts



- ✓ Exclusive design accommodates virtually all styles of breaker toggles
- ✓ Fits all American Lock® and Master Lock® safety padlocks and hasps
- ✓ Two products replace at least five. SAO595 is used for single and double breaker toggles, while SAO594 is appropriate for tall and wide breaker toggles
- ✓ Grips tight with a simple thumb turn and clamping handle
- ✓ Narrow profile permits side-by-side breaker lockout
- ✓ Made of powder coated steel and reinforced polymer to operate in harsh conditions



| Model No. | Description                        | Price   |
|-----------|------------------------------------|---------|
| CSA0594   | Tall & Wide Toggles                | \$9.58  |
| CSA0595   | Standard Single and Double Toggles | \$7.17  |
| CSA0707   | Set of each SAO594 and SAO595      | \$15.30 |

## Universal Wall Switch Lockouts



- ✓ Prevent unintentional toggling of wall switch to "ON" position
- ✓ One-time installation uses the existing wall plate screws
- ✓ Hinges open for unobstructed normal operation switch
- ✓ Lock the switch in either the "ON" or "OFF" position by closing the cover over the switch, then applying padlock
- ✓ Locks out both toggle and decor paddle wall switches



| Model No. | Price  |
|-----------|--------|
| CSA0708   | \$9.96 |

## Compact Plug Prong Lockouts **Master Lock.**


- ✓ Compact design locks out 110 V – 120 V electrical plugs
- ✓ Works with two-prong or two-prong with ground plugs
- ✓ Can be used with safety padlocks or lockout hasps, no key needed
- ✓ New design can now accommodate larger shackle locks and safety hasps



| Model No. | Description               | Price  |
|-----------|---------------------------|--------|
| CSAR841   | Electrical Outlet Lockout | \$9.54 |

## Seal Tight™ Handle-On Ball Valve Lockouts **Master Lock.**

- ✓ Patent-pending innovative design locks out the ball valves from 1/4" to 4"
- ✓ Lightweight and compact ergonomic design allows easy use and storage
- ✓ Constructed of metal alloy, this lockout device withstands corrosive environments and operates in extreme temperatures
- ✓ Works in virtually all ball valve installations – metal and PVC valves, insulated pipes, and pipes with tight access due to close proximity to other valves, pipes or structures
- ✓ Works with all Master Lock® and American Lock® safety padlocks and safety hasps



| Model No. | Price   |
|-----------|---------|
| CSAS463   | \$37.90 |

## Adjustable Ball Valve Lockouts **Master Lock.**

- ✓ Fits valves 1/2" to 2" in size
- ✓ Four locking holes are compatible with all Master Lock® and American Lock® safety padlocks
- ✓ Locks valve in the closed position
- ✓ Includes removable handle insert to accommodate a wide range of handle designs and dimensions
- ✓ Durable, lightweight thermoplastic material performs effectively in extreme environments; -40°F to 200°F



| Model No. | Price   |
|-----------|---------|
| CSEI878   | \$31.10 |

## Seal Tight™ Ball Valve Lockouts



- ✓ Compact, lightweight, flexible and easy to use, the Seal Tight™ valve lockout works on virtually every valve size and applications
- ✓ Eliminates the risk of accidentally moving a handle by removing it and concealing the stem
- ✓ Effectively locks out all valves from 3/8" to 4", thus eliminating specific valve lockout systems
- ✓ Simple to apply, with an intuitive wrapping strap and locking mechanism
- ✓ Works on virtually all valves; metal and PVC, insulated pipes, ceiling or wall-mounted pipes and hard to reach valves
- ✓ Made of PVC polyester fabric and HDPE plastic, it withstands corrosive environments and operates in temperatures from -40°F to 300°



| Model No. | Price   |
|-----------|---------|
| CSA0596   | \$30.70 |

## Cinch Sacs – Large Electrical Connectors



- ✓ Offers broad application solutions sized at 7" diameter by 17" tall
- ✓ Insert PVC tubing to block access to control buttons for hoist control lockout
- ✓ Flexible and durable rip-stop nylon bag fits easily in safety tool boxes
- ✓ Lock out with up to six padlocks or hasps
- ✓ Trilingual lock out warning printed on bag



| Model No. | Price   |
|-----------|---------|
| CSA0706   | \$36.70 |

## Rotating Gate Valve Lockouts



- ✓ Outward/inward rotation allows for easier installation and storage
- ✓ Unique, patent-pending outward rotation allows for easier installation in confined space applications
- ✓ Surrounds the valve operating handle, protects against accidental valve opening
- ✓ Each size rotates into itself to fit effectively into safety tool boxes
- ✓ Each size nests within the next larger size to save space in storage
- ✓ Tough, lightweight, dielectric Zenex™ thermoplastic bodies withstand chemicals; perform effectively in extreme conditions (temperature range -50°F (-46°C) to 350°F (177°C))
- ✓ Up to four workers can apply their personal safety locks
- ✓ Red lockout colour identifies the safety lockout application
- ✓ Complete with high-visibility permanent safety labels (English, French and Spanish) that can be written on to identify the responsible person and then erased for the next job



| Model No. | Description                         | Price    |
|-----------|-------------------------------------|----------|
| CSAL526   | Fits 1" to 3" Dia. Valve Handle     | \$17.60  |
| CSAL527   | Fits 2" to 5" Dia. Valve Handle     | \$26.40  |
| CSAL528   | Fits 4" to 6 1/2" Dia. Valve Handle | \$36.70  |
| CSAL529   | Fits 6" to 10" Dia. Valve Handle    | \$45.90  |
| CSAL530   | Fits 8" to 13" Dia. Valve Handle    | \$76.50  |
| CSAL531   | Consists of 1 of all of the above   | \$177.00 |