

# FACILITY & ENVIRONMENTAL

---

## Self-Closing Safety Swing Gates

- ✓ Suitable to use at any access point on a mezzanine or any fixed ladders
- ✓ Standard universal hinge assembly is versatile, fitting various railing types up to 2" O.D. or flat surface mounting
- ✓ Each gate has a 3 3/4" adjustment of gate width from nominal size
- ✓ Includes two stainless steel torsion spring self-closing mechanisms
- ✓ Economical, reliable, ships fully assembled and installs in minutes



### Powder Coat Safety Yellow

Model No.	Dimensions of opening*	Price/Each
ML349	16 3/4 - 20 1/2	\$413.25
ML350	19 3/4 - 23 1/2	\$418.95
ML351	22 3/4 - 26 1/2	\$418.00
ML352	25 3/4 - 29 1/2	\$423.70
ML353	28 3/4 - 32 1/2	\$429.40
ML354	31 3/4 - 35 1/2	\$434.15
ML355	34 3/4 - 38 1/2	\$438.90

### Hip-Dip Galvanized

Model No.	Dimensions of opening*	Price/Each
ML376	16 3/4 - 20 1/2	\$413.25
ML377	19 3/4 - 23 1/2	\$418.95
ML378	22 3/4 - 26 1/2	\$423.70
ML379	25 3/4 - 29 1/2	\$427.50
ML380	28 3/4 - 32 1/2	\$433.20
ML381	31 3/4 - 35 1/2	\$437.95
ML382	34 3/4 - 38 1/2	\$444.60

**Note:** All Models are available in stainless steel.

## Industrial Safety Guardrails

- ✓ Modular design of barrier guards allows you to design a system that meets specific equipment and property safeguarding needs
- ✓ 12-gauge steel rails offer enough strength to withstand a 10 000-lb load from breaking through at 6 km/h when properly installed
- ✓ Posts are available in single and double height and are 5" x 5" with 10" x 10" base plates
- ✓ Single posts are 17" high and double are 44" high, rails are 12" high
- ✓ Powder coat safety yellow finish for durability and visibility
- ✓ All necessary installation hardware included except for anchors



### Industrial Safety Guardrail Rails

Model No.	Height"	Length"	Wt. lbs.	Price/Each
KH833	12	24	18	\$86.36
KH832	12	36	24	\$118.75
KH831	12	48	30	\$138.70
KH830	12	60	37	\$156.75
KH829	12	72	43	\$164.35

### Industrial Safety Guardrail Rails

Model No.	Height"	Length"	Wt. lbs.	Price/Each
KH828	12	84	50	\$176.70
KH827	12	96	58	\$190.00
KH827	12	108	54	\$190.00
KH827	12	120	70	\$190.00


### Industrial Safety Guardrail Posts

Model No.	Description	Wt. lbs.	Price/Each
KH834	Modular Guardrail Post Single 17" Height	35	\$118.75
KH835	Modular Guardrail Post Double 44" Height	60	\$197.60

## Pallet Rack Back Guards

Back guards help prevent accidents by keeping pallets or their contents from falling off the back. These guards increase safety where pedestrian pathways are behind the rack.


- ✓ Constructed using a 10-gauge frame, and 2" x 2" x 10-gauge wire mesh with stiffeners
- ✓ Available in a variety of sizes to fit most pallet rack configurations
- ✓ Guard brackets are designed to fit almost any style of rack
- ✓ Durable safety yellow finish



Model No.	Description	Wt. lbs.	Price/Each
<b>RL929</b>	Back Guard 4' x 8' w/6" Brackets	39	\$171.00
<b>RL930</b>	Back Guard 4' x 8' w/9" Brackets	40	\$175.75
<b>RL931</b>	Back Guard 4' x 8' w/12" Brackets	41	\$176.70
<b>RL932</b>	Back Guard 4' x 9' w/6" Brackets	49	\$239.40
<b>RL933</b>	Back Guard 4' x 9' w/9" Brackets	50	\$245.10
<b>RL934</b>	Back Guard 4' x 9' w/12" Brackets	51	\$246.05
<b>RL935</b>	Back Guard 4' x 10' w/6" Brackets	57	\$237.50
<b>RL936</b>	Back Guard 4' x 10' w/9" Brackets	58	\$263.15
<b>RL937</b>	Back Guard 4' x 10' w/12" Brackets	59	\$264.10
<b>RL938</b>	Back Guard 4' x 11' w/6" Brackets	63	\$286.90
<b>RL939</b>	Back Guard 4' x 11' w/9" Brackets	64	\$292.60
<b>RL940</b>	Back Guard 4' x 11' w/12" Brackets	65	\$293.55
<b>RL941</b>	Back Guard 4' x 12' w/6" Brackets	70	\$293.55
<b>RL942</b>	Back Guard 4' x 12' w/9" Brackets	71	\$301.15
<b>RL943</b>	Back Guard 4' x 12' w/12" Brackets	20	\$302.10

## Perimeter Guards

- ✓ Create your own barrier guards with two styles to choose from: 2" x 2" welded wire mesh or 2" square tube
- ✓ Both feature a unique 49 1/2" overall height, and are easily installed
- ✓ Posts are constructed of 2" square tube with 5/16" base plate with holes for anchoring to floor
- ✓ Hardware to attach add-on sections is included
- ✓ Safety yellow or Kleton blue finish



### Mesh Style Kits

Model No. (Blue)	Price/Each	Model No. (Yellow)	Price/Each	Description	W"	H"	Wt. lbs.
<b>KH945</b>	\$184.30	<b>RL848</b>	\$00.00	Starter Section	48	48	46
<b>KH946</b>	\$138.70	<b>RL849</b>	\$00.00	Add-On Section	48	48	34
<b>KH947</b>	\$224.20	<b>RL850</b>	\$00.00	Starter Section	96	48	65
<b>KH948</b>	\$177.65	<b>RL851</b>	\$00.00	Add-On Section	96	48	53

**Note:** Includes assembly fasteners, floor anchors and post caps.

## Perimeter Guards



### Mesh Style Individual Components

Model No.	Price/Each	Model No. (Yellow)	Price/Each	Description	W"	H"	Wt. lbs.
KD036	\$91.01	KD130	\$00.00	Mesh Panel	4	4	20
KD037	\$129.20	KD131	\$00.00	Mesh Panel	8	4	39
KH861	\$43.13	KD129	\$00.00	Post Universal	-	49 1/2	13
KD053	\$58.24	KH860	\$00.00	Post Universal	-	99"	22

### Hardware Required

Model No.	Description	Price/Each
KD132	Floor Anchors (Two per Post)	\$262.20
KD133	5/16" x 3" Carriage Bolt (Four per Frame)	\$211.85
KD134	5/16" Hex Nut (One Nut for Each MLK389)	\$341.05
KD135	Post Caps (One per Post)	\$303.05

### Tubular Style

Model No.	Description	W"	H"	Wt. lbs.	Price/Each
KD132	Starter Section	4	49 1/2	45	\$262.20
KD133	Add-On Section*	4	49 1/2	32	\$211.85
KD134	Starter Section	8	49 1/2	66	\$341.05
KD135	Add-On Section*	8	49 1/2	53	\$303.05

\*Hardware to attach add-on section is included

### Hardware Required

Model No.	Description	Price/Each
KD001	Floor Anchors (2 per post)	\$00.00
KD116	Post Caps (1 per post)	\$00.00

## Safety Guards



- ✓ Protect your equipment and personnel from accidental damage and injury with these low profile safety guards
- ✓ 4"x 4" square tube welded to an 8" x 8" x 1/2" base, complete with four 3/4" diameter holes for anchoring to floor
- ✓ Colour: Safety yellow powder coat finish



Model No.	W"	H"	Wt. lbs.	Price/Each
KD127	24	18	65	\$258.40
KH855	36	18	75	\$308.75
KD128	48	18	85	\$312.55
KD136	24	42	95	\$343.90
KD856	36	42	110	\$404.70
KD139	48	42	115	\$387.60

## Safety Guards



- ✓ Protect your warehouse equipment, as well as high traffic areas with these heavy-duty steel bollards
- ✓ 4" x 4" square tube welded to an 8" x 8" x 1/2" steel base, complete with four 3/4" diameter holes for anchoring to floor
- ✓ Safety yellow powder coated finish



Model No.	Height"	Wt. lbs.	Price/Each
<b>KD125</b>	24	30	\$134.90
<b>KH857</b>	36	40	\$170.05
<b>KD126</b>	48	50	\$190.95

## Upright Protector



- ✓ Protect your warehouse equipment, as well as high traffic areas with these heavy-duty steel bollards
- ✓ 4" x 4" square tube welded to an 8" x 8" x 1/2" steel base, complete with four 3/4" diameter holes for anchoring to floor
- ✓ Safety yellow powder coated finish



Model No.	w"	D"	H"	Wt. lbs.	Price/Each
<b>KH858</b>	7	7	12	12	\$38.57
<b>RB925</b>	7	7	18 1/4	15	\$51.49

## Column Protectors Dixie Poly Drum Corp.

Protect your building's columns from damaging bumps by moving vehicles.

### Structural Column Protectors

- ✓ Octagon configuration for more rebounding ability
- ✓ 100% rust proof
- ✓ Flexible deflection design - capable of handling a hit from a 7000-lbs. forklift at 6 MPH

### Easy to assemble

- ✓ Nylon fasteners (included) for breakaway ability Extremely versatile
- ✓ Fits over 80% of standard columns
- ✓ Protect columns under virtually any condition and temperature down to 0°F



Model No.	Size"	Fits Square Column"	Fits Round Column"	Dia."	Height"	Wt. lbs.	Price/Each
<b>KH779</b>	6 Sq.	Up to 6	Up to 6 Dia.	26	42	46	\$00.00
<b>KH780</b>	8 Sq.	6 to 8	6 to 8 Dia.	26	42	46	\$00.00
<b>KH781</b>	10 Sq.	8 to 10	8 to 10 Dia.	26	42	46	\$00.00
<b>KH782</b>	12 Sq.	10 to 12	10 to 12 Dia.	26	42	46	\$431.30
<b>KH783</b>	9 Round	Up to 6	Up to 8 5/8 Dia.	26	42	46	\$00.00
<b>KH784</b>	14 Sq.	12 to 14	12 to 14 Dia.	28.5	42.75	70	\$00.00
<b>KH785</b>	16 Sq.	14 to 16	14 to 16 Dia.	28.5	42.75	70	698.25

## Polyethylene Wall Protectors Dixie Poly Drum Corp.

- ✓ Non-corrosive and ideal for either indoor or outdoor applications
- ✓ Mounts to building walls to protect them from scratches and dents
- ✓ Overall dimensions: 48" L x 2 1/4" T x 6 1/4" H
- ✓ Installation hardware not included
- ✓ Includes: 3/8" counter sunk mounting holes and reverse tapered ends to overlap when used with multiple units
- ✓ Weight: 3 lbs.
- ✓ Colour: Safety yellow for high visibility



Model No.	Price/Each
<b>KH812</b>	\$00.00

## Polyethylene Corner Protectors Dixie Poly Drum Corp.

- ✓ ideal for application where corners are exposed
- ✓ 2 1/4" wide shock absorbing molded polyethylene design to provide ample impact protection
- ✓ Dimensions: 10" W x 6 1/2" D x 40 1/2" H
- ✓ Weight: 3 lbs.
- ✓ Colour: Safety yellow for high visibility



Model No.	Price/Each
<b>KH813</b>	\$00.00

## Removable Ornamental Steel Bollards



- ✓ Provides attractive yet functional barrier for vehicle access and parking
- ✓ Locks into galvanized steel socket cemented into ground (padlock not included)
- ✓ Cover plate on socket protects hole, leaving no protrusion above the surface after removal
- ✓ Dimensions: 4 1/2" dia. with 6" diameter rings
- ✓ Height: 40", Weight: 80 lbs.
- ✓ Finish: Powder black coating for durability



Model No.	Price/Each
<b>KH820</b>	\$00.00

## Removable Ornamental Steel Bollards



- ✓ Provides attractive yet functional barrier for vehicle access and parking
- ✓ Locks into galvanized steel socket cemented into ground (padlock not included)
- ✓ Cover plate on socket protects hole, leaving no protrusion above the surface after removal
- ✓ Dimensions: 4 1/2" dia. with 6" diameter rings
- ✓ Height: 40", Weight: 80 lbs.
- ✓ Finish: Powder black coating for durability



Model No.	Usable Height"	Overall Height"	Outside Diameter"	Wt. lbs.	Price/Each
<b>KH814</b>	25	35.5	5.5	44	\$148.20
<b>KH815</b>	36.5	46.5	5.5	59	\$196.65
<b>KH816</b>	42.5	52.5	5.5	73	\$245.10
<b>KH817</b>	48.5	58.5	5.5	88	\$294.50

## Polyethylene Bollard Covers


- ✓ Enhance and protect the appearance of your steel bollards
- ✓ Reduce maintenance; avoid scraping and painting each spring
- ✓ Constructed of 1/8" UV stable polyethylene for durability
- ✓ Easy installation with patented GripperTabs™ included
- ✓ Colour: Safety yellow with reflective red tape or high visibility red with white reflective tape, for great visibility day or night
- ✓ 5-year warranty against fading and cracking



Model No. (Yellow)	Model No. (Red)	Fits Bollard Dia."	Fits Bollard Height"	Wt. lbs.	Price/Each
<b>KH806</b>	<b>KH836</b>	4.5	52	7	\$69.16
<b>KH808</b>	<b>KH838</b>	4.5	64	9	\$76.86
<b>KH809</b>	<b>KH839</b>	6.6	52	8	\$84.65
<b>KH810</b>	<b>KH840</b>	6.6	60	9	\$88.26
<b>KH811</b>	<b>KH841</b>	6.6	72	10	\$95.95

## Soft Edge Flexible Warning & Protection Systems **Knuffi**

- ✓ Tough, flexible polyurethane foam extrusions reduce the risk of personnel injury at high risk corners
- ✓ When applied to machinery, furnishings and walls, Soft Edge prevents impact damages by absorbing even the hardest of impacts
- ✓ Highly visible black and yellow markings offer permanent warning in dangerous areas
- ✓ Simple "peel-away" adhesive installation on grease-free surfaces
- ✓ Excellent temperature range from -40°C to 100°C



Style	1 Metre	Price/Each	5 Metre	Price/Each
A	<b>KH866</b>	\$39.05	<b>KH865</b>	\$171.00
B	<b>KH868</b>	\$37.34	<b>KH867</b>	\$169.10
C	<b>KH870</b>	\$38.38	<b>KH869</b>	\$171.95
D	<b>KH872</b>	\$46.93	<b>KH871</b>	\$231.80
E	<b>KH952</b>	\$37.15	<b>KH953</b>	\$182.40
F	<b>KH954</b>	\$36.10	<b>KH955</b>	\$180.50
G*	<b>KH956</b>	\$47.79	<b>KH957</b>	\$238.45
H	<b>KH958</b>	\$48.93	<b>KH959</b>	\$244.15

\* Does not have peel-away adhesive. Held by pressure fit.

### Corner Accessories

Model No.	Description	Price/Each
<b>MN379</b>	2 Way - Use with Profile A	\$31.35
<b>MN380</b>	3 Way - Use with Profile A	\$33.35
<b>MN381</b>	2 Way - Use with Profile E	\$28.69
<b>MN382</b>	3 Way - Use with Profile E	\$31.07
<b>MN383</b>	2 Way - Use with Profile H	\$34.30
<b>MN384</b>	3 Way - Use with Profile H	\$36.29

**Features:**

- ✓ Polyurethane construction, non-conductive material
- ✓ 36" length per lineal protector
- ✓ 5 bar tread plate surface
- ✓ Safety warning symbols moulded into lid or ramp
- ✓ Modular interlocking design
- ✓ Recessed carrying handle
- ✓ Universal safety colours

**Features:**


- ✓ Weather and abrasion resistant; high load-bearing capacity
- ✓ Insulates electrical cables from human contact
- ✓ Makes length-of-run calculations easy
- ✓ Increases traction
- ✓ Lightweight; easy to transport, set-up, breakdown and store; multi-length applications
- ✓ Allows for moving with ease
- ✓ High visibility

No. of Channels	Description	Max. Load lbs per Tire at 21° C
5	Extra Heavy-Duty	20150
4	Extra Heavy-Duty	20150
3	Extra Heavy-Duty	14210
2	Extra Heavy-Duty	10880
5	Heavy-Duty General Purpose	10500
1.25	Heavy-Duty General Purpose	11700

**Extra heavy-Duty 2, 3, 4, 5 Channel Systems**



For heavy trucks and forklifts in industrial environments. Colour: Yellow lid/Orange base.





Model No.	Description	A Length"	B Length"	C Height"	D Channel Height"	E Channel Height"	Wt. lbs.	Price/Each
<b>KH687</b>	5 Channel Protector	36	20	2 5/16	1 7/20	1 7/20	25	\$398.05
<b>KH688</b> (Pair only)	5 Channel End Caps (Female)	7 1/2	20	2 5/16	1 7/20	1 7/20	3.5	\$285.00
	5 Channel End Caps (Male)	5 1/4	20	2 5/16	1 7/20	1 7/20	3.5	
<b>KH691</b>	4 Channel Protector	36	20	2 5/16	1 7/20	1 7/20	26	\$493.05
<b>KH692</b> (Pair only)	4 Channel End Caps (Female)	7 1/2	20	2 5/16	1 7/20	1 7/20	3.5	\$232.75
	4 Channel End Caps (Male)	5 1/4	20	2 5/16	1 7/20	1 7/20	3.5	
<b>KH695</b>	3 Channel Protector	36	20	3 1/20	2 1/4	2 1/4	28	\$588.05
<b>KH696</b> (Pair only)	3 Channel End Caps (Female)	8 1/4	20	3 1/20	2 1/4	2 1/4	4	\$284.05
	3 Channel End Caps (Male)	6	20	3 1/20	2 1/4	2 1/4	4	
<b>KH699</b>	2 Channel End Protector	36	22	4 2/15	3 1/4	3 1/4	33	\$759.05



### Heavy-Duty General Purpose 5 channel systems



For vehicle and pedestrian traffic in public, commercial, and industrial applications. Protects cable and hose lines up to 1 1/4" outside diameter. Colour: Orange lid/Yellow base.




Model No.	Description	A L"	B W"	C H"	D W"	E H"	Wt. lbs.	Price/Each
<b>KH700</b>	5 Channel Protector	36	17 1/4	1 15/16	1 3/10	1 3/10	22	\$309.70
<b>KH701</b>	5 Channel End Caps (Female)	4 3/4	17 1/4	1 15/16	1 3/10	1 3/10	2.7	\$35.00
	(Male)	4 3/4	17 1/4	1 15/16	1 3/10	1 3/10	2.7	

### Heavy-Duty General Purpose 1 channel systems



For vehicle and pedestrian traffic in public, commercial and industrial applications.

Single channel system protects valuable electrical cables and hose lines from vehicle and foot traffic. Ideal for temporary re-routing of single cables and hose lines including fragile fibre optic telecommunications cable. Protects cable and hose lines up to 1 1/4" outside diameter




Model No.	Description	A L"	B W"	C H"	D W"	E H"	Wt. lbs.	Price/Each
<b>KH702</b>	1 Channel Protector	36	11 1/2	1 5/8	1 1/4	1 3/10	13	246.05

### Light-Duty Channel Systems



- ✓ Gripper® connector system
- ✓ Made from tough, high impact absorbing, non-conductive polyurethane
- ✓ Resistant to oil, fuels and lubricants
- ✓ Recessed carrying handle molded in to the underside of the protector
- ✓ Capacity: 5000 lbs. per tire at 21°C
- ✓ Colours: grey and safety yellow



Model No.	Description	A L"	B W"	C H"	D D"	E H"	Wt. lbs.	Price/Each
<b>KH981</b>	5 Channel Protector	36	16 4/9	1 3/5	1 1/4	1 1/4	12.75	\$217.55
<b>KH986</b>	3 Channel Protector	36	18 1/5	2 1/4	2 1/4	2 1/4	23	\$36.00

## FloorTraks®



- ✓ Ideal for cables that run over the floor where portable cords and cables cannot be concealed
- ✓ Flexible, non metallic cover
- ✓ Protects, organizes and reduces trip hazards
- ✓ Available in three different sizes
- ✓ Handles cables up to 1.25" (31.8 mm) in diameter



FloorTraks®	2	3	4
Width	2.75"	3.00"	3.25"
Height	0.53"	0.75"	1.10"
Ctr. Hole	0.60" x 0.31	0.75" x 0.50"	1.21" x 0.75"

Black	Brown	Beige	Grey	Yellow	Description	Length"	Price/Each
<b>XA042</b>	<b>XA038</b>	<b>XA005</b>	<b>XA001</b>	<b>XA039</b>	FloorTraks® 2	10	\$35.15
<b>XA009</b>	<b>XA041</b>	<b>XA040</b>	<b>XA006</b>	<b>XA245</b>	FloorTraks® 3	5	\$26.13
<b>XA043</b>	-	-	-	<b>XA046</b>	FloorTraks® 4	5	\$32.21

## Industrial Cord Covers



- ✓ Protect your cables from foot and vehicular traffic
- ✓ Constructed from non-conductive vulcanized rubber
- ✓ Suitable for indoor and outdoor use
- ✓ Withstands car and light truck traffic up to 5000 lbs/axle
- ✓ Stronger and longer lasting than PVC covers
- ✓ Excellent in temperatures from -40°C to 150°C
- ✓ Colour: Black with yellow safety stripe



Description	W"	H"	Channel W"	Channel H"	5" Length	Price/Each	10" Length	Price/Each
1 Channel	3 1/4	3/4	3/4	1/2	<b>KH907</b>	\$40.95	<b>KH908</b>	\$81.99
1 Channel	3	1	1	3/4	<b>KH909</b>	\$45.79	<b>KH910</b>	\$91.68
2 Channel	5 1/2	1 1/8	7/8	3/4	<b>KH911</b>	\$136.80	<b>KH912</b>	\$272.65
1 Channel	6	1 7/8	1 1/2	1 1/2	<b>KH913</b>	\$226.10		

## Halogen Dock Lights



- ✓ 40" full extension
- ✓ Tempered glass lens with protective wire guard
- ✓ Light fixture can pivot up and down
- ✓ Includes two 500W quartz halogen bulbs
- ✓ Arm has spare bulb holder built in
- ✓ Suitable for wet areas
- ✓ On/Off toggle switch
- ✓ 6' cord with ground
- ✓ Certified for sale in Canada by an accredited certification body




Description	Arm Length"	Head Type	Wt. lbs.	Price/Each
<b>XA673</b>	40	Aluminum	15	\$190.95

## Dock Loading Lights with Flexible Arm



- ✓ Rubber enclosed shock absorber allows arm to deflect if struck by doors or lift trucks
- ✓ Durable design and construction reduces maintenance costs
- ✓ Includes: Lamp cover
- ✓ Certified for sale in Canada by an accredited certification body



Description	Arm Length"	Head Type	Wt. lbs.	Price/Each
<b>XC455</b>	40	Metal	17	\$250.80
<b>XC461</b>	60	Metal	21	\$271.70
<b>XC462</b>	40	Polycarbonate	16	\$231.80
<b>XC463</b>	60	Polycarbonate	20	\$252.70

## LED Flexible Arm Dock Lights



- ✓ Designed to light up the longest of trailers with no wasted light
- ✓ LEDs last over 50 000 hours with low heat emission
- ✓ Flexible arm allows for unlimited positioning
- ✓ Housing is made from durable polycarbonate polymer resistant to cold temperatures
- ✓ Low energy usage of 16 W
- ✓ Light output equivalent to a 150 W PAR28 bulb
- ✓ Dimensions: 42 1/2" L x 6" H
- ✓ Weight: 12 lbs.
- ✓ Certified for sale in Canada by and accredited certification body



Description	Price/Each
<b>XC756</b>	\$669.75

## Heavy-Duty LED Dock Light



- ✓ 40" full extension arm with five pivot points
- ✓ Cool to the touch, even if left running for extended lengths of time
- ✓ Instant start-up, at full output, even in cold temperatures
- ✓ Rugged cast aluminum housing, tempered glass lens
- ✓ Low energy usage at 22 W
- ✓ LED array lasts for 50 000 hours
- ✓ Rated for outdoor use
- ✓ 10' power cord with 5-15P plug
- ✓ Certified for sale in Canada by an accredited certification body



Description	Price/Each
<b>XD022</b>	\$239.40

## LED Stop & Go Lights

**Loading Dock Stop & Go Light is a safety signaling device that alerts truck drivers and loading dock personnel to the safety status of docked or docking trucks.**

- ✓ Simple, reliable and cost-effective warning system that reduces the risk of accidents around the loading dock
- ✓ Establishes a clear line of communication between drivers and dock personnel
- ✓ Safety yellow polypropylene housing will not rust, pit, dent or corrode
- ✓ Shallow depth of unit (less than most dock bumpers) prevents damage to the Stop & Go Light
- ✓ Integral eyebrow-type sun visors create extended visibility
- ✓ Mounting holes conform to standard building specifications
- ✓ Units can be used indoors or outdoors
- ✓ Dimensions: 6 3/8" W x 3 3/4" D x 11 3/8" H. Lens diameter: 4 1/4"
- ✓ Certified for sale in Canada by an accredited certification body
- ✓ Weight: 2 lbs. per single unit, 4 lbs. for the set



12 VDC	12 VDC Price	24 VDC	24 VDC Price	115 VAC	115 VDC Price	Description
<b>XC100</b>	\$164.35	<b>\$156.75</b>	\$164.35	<b>XC102</b>	\$156.75	Stop & Go – w/o flasher or switch
<b>XC103</b>	\$205.20	<b>\$197.60</b>	\$205.20	<b>XC105</b>	\$195.70	Stop & Go – w/flasher & switch
<b>XC106</b>	\$358.15	<b>\$344.85</b>	\$358.15	<b>XC108</b>	\$342.00	Stop & Go – Set, including one of each of the above

## Electraray® Rotating Warning Lights



- ✓ A compact, economical rotating warning light designed for industrial use
- ✓ Innovative dome design features a single retaining screw that allows quick and easy access for inspection and relamping
- ✓ UL and cUL Listed for indoor/outdoor use
- ✓ Type 4X, IP66 enclosure
- ✓ Design makes it easily adaptable for a multitude of applications and provides an effective means of supplementing audible signaling devices
- ✓ Available in 120 VAC
- ✓ Integrated 1/2' pipe mount



Model No.	Colour	Price/Each
<b>XC115</b>	Amber	\$252.70
<b>XC116</b>	Red	\$252.70
<b>XC281</b>	Blue	\$252.70
<b>XC282</b>	Clear	\$252.70
<b>XC283</b>	Green	\$252.70

The TCS 3000 Series outlines the docking area and makes backing up and spotting trailers easy. Safety is maintained through clear communication, while avoiding injury to personnel and costly damage to loading docks, equipment and buildings. The red and green LED lights are instantly understood as “Stop” and “Go”, providing clear signals to dock attendants inside the building and truck drivers outside the building.

## Applications

- ✓ Control entry to parking garages, loading dock areas and drive-thru or any high traffic areas
- ✓ Guide trucks backing into loading docks
- ✓ Warn workers and drivers of hazardous situations

## Features

- ✓ LEDs provide up to 100 000 hours or 10 years of continuous use
- ✓ LEDs provide a high quality light with no glare
- ✓ Uses 30% less energy than conventional incandescent guide light units
- ✓ Recessed LED's are shock, vibration and temperature proof, and produce no heat
- ✓ Service/maintenance free, no need to replace bulbs or lenses
- ✓ Will not rust, pit or corrode

## Specifications

- ✓ LEDs provide up to 100 000 hours or 10 years of continuous use
- ✓ LEDs provide a high quality light with no glare
- ✓ Uses 30% less energy than conventional incandescent guide light units
- ✓ Recessed LED's are shock, vibration and temperature proof, and produce no heat
- ✓ Service/maintenance free, no need to replace bulbs or lenses
- ✓ Will not rust, pit or corrode



Model No.	Description	Price/Each
<b>XC796</b>	Interior 12 V/24 V universal	\$152.95
<b>XC797</b>	Exterior 12 V/24 V universal	\$154.85
<b>XC798</b>	Interior 110 V/CSA	\$219.45
<b>XC799</b>	Exterior 110 V/CSA	\$173.85

**Note:** When purchasing a system (inside/outside) for 110 V install, the interior model XC798 at 110 V is only required. This unit will accept the 24 V from exterior unit. As a system the outside MUST be 24 V, the only time one would need a 110 V outside is if they are plugging into another control box that outputs only 110 V

## TCS 3000 Sure-Dock

- ✓ Using the Sure-Dock system truck drivers can safely center their truck and/or trailer between the Sure-Dock panels
- ✓ Panels sold individually

Model No.	Description	Price/Each
<b>XC800</b>	Sure-Dock 12 V/24 V universal	\$142.50
<b>XC801</b>	Sure-Dock 110 V	\$158.65

## Vitalite® Rotating Warning Lights



- ✓ A compact, rotating light designed for in-plant applications
- ✓ Features a parabolic reflector that rotates around an incandescent lamp, providing 60 flashes per minute in all directions
- ✓ Available in 120 VAC
- ✓ Pipe and surface mount
- ✓ Type 4X, IP66 enclosure
- ✓ UL, cUL Listed and CSA certified



Model No.	Colour	Price/Each
<b>XC112</b>	Amber	\$274.55
<b>XC113</b>	Red	\$274.55
<b>XC114</b>	Blue	\$271.70
<b>XC273</b>	Clear	\$274.55
<b>XC274</b>	Green	\$274.55

## Electraflash® Strobe Warning Lights



- ✓ Economical strobe light designed for a variety of industrial uses
- ✓ Compact warning light is less than 6" tall and 6" diameter
- ✓ 24 VDC or 120 VAC
- ✓ 4000-hour strobe tube
- ✓ Type 3R enclosure
- ✓ UL Listed and CSA certified



Model No.	Description	Colour	Price/Each
<b>XC121</b>	24 VDC	Amber	\$168.15
<b>XC122</b>	24 VDC	Red	\$170.05
<b>XC284</b>	24 VDC	Blue	\$170.05
<b>XC123</b>	120 VAC	Amber	\$182.40
<b>XC124</b>	120 VAC	Red	\$184.30
<b>XC285</b>	120 VAC	Blue	\$184.30

**Note:** Clear and green available upon request

## Electraray® Hazardous Location LED Flashing Warning Lights with XLT™ Technology



- ✓ 120 VAC and 240 VAC
- ✓ Flashing mode standard (60 flash rate/minute), configurable to steady-burn
- ✓ 60 000-hour, vibration-resistant LED lamp
- ✓ 1/2" pipe mount
- ✓ Type 4X, IP66 enclosure, marine listed
- ✓ UL and cUL listed for class 1, division 2 applications



Model No.	Colour	Price/Each
<b>XC425</b>	Amber	\$577.60
<b>XC426</b>	Blue	\$757.15
<b>XC427</b>	Red	\$577.60
<b>XC428</b>	Green	\$757.15

**Note:** Also available in 24 V AC/DC

## Fireball® Strobe Warning Lights



- ✓ Very bright and compact strobe light
- ✓ Emits a powerful "lightning bolt" flash of light
- ✓ Approximately 5" tall and 4" in diameter
- ✓ Rated at 300-effective candlepower, can be used in a variety of stationary and vehicular warning requirements
- ✓ Available in 12-24 VDC, 120 VAC, and 240 VAC
- ✓ 10 000 hour strobe tube
- ✓ UL and cUL Listed, CSA Certified for indoor/outdoor use
- ✓ Type 4X, IP66 enclosure



Model No.	Colour	Price/Each
<b>XC135</b>	Amber	\$408.50
<b>XC136</b>	Red	\$408.50
<b>XC256</b>	Blue	\$408.50
<b>XC257</b>	Clear	\$408.50
<b>XC258</b>	Green	\$408.50

## StreamLine® Low Profile LED Lights



- ✓ 120 VAC
- ✓ 1/2" male pipe mount
- ✓ 100 000-hour LED lamp life
- ✓ Screw-on lens
- ✓ Type 4X enclosure
- ✓ Optional wire lens guard
- ✓ UL and cUL Listed, CSA Certified



Model No.	Colour	Price/Each
<b>XC420</b>	Amber	\$148.20
<b>XC421</b>	Red	\$214.70
<b>XC422</b>	Blue	\$148.20
<b>XC423</b>	Clear	\$233.70
<b>XC424</b>	Green	\$215.65

## Battery Powered Strobe Warning Lights



- ✓ Portable, battery powered warning light flashes 65 times per minute
- ✓ Solid-state flasher features components which are moisture-proof and reverse polarity protected to ensure extended battery life and trouble-free performance
- ✓ 12 VDC - uses two standard 6 VDC lantern batteries
- ✓ 4000-hour, strobe tube with magnetic base
- ✓ Type 3R weather proof enclosure



Model No.	Description	Colour	Price/Each
<b>XC139</b>	Strobe Tube	Amber	\$357.20
<b>XC140</b>	Strobe Tube	Red	\$357.20
<b>XC268</b>	Strobe Tube	Blue	\$357.20
<b>XC269</b>	Strobe Tube	Amber	\$357.20
<b>XC270</b>	Strobe Tube	Red	\$357.20
<b>XA430</b>	Replacement 6V Battery	Blue	\$14.06



# Streamline® Low Profile Strobe Lights



- ✓ Features a state-of-the-art strobe rated for 7000 hours
- ✓ High-quality, long-life strobe tubes are designed to reduce tungsten build-up for longer lamp maintenance cycles
- ✓ Screw-on lens provides easy access
- ✓ Low profile
- ✓ 120 VAC
- ✓ Type 4X, IP66
- ✓ UL and cUL Listed, CSA Certified
- ✓ PLC and triac compatible



## Pipe Mount

Model No.	Colour	Price/Each
<b>XC125</b>	Amber	\$137.75
<b>XC126</b>	Red	\$137.75
<b>XC286</b>	Blue	\$137.75
<b>XC287</b>	Clear	\$137.75
<b>XC288</b>	Green	\$137.75

## Mount

Model No.	Colour	Price/Each
<b>XC127</b>	Amber	\$139.65
<b>XC128</b>	Red	\$139.65
<b>XC129</b>	Blue	\$139.65
<b>XC289</b>	Clear	\$139.65
<b>XC290</b>	Green	\$139.65

## Edison Base

Model No.	Colour	Price/Each
<b>XC130</b>	Amber	\$163.40
<b>XC131</b>	Red	\$163.40
<b>XC262</b>	Blue	\$163.40
<b>XC263</b>	Clear	\$163.40
<b>XC264</b>	Green	\$163.40

## Male Pipe Mount

Model No.	Colour	Price/Each
<b>XC132</b>	Amber	\$133.95
<b>XC133</b>	Blue	\$133.95
<b>XC134</b>	Red	\$133.95
<b>XC265</b>	Blue	\$152.95
<b>XC266</b>	Clear	\$152.95
<b>XC267</b>	Green	\$152.95

## Flashing Combination Audible/Visual Signals



- ✓ Features 100% polycarbonate housing rated for Type 3R rain-tight applications
- ✓ Surface mount, integrated 1/2" pipe mount and 4" electrical box mount
- ✓ Twist-off lens for easy access
- ✓ Internal buzzer produces 85 dB at 10'
- ✓ Available in 120 VAC or LED
- ✓ UL and cUL Listed, CSA Certified
- ✓ Type 3R enclosure



### LED

Model No.	Colour	Price/Each
SEJ978	Amber	\$292.60
SEJ979	Red	\$292.60
SEJ980	Blue	\$292.60
SEJ981	Clear	\$292.60
SEJ982	Green	\$292.60

### Strobe Tube

Model No.	Colour	Price/Each
XC119	Amber	\$371.45
XC120	Red	\$364.80
XC278	Blue	\$371.45
XC279	Clear	\$371.45
XC280	Green	\$371.45

## Light Industrial-Duty Air Circulating Fans



- ✓ 120 V/60 Hz, 2-speed motor
- ✓ All-metal construction, chrome grill stand and base painted black
- ✓ Can be used in oscillating or non-oscillating mode
- ✓ Pedestal models feature adjustable height and heavy-duty round base for added stability
- ✓ 6' SJT power cord
- ✓ Stem length for pedestal: 89-124 cm
- ✓ Arm length wall: 32 cm
- ✓ EA571 is non-oscillating only



### Oscillating

Model No.	Description	Height (cm)	HP	Base Dia (cm)	CFM High	CFM Low	Wt. lbs.	Price/Each
EA282	26" Pedestal	140-175	1/4	60	7525	4050	26.5	\$377.15
EA283	30" Pedestal	145.5 - 180.5	1/3	68.8	8778	6780	31	\$391.40
EA284	26" Wall Mount	55	1/4	-	7525	4050	25	\$304.95

### Non-Oscillating

Model No.	Description	Height (cm)	HP	Base Dia (cm)	CFM High	CFM Low	Wt. lbs.	Price/Each
EA571	30" Pedestal	154-198	1/3	68.8	8400	6650	31	\$365.75

## Heavy-Duty Industrial Air Circulating Fans



- ✓ 115 V, 1/3 HP, 1 phase, 3 speed, totally enclosed air over ball bearing motor
- ✓ Patented modular motor end dome for easy maintenance
- ✓ Oscillating and non-oscillating
- ✓ Energy efficient - lowest watts per CFM
- ✓ Ultra quiet die cast aluminum airfoil propeller
- ✓ Wall and I-beam mounts able to be installed by one individual
- ✓ Includes: Cord and plug
- ✓ Meets OSHA standards



### Oscillating

Model No.	Description	F.L. Amps	CFM High	CFM Med	CFM Low	RPM High	RPM Med	RPM Low	Wt. lbs.	Price/Each
EA353	24" Pedestal	2.5	5387	4356	3125	1070	850	628	89	\$1,486.75
EA355	30" Pedestal	2.6	7996	5859	4063	1045	789	561	95	\$1,534.25
EA354	24" Wall Mount	2.5	5387	4356	3125	1070	850	628	60	\$1,353.75
EA356	30" Wall Mount	2.6	7996	5859	4063	1045	789	561	64	\$1,429.75

### Non-Oscillating


Model No.	Description	F.L. Amps	CFM High	CFM Med	CFM Low	RPM High	RPM Med	RPM Low	Wt. lbs.	Price/Each
EA349	24" Pedestal	2.5	5588	4556	3325	1110	900	700	85	\$941.45
EA351	30" Pedestal	2.8	8402	6259	4463	1098	880	660	87	\$1,008.90
EA350	24" Wall Mount	2.5	5588	4556	3325	1110	900	700	56	\$841.70
EA352	30" Wall Mount	2.6	8402	6259	4463	1098	880	660	60	\$907.25

**Note:** Performance Ratings are conducted in accordance with AMCA Standard 230-99

## Heavy-Duty Industrial Air Circulating Fans



- ✓ 115 V, 1 phase, 3 speed, totally enclosed air over ball bearing motor
- ✓ Adjustable pedestal (43"-63")
- ✓ Base diameter: 26" (non-oscillating) and 32" (oscillating)
- ✓ Wall/ceiling mounts with safety cable included
- ✓ 15' cord and three prong plug included
- ✓ RPM: 1100 (high), 800 (med), 600 (low)
- ✓ A safety cable kit is included in all overhead mounted air circulators to prevent the fan from falling if accidentally struck or mounting fails



### Oscillating

Model No.	Description	HP	F.L. Amps	CFM High	CFM Med	CFM Low	Wt. lbs.	Price/Each
EA311	24" Pedestal	1/3	3.2	4400	3460	2460	78	\$680.20
EA315	30" Pedestal	1/3	3.2	6100	4400	2700	95	\$711.55
EA313	24" Wall Mount	1/3	3.2	4400	3460	2460	46	\$502.55
EA317	30" Wall Mount	1/3	3.2	6100	4400	2700	57	\$534.85

### Non-Oscillating

Model No.	Description	HP	F.L. Amps	CFM High	CFM Med	CFM Low	Wt. lbs.	Price/Each
EA310	24" Pedestal	1/4	3.5	4400	3460	2460	82	\$539.60
EA314	30" Pedestal	1/4	3.5	6100	4400	2700	87	\$553.85
EA312	24" Wall Mount	1/4	3.5	4400	3460	2460	42	\$421.80
EA316	30" Wall Mount	1/4	3.5	6100	4400	2700	49	\$446.50

## Epoxy Coated Washdown Drum Fans



- ✓ 115 V, 1 phase, totally enclosed air cover, epoxy coated, ball bearing Washguard™ motor restricts entrance of moisture and releases any condensation from within
- ✓ Designed to withstand moist/wet environments without affecting performance of functionality
- ✓ Motor meets IEEE 45 and CCM-1807 specifications
- ✓ Motor washdown specification is IEC-IP55
- ✓ Tilttable
- ✓ 10-foot cord and plug included
- ✓ Two-year warranty



Model No.	Blade Size"	Switch	HP	CFM	RPM	F.L. Amps	Wt. lbs.	Price/Each
EA345	20	Toggle	1/4	3225	1140	2.9	75	\$1,598.85
EA346	24	Toggle	1/4	3990	1140	3.0	80	\$1,859.15
EA347	30	Toggle	1/4	4875	1140	3.2	103	\$00.00
EA348	36	Toggle	1/2	9800	850	5.3	130	\$00.00

## 24" Roll-About Air Fans

- ✓ 120V, 1/5 HP, 3 speed motor
- ✓ Cart mounted fan for increased air circulation and optimal mobility
- ✓ Can be tilted/ positioned to maximise ventilation
- ✓ Cart and frame configuration provide stable quiet operation
- ✓ CFM: 8550 (high), 7770 (medium), 7040 (low)



Model No.	Price/Each
EA476	\$323.00

## Stainless Steel Food Service Washdown Air Circulating Fans



- ✓ Designed to withstand moist/wet environments, high pressure cleaning with concentrated caustic solutions without affecting performance or function
- ✓ Constructed with electro-polished 304 stainless steel
- ✓ All stainless steel motor
- ✓ Non-oscillating, 1 phase, totally enclosed non-vented ball bearing
- ✓ BISSC approved motor
- ✓ Motor washdown specification is IEC-IP55
- ✓ Available in non-adjustable pedestal or wall mount
- ✓ Safety cable kit is included in all overhead mounted air circulators
- ✓ Meets the USDA and the NSF for food zones
- ✓ 10-year warranty



Model No.	Description	Voltage	HP	CFM	RPM	Wt. lbs.	Price/Each
EA339	20" Pedestal	115 V	1/15	2670	1600	69	\$2,308.50
EA341	24" Pedestal	115/230 V	1/4	5220	1075	79	\$2,773.05
EA343	30" Pedestal	115/230 V	1/3	8800	1075	81	\$3,054.25
EA340	20" Wall mount	115 V	1/15	2670	1600	52	\$2,077.65
EA342	24" Wall mount	115/230 V	1/4	5220	1075	62	\$2,394.00
EA344	30" Wall mount	115/230 V	1/3	8800	1075	64	\$2,748.35

**Note:** Performance ratings are conducted in accordance with AMCA Standard 230-99. When assembling fans, use only the stainless steel fasteners supplied with the motors. Fans and motors should be cleaned and inspected regularly. Cord and plug not provided. Must be hard wired. Wiring must conform to all national, provincial and local codes.

# Ceiling Fans



- ✓ A major source of untapped energy is available at the ceiling in most industrial and commercial buildings
- ✓ Air stratification causes heat build-up at the ceiling as much as 25 °F or more above floor level temperatures
- ✓ By installing ceiling fans, this warm air can be recirculated down to floor level to maintain a uniform air temperature from floor to ceiling
- ✓ The result saving can be as much as 30 %
- ✓ Electro-static white paint
- ✓ When ceiling fans are used for cooling people during the summer, they should be spaced 15' to 20' apart in the occupied area
- ✓ In warehouse storage areas, best results will be obtained if fans are mounted over aisle ways
- ✓ Fans should not be mounted less than 10' above the floor, the use of a safety cable is required on all ceiling fans



### Mark I

- ✓ 1-year commercial warranty

### Mark IV

- ✓ 2-year commercial warranty

### Jetproof

- ✓ Moisture and dust resistant
- ✓ Preassembled with watertight power cord and safety cable
- ✓ 2-year commercial warranty

Model No.	Blade Size"	Fan Style	Down Length"	CFM	RPM	Voltage	Amps	Watts Full Speed	Wt. lbs.	Price/Each
EA357	56	Mark I	30/15	26400	290	120	0.52	62	15	\$131.10
EA358	56	Mark VI	32/14	32900	311	120	1.12	120	17	\$252.70
EA359	56	Mark VI	30/15	39600	320	277	1.2	125	16	\$280.25
EA362	56	Jetproof (JP-CP)	24	32900	311	115	1.12	120	16	\$396.15

**Note:** Safety cable included. Cord and plug not provided, must be hard wired, wiring must conform to all national, state and local code (except EA362).

## Accessories

### Controls for Ceiling Fans

Model No.	Description	Wt. lbs.	Price/Each
EA363	Variable speed control regulates 1 to 6 fans. 1 Not to exceed a maximum amp draw of 6 amps	1	\$77.71
EA364	Variable speed control regulates 7 to 12 fans. 1 Not to exceed a maximum amp draw of 10 amps	1	\$159.60
EA365	Variable speed control, 277 V, regulates 1 to 3 fans. 1.5 Amps	1	\$80.94

### Guard Kit & Mesh cover for 56" fans

Model No.	Description	Wt. lbs.	Price/Each
EA366	61" dia. nickel chrome plated top and bottom protective guard kit	21	\$386.65
EA367	Nylon mesh wrap-around cover with nylon draw strings	1	\$261.25

## Thermostat Protectors



- ✓ Molded of 1/8" thick, heavy-duty polycarbonate
- ✓ Offer excellent protection against tampering, abuse and accidental damage without affecting operation of thermostat or sensor
- ✓ Holes in the frame allow air to circulate freely
- ✓ Inner wall prevents tampering with dials and levers
- ✓ All thermostat covers have a key lock assembly
- ✓ Easy and quick installation
- ✓ Available for flush and surface mount applications (with use of spacer)
- ✓ Spacer adds 2" in depth and can mount around existing conduit
- ✓ Thick polycarbonate cover is backed by a lifetime guarantee against damage in normal use
- ✓ Polycarbonate rated -40°F (-40°C) to 120°F (49°C)



Model No.	Description	Colour	W"	D"	H"	Price/Each
<b>SAN648</b>	Thermostat Protector, Large	Clear	8.5	3.62	5.37	\$65.74
<b>SAN649</b>	Thermostat Protector, Small	Clear	5.5	3	4.62	\$49.78
<b>SAN650</b>	Thermostat Protector, Small	Smoke	5.5	3	4.62	\$54.06
<b>SAN651</b>	Spacer for SAN649 and SAN650	Clear	5.5	2	5	\$29.36

## 6" Clip-On & Desk Fans



- ✓ 2-speed, low and high settings
- ✓ Tilting head
- ✓ Fully assembled and ready for use
- ✓ Convertible clip and desk feature
- ✓ Weight: 2.21 lbs.



Model No.	Price/Each
<b>EA304</b>	\$25.37

## 16" Wall Mount Oscillating Fans



- ✓ 3-speed control with timer and remote
- ✓ Rotating or fixed air direction
- ✓ Portable and easy to assemble
- ✓ Weight: 8.82 lbs. Weight: 2.21 lbs.



Model No.	Price/Each
<b>EA526</b>	\$92.44

## 18" Oscillating Pedestal Fans



- ✓ 3-speed push button front control
- ✓ Adjustable height
- ✓ Rotating or fixed air direction
- ✓ Easy to assemble
- ✓ Weight: 19.84 lbs.



Model No.	Price/Each
EA551	75.72

## 20" High Velocity Pedestal Fans



- ✓ 120 V/60 Hz, 1/4 HP, 3-speed motor
- ✓ All-metal construction, chrome grill, black painted base
- ✓ Adjustable pedestal base
- ✓ 6' SJT power cord
- ✓ **CFM:** 5950 high, 4550 medium, 3850 low
- ✓ Overall height: 134-157.5 cm
- ✓ Base dia.: 48.5 cm
- ✓ Stem length: 63-86.5 cm
- ✓ Weight: 36 lbs.



Model No.	Price/Each
EA526	\$92.44

## Oscillating Desk Fans with Push Buttons



- ✓ 3-speed push buttons controls
- ✓ Rotating or fixed air direction
- ✓ Portable and easy to assemble
- ✓ Topples resistant base



Model No.	Dia. "	Wt. lbs	Price/Each
EA305	12	5.5	\$46.55
EA306	16	6.83	\$56.62

## 20" Box Fans



- ✓ 3-speed control
- ✓ Five slim blades
- ✓ Fully assembled and ready to use
- ✓ Weight: 9.92 lbs.



Model No.	Price/Each
<b>EA527</b>	\$63.37

## High Velocity Floor Fans



- ✓ 120 V/60 Hz, 1/4 HP, 3-speed motor
- ✓ All metal construction, chrome grill and base



Model No.	Dia.™	CFM High	CFM Med	CFM Low	Wt. lbs	Price/Each
<b>EA528</b>	16	2370	1950	1560	10	\$90.92
<b>EA290</b>	16	4725	3850	2975	16.18	\$124.45

## 18" Cart Mounted Fans



- ✓ 115 V, 1/8 HP, 1 phase, 3-speed, open drip proof, ball bearing motor
- ✓ Adjusts on 360°
- ✓ Nickel chrome guards meet OSHA regulations
- ✓ Four-position easy reach switch with 10' threeconductor cord and plug
- ✓ Aluminum propellers
- ✓ 4" casters
- ✓ CFM: 2966 high, 2437 medium, 2013 low
- ✓ RPM: 1600 high, 1350 medium, 1180 low
- ✓ Weight: 23 lbs.
- ✓ 1-year warranty



Model No.	Price/Each
<b>EA335</b>	\$00.00



## Electronic Window Horizontal Air Conditioners

- ✓ 3-speed fan
- ✓ Programmable thermostat
- ✓ 24-hour programmable timer
- ✓ Energy saver mode and sleep mode
- ✓ 4-way directional louvers
- ✓ One touch lift washable/reusable filter
- ✓ Remote control
- ✓ Aluminum fins with protective coat
- ✓ Compressor
- ✓ start-stop protection



Model No.	BTU Rating	W"	D"	H"	Wt. lbs.	Price/Each
<b>EA083</b>	6300	18 19/32	15 23/32	12 3/4	46	\$00.00
<b>EA081</b>	8000	18 19/32	15 23/32	12 3/4	51	\$336.30
<b>EA235</b>	10000	19 1/32	21 1/4	14 9/16	77	\$394.25

## Air Purifier

- ✓ Reduces smoke, dust, pollen and other particles
- ✓ Independent ioniser to assist with particle removal
- ✓ Quiet 3-speed fan with high quality motor
- ✓ Washable pre-filter
- ✓ Filters included



Model No.	Description	Room Size sq.ft.	Price/Each
<b>EA585</b>	Tower	180	\$84.55

## 99.97% HEPA Air Purifiers

- ✓ Effectively removes up to 99.97% of airborne particulate pollutants as small as 0.3 microns such as dust, pollen, smoke, mould spores and pet dander from air passing through the filter
- ✓ Digital control
- ✓ Space saving design can be placed upright or on side
- ✓ Carbon filter enhanced with baking soda to absorb and eliminate odours
- ✓ Filter service check - reminds you when it's time to clean the filter
- ✓ Timer
- ✓ CADR smoke 168, dust 174 and pollen 140



Model No.	Recommended Room Size sq.ft.	Price/Each
<b>EA554</b>	256	\$171.95

### Replacement Parts

Model No.	Recommended Room Size sq.ft.	Price/Each
<b>BB243</b>	HEPA filter	\$58.24
<b>BB226</b>	Carbon filter	\$16.44

## Mobile 3 in 1 Air Conditioners

- ✓ 3-speed fan
- ✓ Can be used as and air conditioner, a dehumidifier or a fan
- ✓ Programmable thermostat
- ✓ 24-hour programmable timer
- ✓ Sleep and auto mode
- ✓ Independent dehumidifying system
- ✓ shut down when tank is full



Model No.	Price/Each
<b>EA600</b>	\$478.80

## Mobile 3 in 1 Air Conditioners

- ✓ 3-speed fan
- ✓ Can be used as and air conditioner, a dehumidifier or a fan
- ✓ Programmable thermostat
- ✓ 24-hour programmable timer
- ✓ Sleep and auto mode
- ✓ Independent dehumidifying system
- ✓ shut down when tank is full



Model No.	Capacity Pints	Coverage sq. ft.	W"	D"	H"	Wt. lbs.	Price/Each
<b>EA567</b>	30	2000	20 7/8	16	13	34	\$258.40
<b>EA568</b>	45	2500	20 7/8	16	13	35.3	\$318.25
<b>EA569</b>	50	3000	25 3/4	17 1/3	13 2/3	53	\$330.60
<b>EA570</b>	70	4000	25 3/4	17 1/3	13 2/3	54	\$381.90

## Cool Mist Humidifier Consoles **Holmès**


- ✓ Humidifies up to 1700 sq.ft.
- ✓ 8-gal. output, 6-gal. capacity
- ✓ Adjustable humidistat
- ✓ Runs up to 48 hours
- ✓ Two portable tanks and wheels for easy mobility



Model No.	Price/Each
<b>BB312</b>	\$12.83

## Smoke Ejectors

Remove smoke, welding fumes and undesirable contaminants from the air or bring clean air in. Reversible smoke ejectors are equipped with a totally enclosed ball bearing motor with automatic overload protection. Units are CSA approved. Explosion-proof models in accordance with Class 1 Group D/Class II Group EFG. All are 115 VAC, 1/3 HP, 1725 RPM equipped with a 6' power cord, cord holder and cadmium plated protection guards. Hoses are fire safe single ply neoprene impregnated nylon.



Model No.	Type	CFM @ 0.10" SP	L"	W"	H"	Wt. lbs.	Price/Each
BA099	Standard	1620	17	14 1/8	14 1/8	12	\$876.38
BA101	Standard	3050	17	19 1/8	19 1/8	16	\$930.05
BA103	Standard	3700	17	21 3/8	21 3/8	18	\$910.10
BA102	Exp. Proof	3050	17	19 1/8	19 1/8	16	\$1,985.50
BA104	Exp. Proof	3700	17	21 3/8	21 3/8	18	\$1,965.55

### Collar Adaptors

Model No.	Type	Price/Each
BA026	12	\$137.75
BA028	16	\$157.80
BA029	18	\$179.46

### Flexible Hoses


Model No.	Length'	Dia."	Price/Each
BA049	15	12	\$00.00
BA050	20	16	\$00.00
BA051	20	18	\$00.00

## Shutter Fans



Airmaster® Fan Company

- ✓ 115 V motor 1 phase
- ✓ Totally enclosed motor
- ✓ Direct drive, low pressure
- ✓ Fully assembled, ready to Install
- ✓ Rear guard meets OSHA standards
- ✓ 24" and 30": 3 speeds with pull chain motor, plug and cord included



Model No.	Dia"	CV	0" S.P. CFM	1/8" S.P. CFM	Panel Size (sq)	Wall Opening (sq)	Wt.lbs.	Price/Each
EA368	7	1/30	121	60	11 1/8"	8 1/2"	10	\$316.35
EA369	10	1/30	611	318	13 1/8"	10 1/2"	10	\$263.15
EA370	12	1/30	815	490	15 1/8"	13"	12	\$307.80
EA371	16	1/20	1216	765	19 1/8"	17"	20	\$460.75
EA372	18	1/15	1877	752	21 1/8"	18 1/2"	25	\$514.90
EA373	20	1/15	2235	920	23 1/8"	20 1/2"	35	\$547.20
EA374	24	1/4	3214	2015	27 1/8"	25"	48	\$645.05
EA375	30	1/4	4970	3510	33 1/8"	30 1/2"	57	\$961.40

## All Purpose Wall Fans



- ✓ 115 V motor
- ✓ Direct drive, low pressure
- ✓ Totally enclosed sleeve bearing motors
- ✓ Non-overloading propeller
- ✓ High efficiency, low operating cost
- ✓ Built-in rear guard
- ✓ Commercial-duty
- ✓ Four holes 0.38" dia.



Model No.	Dia"	HP	RPM	Wt.lbs.	Price/Each
EA376	10	1/30	1550	12	\$531.05
EA377	12	1/30	1550	14	\$552.90
EA378	16	1/9	1050	24	\$670.70
EA379	18	1/9	1050	27	\$712.50

## Light Industrial Direct Drive Drum Fans



- ✓ 120 V/60 Hz, 2-speed motor
- ✓ All-metal construction, painted black
- ✓ 6' SJT power cord
- ✓ 6" casters with easy moving handle



Model No.	Blade Size	HP	Watts	CFM High	CFM Low	Wt. lbs.	Price/Each
EA286	28	2/5	290	8050	6500	22	\$458.85
EA288	36	3/5	405	11200	9100	30.5	\$562.40

## 36" Belt Drive Drum Fans



- ✓ 115 V, 1/2 HP, 2-speed, 1-phase, ball bearing motor
- ✓ 3-bladed aluminum propellers
- ✓ 2-speed rocker switch
- ✓ Epoxy coated barrel and steel resilient mounted guards
- ✓ Steel wheels with rubber tires
- ✓ Easy grip handle with cord wrap
- ✓ 10' cord with three-prong plug
- ✓ Tilttable
- ✓ CFM: 7800 (high), 5300 (low)
- ✓ RPM: 660 (high), 450 (low)
- ✓ Weight: 116 lbs.



Model No.	Price/Each
EA318	\$755.25

## 48" Belt Drive Drum Fans



- ✓ 115 V, 1 HP, 1 speed, 1 phase, ball bearing motor
- ✓ 4-bladed steel propellers
- ✓ Epoxy coated steel spiral, resilient mount guards
- ✓ Steel wheels with rubber tires
- ✓ Front leg bracket, pull handle
- ✓ 12' three-conductor SJT type cord with switch
- ✓ CFM: 17 173
- ✓ RPM: 385
- ✓ Weight: 165 lbs.
- ✓ Comes fully assembled



Model No.	Price/Each
EA320	\$00.00

## 24" Direct Drive Drum Fans



- ✓ 115 V, 1/4 HP, 2-speed, 1-phase, ball bearing motor
- ✓ 3-bladed galvanized steel propellers
- ✓ 2-speed rocker switch
- ✓ Epoxy coated barrel and steel resilient mounted guards
- ✓ Two steel wheels with rubber tires
- ✓ Handle with cord wrap for 10' cord with three-prong plug
- ✓ Tilttable
- ✓ CFM: 4000 (high), 2100 (low)
- ✓ RPM: 1100 (high), 800 (low)
- ✓ Weight: 70 lbs.



Model No.	Price/Each
EA338	\$00.00

## 42" Belt Drive Drum Fans



- ✓ 115 V, 1 HP, 2-speed, 1-phase, ball bearing motor
- ✓ Motor out of air stream – stays clean
- ✓ Aluminum 4-bladed propellers
- ✓ Rocker switch
- ✓ Epoxy coated steel spiral, resilient mount guards
- ✓ Steel hubbed wheels, swivel locking casters
- ✓ 20-gauge roll form epoxy coated housing
- ✓ 10' three-conductor cord and plug
- ✓ CFM: 17 100 (high), 9558 (low)
- ✓ RPM: 430 (high), 285 (low)
- ✓ Quiet operation: 75 dB (high), 67 dB (low)
- ✓ Weight: 130 lbs



Model No.	Price/Each
EA319	\$00.00

## Direct Drive 4-in-1® Drum Fans



- ✓ 115 V, 1 phase, ball bearing motor
- ✓ One fan with four mounting options in the same carton: Hanging mount, ceiling mount, wall mount, portable barrel
- ✓ Guards, barrel mountings epoxy coated
- ✓ Pull chain switch
- ✓ Tilttable



Model No.	Blade Size	# of Speeds	CFM High	CFM Med	CFM Low	RPM High	RPM Med	RPM Low	Wt. lbs.	Price/Each
EA336	30	1/4	5670	4590	6500	1110	810	600	22	\$589.00
EA337	36	1/2	11200	-	9100	830	-	600	30.5	\$721.05

## Stella Exit Signs

- ✓ C860 approved
- ✓ All LED versions feature 120/347 VAC dual input (hardwire) and universal DC; 6 - 24 VDC
- ✓ Uses 2 W LED board
- ✓ Long life LED light source, 20-year life expectancy
- ✓ Knockout chevrons
- ✓ 20-gauge steel construction with baked powder coat white paint finish
- ✓ Pre-stamped universal mounting and keyhole slots on backplate



Model No.	Description	W"	D"	H"	Price/Each
XE663	Exit	12	2.25	7.5	\$00.00

## Stella Combination Signs

- ✓ C860 approved
- ✓ LED EXIT and SORTIE models 120/347 VAC dual input (hard wire)
- ✓ Push button test switch
- ✓ Self-powered for minimum 30 minutes -6 VDC 36 W
- ✓ Solid state transfer charger
- ✓ Dual diagnostic LEDs indicate AC-ON and CHARGE
- ✓ Brownout and low voltage protection
- ✓ Two top mounted high impact thermoplastic PAR18 9 W tungsten heads
- ✓ Knockout chevrons
- ✓ 20-gauge steel construction with baked powder coat white paint finish




Model No.	Description	Price/Each
XE664	Exit	\$00.00

Model No.	Description	Price/Each
XB338	9 W Tungsten Replacement Bulb	\$00.00

## Emergency Lights

- ✓ Low profile design is fast and easy to install
- ✓ Unit is standard polycarbonate with white finish
- ✓ Two 5.4 W lamps provide even illumination
- ✓ Automatically and instantly energizes lamp load upon failure of AC supply
- ✓ Pulse-guard charger fully recharges battery in 24 hours
- ✓ AC on LED and test switch provided
- ✓ 11 4/5" W x 2 3/4" D x 5" H
- ✓ Certified for sale in Canada by an accredited certification body



Model No.	Description	Price/Each
<b>XA434</b>	Deco	\$00.00

## Motion Sensor Security Lights

- ✓ Pre-wired outdoor lighting comes with a motion sensor to discourage intruders
- ✓ Can be wall or ceiling mounted
- ✓ Hidden controls
- ✓ Electric photocell allows unit to function at night only
- ✓ Detection area: 80' L x 40' W
- ✓ 125 V
- ✓ Bulbs sold separately
- ✓ Certified for sale in Canada by an accredited certification body



Model No.	Description	Price/Each
<b>XC366</b>	Brown	\$27.93
<b>XA458</b>	White	\$27.93

Model No.	Description	Price/Each
<b>XB134</b>	75W PAR 38 Flood light	\$6.57

## Emergency Security Lights

- ✓ 2 head plug-in fully rechargeable emergency light
- ✓ Turns on automatically when the power goes out
- ✓ Can operate for up to 2 hours when both lights are engaged (4 hours if one light is engaged)
- ✓ Choice of either shelf or wall mounting
- ✓ Certified for sale in Canada by an accredited certification body



Model No.	Price/Each
<b>XB456</b>	\$1.72

### Replacement Bulb

Model No.	Price/Each
<b>XB339</b>	\$156.75

## Illumina® BS100 Series IP66 Vapor-Tight



- ✓ Lightweight, durable 100% corrosion, flame and vandal resistant polycarbonate construction
- ✓ Designed to be resilient, highly efficient and easy to install
- ✓ For ceiling, wall, suspension and pendant installations
- ✓ UV stabilized to reduce the yellowing index
- ✓ Liquid silicone memory retention gasket allows for installations in wet locations
- ✓ Incorporates a "dual concave" parabolic high-output, metalized reflector
- ✓ Also approved for through wiring application
- ✓ Certified for sale in Canada by an accredited certification body



Model No.	Volts	Price/Each
<b>XC441</b>	120	\$120.65
<b>XC442</b>	347	\$136.80

## Nova Emergency Lighting Units



- ✓ 120/277/347 VAC input
- ✓ Push button test switch
- ✓ Dual diagnostic LEDs indicate AC-ON and CHARGE
- ✓ Solid state transfer charger
- ✓ Brownout and low voltage protection
- ✓ Two top mounted high impact thermoplastic PAR18 9 W tungsten heads
- ✓ 20-gauge steel construction with baked powder coat white paint finish
- ✓ Pre-stamped universal mounting and keyhole slots
- ✓ Output 6 VDC or 12 VDC at rated wattage for 30 minutes
- ✓ Batteries included



Model No.	Replacement Batteries	Voltage Output	Watts (1/2 hr.)	Watts (1 hr.)	Watts (1 1/2 hr.)	Watts (2 hr.)	Price/Each
<b>XA190</b>	XA604	6	36	18	12	9	\$120.65
<b>XA438</b>	XB921	6	50	25	17	12	\$156.75
<b>XA439</b>	-	6	80	40	26	20	\$180.50
<b>XA440*</b>	XA604	12	72	36	24	18	\$207.10
<b>XA441</b>	XB922	12	120	80	65	25	\$270.75
<b>XA442*</b>	XA605	12	150	80	65	40	\$316.35
<b>XA443*</b>	XB922	12	200	100	60	45	\$380.00
<b>XA444**</b>	XA606	12	250	125	83	62	\$395.20
<b>XA445</b>	XA606	12	360	180	120	90	\$404.70

### Replacement Bulb

Model No.	Description	Price/Each
<b>XB338</b>	9 W Tungsten	\$1.76

\*Two batteries required

\*\*Three batteries required



## NEMA12 Emergency Lighting Units



- ✓ NEMA12 rated – water and dust tight units
- ✓ 120/277/347 VAC input
- ✓ Push button test switch
- ✓ Dual diagnostic LEDs indicate AC-ON and CHARGE
- ✓ Solid state transfer charger
- ✓ Brownout and low voltage protection
- ✓ Two top mounted, high impact thermoplastic PAR36 9 W tungsten weatherproof heads
- ✓ 20-gauge steel housing in industrial grey fibreglass finish
- ✓ Pre-stamped mounting holes
- ✓ Output 6 V or 12 VDC at rated wattage for 30 minutes
- ✓ Certified for sale in Canada by an accredited certification body
- ✓ Batteries included



Model No.	Replacement Batteries	Voltage Output	Watts (1/2 hr.)	Watts (1 hr.)	Watts (1 1/2 hr.)	Watts (2 hr.)	Price/Each
SEG853	XA604	6 VDC	36	18	9	0	\$367.65
SEG854	XA605	6 VDC	80	40	20	10	\$461.70
SEG855*	XA604	12 VDC	72	36	18	9	\$619.40

### Replacement Bulb

Model No.	Description	Price/Each
XB338	9 W Tungsten	\$1.76

\*Two batteries required

## Sealed Lead Acid Batteries



Model No.	Replacement Batteries	Price/Each
XA604	6 V, 5 Ampere-Hour	\$00.00
XA605	6 V, 12 Ampere-Hour	\$00.00
XA606	12 V, 32 Ampere-Hour	\$00.00
XB921	6 V, 7.2 Ampere-Hour	\$00.00
XB922	12 V, 7.2 Ampere-Hour	\$00.00

## Bay Master 400 – Open High Bay Lights



- ✓ Ideal for use in warehouses, manufacturing facilities and distribution centres
- ✓ Anodised spun aluminum reflector
- ✓ Die-cast aluminum ballast housing
- ✓ Mogul base pulse-rated socket
- ✓ Adjustable bracket allows for field setting for desired distribution
- ✓ Includes: hook with locking screw, pre-wired 3-ft. cord and lamp



Model No.	Watts	Volts	Lamp Style	Ballest Type	Reflector Dia.:"	Mounting	Price/Each
XA492	400	120/277/347	Metal Halide	CWA	16	Hook /Cord	\$00.00
XB072	250	120/277/347	HPS	CWA	16	Hook /Cord	\$00.00
XA493	400	120/277/347	HPS	CWA	16	Hook /Cord	\$00.00

## Low Bay Star – Compact Low Bay Lights



- ✓ White, 22" reflector offers a mixture of direct and indirect light in a wide, symmetrical beam
- ✓ UV stabilized acrylic drop lens
- ✓ Ballast housing is made of die-cast aluminum
- ✓ Mogul base pulse-rated socket
- ✓ Includes: hook with locking screw, pre-wired 3-ft. cord and lamp



Model No.	Watts	Volts	Lamp Style	Ballast Type	Reflector Dia. "	Mounting	Price/Each
<b>XB074</b>	400	120/277/347	Metal Halide	CWA	22	Hook /Cord	\$00.00

## High Pressure Sodium Wall Packs



- ✓ HPS is energy efficient, lasts up to 12 times longer than incandescent floodlights
- ✓ Built-in light sensor automatically turns on at dusk and off at dawn
- ✓ High-impact injection-moulded polycarbonate housing
- ✓ Die-cast aluminum back plate
- ✓ Mounts on any vertical surface
- ✓ Bulb included



Model No.	Watts	Volts	Colour	Price/Each
<b>XC578</b>	400	120/277/347	Brown	\$00.00

## Micro Ace Plus – Compact Floodlights



- ✓ Versatile and economic light source for architectural, sign and landscape lighting
- ✓ Made of corrosion resistant die-cast aluminum in a bronze powder coat finish
- ✓ Tempered shock resistant glass
- ✓ Die-cast 1/2" threaded knuckle for aiming in any vertical degree
- ✓ Pin-hinged for easy lamp replacement
- ✓ Medium-base pulse-rated socket
- ✓ Dimensions: 9" L x 9" W x 8" D
- ✓ Includes lamp




**SMALL Overall dimensions: 13" L x 9" W x 7 1/4" D**

Model No.	Watts	Volts	Lamp Type	Ballast Type	Price/Each
<b>XA478</b>	70	120	HPS	NPF Reactor	\$00.00
<b>XA479</b>	100	120	HPS	NPF Reactor	\$00.00
<b>XA480</b>	150	120	HPS	NPF Reactor	\$00.00
<b>XB096</b>	175	120/277/347	Metal Halide	CWA	\$00.00

## Lux Cube – Wallpack Security Lights



- ✓ Die-cast aluminum wallpacks are moisture and dustproof
- ✓ Provides resistance to weather which results in increased longevity
- ✓ Face frame is hinged and secured to back box with 2 stainless steel screws
- ✓ Medium base (small) or mogul base (medium and large), pulse-rated socket



### SMALL Overall dimensions: 13" L x 9" W x 7 1/4" D

Model No.	Watts	Volts	Lamp Type	Ballast Type	Price/Each
<b>XB076</b>	70	120	HPS	NPF* Reactor	\$00.00
<b>XB077</b>	100	120	HPS	NPF* Reactor	\$00.00
<b>XB086</b>	175	120/277/347	Metal Halide	CWA	\$00.00
<b>XB080</b>	100	120/277/347	Metal Halide	CWA	\$00.00

### MEDIUM Overall dimensions: 18" L x 9" W x 9 3/4" D

Model No.	Watts	Volts	Lamp Type	Ballast Type	Price/Each
<b>XB085</b>	250	120/277/347	HPS	CWA	\$00.00
<b>XB087</b>	250	120/277/347	Metal Halide	CWA	\$00.00

### LARGE Overall dimensions: 18" L x 9" W x 12 3/4" D

Model No.	Watts	Volts	Lamp Type	Ballast Type	Price/Each
<b>XB090</b>	400	120/277/347	HPS	CWA	\$00.00
<b>XB091</b>	400	120/277/347	Metal Halide	CWA	\$00.00

\* NPF = Normal Power Factor

# Dome Mirrors





- ✓ Increase surveillance and prevent accidents due to blind corners
- ✓ Constructed of acrylic for added durability
- ✓ All mirrors have a black protective edge and hanging clips
- ✓ Full dome mirrors come with hanging chains and hooks
- ✓ All mirrors are open-topped

### Ideal Locations:

- 360°** 4-way intersections
- 180°** T-intersections
- 90°** Corner intersections

**Use Furniture Polish to Clean Mirrors.  
Glass Cleaner will Damage Surface.**



### Full Dome

Model No.	Dia.™	Wt. lbs.	Price/Each
SEJ875	20	1.5	\$101.65
SEJ876	24	2	\$130.15
SEJ877	31	3	\$242.25
SEJ878	47	6.5	\$455.05

**Note:** Comes with hanging hardware

### Half Dome

Model No.	Dia.™	Wt. lbs.	Price/Each
SEJ879	20	0.75	\$60.61
SEJ880	24	1	\$71.73
SEJ881	31	1.5	\$133.00
SEJ882	47	3.25	\$260.30

\* The dimensions listed above are that of a full dome

### Quarter Dome

Model No.	Dia.™	Wt. lbs.	Price/Each
SEJ883	20	0.35	\$37.43
SEJ884	24	0.5	\$48.26

\* The dimensions listed above are that of a full dome

# Closed-Top Dome Mirrors



- ✓ Maximize safety at a glance
- ✓ Reduce the chances of accidents due to blind corners in the plant or warehouse
- ✓ Constructed of heavy-duty acrylic for durability
- ✓ All mirrors have a black protective edge
- ✓ Closed top keeps out dust and debris

**Use Furniture Polish to Clean Mirrors.  
Glass Cleaner will Damage Surface.**



### Full Dome 360\*

Model No.	Dia.™	Wt. lbs.	Price/Each
SAQ963	18	8.4	\$146.30
SAQ964	24	8.7	\$193.80
SAQ965	33	19.8	\$310.65
SAQ966	44	41	\$626.05

### Half Dome 180\*

Model No.	Dia.™	Wt. lbs.	Price/Each
SAQ967	18	5.5	\$136.80
SAQ968	24	8	\$187.15
SAQ969	33	18	\$00.00
SAQ970	44	35	\$00.00

\* The dimensions listed above are that of a full dome

## Drop-In Ceiling Panel Domes



- ✓ Attractive 24" dome mirror for 360° viewing
- ✓ One-piece drop-in dome includes a mirrored ceiling panel to fit a standard 2' x 2' drop-ceiling tile
- ✓ Can also fit a standard 2' x 4' drop-ceiling tile (simply cut the ceiling tile in half)



**Use Furniture Polish to Clean Mirrors.  
Glass Cleaner will Damage Surface.**

Model No.	Price/Each
SAR052	\$00.00

## Convex Mirrors



- ✓ Prevent accidents and increase surveillance with a lightweight acrylic convex mirror
- ✓ Adjustable mounting hardware included with each mirror
- ✓ 100° viewing angle and mounted ball and swivel
- ✓ Telescoping arm adjusts from 15" to 21"
- ✓ For indoor or outdoor use



**Use Furniture Polish to Clean Mirrors.  
Glass Cleaner will Damage Surface.**

Indoor				Outdoor		
Model Dia.™	Model No.	Wt. lbs.	Price/ea	Model No.	Wt. lbs.	Price/Each
12	SA725	2	\$52.35	SA720	4	\$64.51
18	SA726	3	\$67.93	SA721	5	\$85.12
26	SA727	6	\$110.20	SA722	9	\$126.35
30	SA728	7	\$140.60	SA723	11	\$179.55
36	SA729	9	\$178.60	SA724	15	\$241.30

## Rountagular Convex Mirrors



- ✓ The top and bottom of these convex mirrors have been trimmed or "cropped" to fit into smaller spaces
- ✓ Provides the same larger view, as the full sized convex, but takes up less space
- ✓ Use when mounting space is limited
- ✓ such as lower ceilings or overhangs
- ✓ Exteriors models are enclosed



**Use Furniture Polish to Clean Mirrors.  
Glass Cleaner will Damage Surface.**

Indoor				Outdoor		
Size™	Model No.	Wt. lbs.	Price/ea	Model No.	Wt. lbs.	Price/Each
12 x 18	SAQ971	3.5	\$71.35	SAQ975	4.7	\$140.60
18 x 26	SAQ972	4.75	\$115.90	SAQ976	8	
20 x 30	SAQ973	6.7	\$153.90	SAQ977	12.5	\$279.30
24 x 36	SAQ974	9.3	\$193.80	SAQ978	18.25	\$376.20

## Flat Mirrors



- ✓ Ideal for locations where accurate depth perception is essential
- ✓ Mirrors are made of acrylic with galvanized steel back
- ✓ Framed mirrors have an aluminum edge.
- ✓ Arm adjusts from 15" to 21"
- ✓ Ball and swivel, and telescoping arm and bracket are included with each mirror

**Use Furniture Polish to Clean Mirrors.  
Glass Cleaner will Damage Surface.**



### Unframed

Size"	Model No.	Price/ea	Model No.	Price/Each
12 x 12	<b>SA744</b>	\$71.54	<b>SA749</b>	\$134.90
12 x 18	<b>SA745</b>	\$81.23	<b>SA750</b>	\$151.05
18 x 24	<b>SA746</b>	\$136.80	<b>SA751</b>	\$210.90
24 x 30	<b>SA747</b>		<b>SA752</b>	
30 x 36	<b>SA748</b>	\$299.25	<b>SA753</b>	\$409.45

### Framed

## Driveway "T" Posts

- ✓ Strong, durable and reusable posts
- ✓ Used for snow clearing, parking lot or roadway markers
- ✓ Bright colour and reflective material on both sides offer excellent visibility day or night
- ✓ Will not rust
- ✓ Tough enough to be driven into the ground with a sledge hammer
- ✓ Auto impact resistant
- ✓ Standard size: 5'
- ✓ Reflective Strip on both sides



Model No.	Description	Qty/Pkg.	Price/Each
<b>SH407</b>	Lime Strip	6	\$104.50
<b>SH408</b>	Red/Silver Strip	6	\$104.50

## Reflective Walkway Sticks

- ✓ Impact resistant and flexible fibreglass construction
- ✓ Durable in all types of weather conditions
- ✓ Reflective strips provide 360° visibility and stand out during night-time or day-time use
- ✓ Tapered end for easy installation, opposite end has a protective cap



Model No.	Description	Price/Each
<b>SH409</b>	4' Safety Yellow Stick, 6" Reflective Band	\$8.49


# Ergonomic Flooring

Ergonomic flooring covers a larger area than standard work station mats and is available for work areas subject to moisture and oily substances. Ergonomic flooring also comes in various solidity levels to accommodate different weight requirements for applications and equipment. Harder flooring can be used when working with heavy materials, thereby allowing employees to use transport devices such as carts and dollies. This reduces heavy lifting and strenuous physical activity. In addition, ergonomic flooring reduces the risk of serious bodily injury due to its inherently softer surface.

Ergonomic flooring comes in various sizes using what Wearwell® calls a “Positive Lock.” This refers to a seamless installation that stays intact unless you “unzip” the components. Also, different colours are available to match the look of your work environment. No fasteners or adhesives are used. You simply interconnect the tiles according to your floor plan. Materials can be trimmed and cut to respect the angles of walls, equipment and traffic areas.

Maintenance is simple because tiles can easily be replaced without having to remove giant sections of the flooring. However, not all modular matting can be used for ergonomic flooring. Wearwell describes the concept of the “Three P’s” in regards to installation:

- ✓ “Positive” locking: These are the only products used. They make for snug seams and do not move around unless taken apart intentionally.
- ✓ “Permanent” locking: These require adhesives, heat bonding or mechanical fasteners, making repair and reconfiguration very difficult.
- ✓ “Passive” locking: These have connectors that overlay each other but do not tightly lock together



# Ergonomic Matting

Used primarily for work stations and assembly line applications, ergonomic matting is typically a turnkey solution that comes in a variety of materials for application issues such as:

- ✓ Comfort
- ✓ Slip prevention
- ✓ Weld sparks
- ✓ Contamination control
- ✓ Flame risk

Because ergonomic matting comes in so many shapes and materials, employees have considerable choices to satisfy their desired comfort level in their respective work areas. The different surfaces available include diamond plate, marbled tile-top, corrugated and pebbled.

Ergonomic matting is usually ready right out of the box and does not require additional preparation. Some products are available in rolls and can be customized in shape, length and width beforehand, so you do not need to make on-the-spot modifications in the workspace.



# ErgoDeck® Ergonomic Flooring Systems No. 560 & No. 562




- ✓ Professional grade 18" x 18" super-sized ergonomic tiles quickly assemble to cover large and custom-sized areas
- ✓ The patented LockSafe® system securely connects the tiles for a neat, clean, installation that will withstand heavy use and cart traffic
- ✓ The incredibly substantial design creates a floor above the facility floor, covering up imperfections and safety hazards
- ✓ ErgoDeck™ tiles can be unlocked and repositioned to create a different configuration when work flow changes
- ✓ Optional 6" wide safety ramps and corners accommodate carts and have countersunk holes so ErgoDeck™ can be attached to the floor
- ✓ 7/8" thick
- ✓ Designed specifically for heavy cart traffic with load capacity of 64 PSI
- ✓ Available in open grid and solid tile designs

## ErgoDeck® Heavy-Duty Open Grid No. 560

- ✓ For use in wet (non-greasy) or dry areas where small debris or fluids are present

## ErgoDeck® Heavy-Duty Solid No. 562

- ✓ For use in dry areas where small parts fall to the floor, or where ease of maintenance is a priority



Model No.	Description	W"	L"	D"	Qty/Case	Price/Each
SAL215	Open Grid No. 560, Single Tile	18	18	-	10	\$53.58
SAL224	Solid No. 562, Single Tile	18	18	-	10	\$53.49


### Ramp & Corner Accessories

Model No.	Description	W"	L"	D"	Qty/Case	Price/Each
SAL219	Ramp - Yellow, Single	6	18	-	10	\$25.37
SAL217	Outside Corner - Yellow, Single	6	15	15	4	\$69.54

# ErgoDeck® General Purpose No. 564 & No. 566



- ✓ General purpose version of the original ErgoDeck™ specifically designed to increase worker productivity
- ✓ Combination of 68 durometer compound and Flex-points on the underside provides flexibility underfoot
- ✓ Professional grade 18" x 18" super-sized ergonomic tiles quickly assemble to cover large and custom-sized areas
- ✓ Patented LockSafe® system securely connects the tiles for a neat installation to withstand heavy use and cart traffic
- ✓ Tiles can be unlocked and repositioned to create different configurations
- ✓ Optional 6" wide safety ramps and corners
- ✓ 7/8" thick
- ✓ Colour: Charcoal



Model No.	Description	W"	L"	Qty/Case	Price/Each
SAQ312	Open Grid No. 564, Case	18	18	10	\$423.70
SAQ313	Solid No. 566, Case	18	18	10	\$471.20

### Ramp & Corner Accessories


Model No.	Description	W"	L"	Qty/Case	Price/Each
SAQ314	Ramp - Charcoal, Case	6	18	10	\$00.00
SAQ315	Outside Corner - Charcoal, Case	15	15	4	\$270.75
SAL219	Ramp - Yellow, Case	6	18	10	\$25.37
SAL217	Outside Corner - Yellow, Case	15	15	4	\$69.54



## ErgoDeck® with Integrated No-Slip Cleats No. 552 & No. 553



- ✓ This non-slip flooring is engineered to deliver exceptional traction in even the most extreme environments
- ✓ The patented LockSafe® positive interlocking system delivers secure connections but can be unlocked as needed for replacement or repositioning
- ✓ The optional 6" side safety ramps and corners have countersunk holes for semi-permanent installation
- ✓ Unmatched slip prevention
- ✓ Customize in 3" increments to fit any area or configuration
- ✓ Can withstand power-washing and aggressive maintenance
- ✓ 100% silicone-free PVC tiles provide maximum durability
- ✓ 18" x 18" tiles
- ✓ Open grid: Recommend usage in wet or dry areas where small debris or fluids are present
- ✓ Solid: Recommend usage in dry areas



Model No.	Description	W"	L"	Qty/Case	Price/Each
SEI922	Open Grid No. 553, Single Tile	18	18	-	\$65.84
SEI923	Open Grid No. 553, Case	18	18	10	\$609.90
SEI924	Solid No. 552, Single Tile	18	18	-	\$61.47
SEI925	Solid No. 552, Case	18	18	10	\$570.00

## F.I.T.™ No. 540 & No. 541



### Functional interlocking tiles for industrial & commercial areas

**Innovation made simple: The most versatile, functional and comfortable 12" x 12" modular tile ever created.**

- ✓ Best interlocking system – angular LockSafe® interlocking system provides a stronger connection, yet the tiles easily “zip” apart for re-positioning
- ✓ Exceptional comfort – ergonomic design and PVC formula dramatically reduce fatigue and lead to increased productivity
- ✓ Easy ramp system – one ramp fits both “male” and “female” edges
- ✓ No-fuss installation – just snap the tiles together and configure to fit your exact work spaces
- ✓ Outstanding value for your cost reduction initiatives – save on replacement costs, installation time, and employee lost time
- ✓ Thickness: 5/8"
- ✓ Green rating: > 40% post consumer PVC

- ✓ Unlike other modular ergonomic flooring systems, large installations of F.I.T.™ can be rolled-up for quick cleaning, repositioning or storage
- ✓ It's amazing LockSafe® interlocking system works like flexible hinges to hold tiles together even when large connected sections are tightly rolled
- ✓ F.I.T.™ is designed for onsite customization - the tiles can be cut every 3" and still connect
- ✓ Just cut the tiles and reconnect for a seamless installation
- ✓ This unique feature makes F.I.T.™ the most versatile interlocking tile on the market and facilitates total coverage of areas with multiple work centres and equipment with unusual shapes

Model No.	Description	W"	L"	Qty/Case	Colour	Price/Each
SBA982	Open No. 540, Case	12	12	20	Black	\$241.30
SBA983	Solid No. 541, Case	12	12	10	Black	\$256.50


### Ramps & Corners

Model No.	Description	W"	L"	Qty/Case	Colour	Price/Each
SBA986	Ramp No. 540, Case	3	12	20	Black	\$188.10
SBA987	Ramp No. 540, Case	3	12	20	Yellow	\$188.10
SBA988	Ramp w/Corner No. 540, Case	3	15	4	Black	\$37.34
SBA989	Ramp w/Corner No. 540, Case	3	15	4	Yellow	\$37.34

## F.I.T.™ Kits No. 546 Emergency Shower Station Mats



- ✓ Simple and compact emergency eyewash and shower mats kits
- ✓ Easy to assemble, no cutting or tools required
- ✓ Patented LockSafe® connections simply snap together and zip apart
- ✓ Green is recommended for eyewash stations and red for shower stations
- ✓ Highly visible mats designate the location of emergency stations
- ✓ Created for high visibility per ANSI recommendations
- ✓ Elevates user above hazardous overflow
- ✓ Conforms to ANSI Z535.1-1998 standard
- ✓ Available in two sizes
- ✓ 5/8" thick



**Contents:** 6 Tiles, 2 Male Corner Ramps, 1 Male Ramp w/o Tab, 2 Male Ramps w/Tab, 2 Female Ramps

Model No.	W"	L"	Colour	Price/Each
SEG993	27	30	Green w/Yellow Borde	\$218.50
SEG994	27	30	Red w/Yellow Border	\$218.50
SEG995	27	42	Green w/Yellow Borde	\$286.90
SEG996	27	42	Red w/Yellow Border	\$286.90

## Rejuvenator® Connect No. 502



- ✓ Customizable urethane mat, a perfect combination of extremely high performance and exceptional comfort
- ✓ Connects on all four sides to accommodate any custom sized area - even an entire floor
- ✓ No need for seaming or gluing; mats snap together and stay together
- ✓ Robust, abrasion resistant exterior skin totally encapsulates the resilient, crush-resistant urethane sponge interior making mat virtually indestructible
- ✓ An elevated square-grid surface creates an appealing symmetrical look for industrial, laboratory, pharmaceutical or commercial environments
- ✓ Ideal for dry and heavy use areas and exposure to a wide range of temperatures
- ✓ Optional 2" wide urethane bevel for safe access
- ✓ Molded in safety bevels reduce installation time and cost
- ✓ Available in 3' x 5' ends and centersto create long runs of ergonomic matting



Model No.	Description	W	L	Price/Each
SAR340	Mat	3'	3'	\$309.70
SAR341	Edge, Female	2"	39"	\$64.51
SAR342	Edge, Male	2'	39"	\$64.51
SED588	Center Mat	3'	5'	\$574.75
SED589	End Mat w/ Female connectors	3'	5'	\$574.75
SED590	End Mat w/ Male connectors	3'	5'	\$574.75

### Rejuvenator® Connect No. 502 Mats for Single Workstation

- ✓ With molded-in ramps for easy access
- ✓ 5/8" thick
- ✓ Colour: Black

Model No.	W'	L'	Price/Each
SED585	2	3	\$222.30
SED587	3	5	\$496.85

## Comfort-King™ & Comfort-King™ Supreme



**Comfort-King™ offers optimal cushion and resilience for proper fatigue relief and increased productivity!**

- ✓ Highly energized Zedlan™ sponge combines softness, resilience and durability for exceptional relief
- ✓ Extra bounce property stimulates muscles and blood flow to reduce fatigue
- ✓ Outwears other sponge products by nearly three to one
- ✓ Maintains flexibility even in low temperatures
- ✓ Custom sizes available



### Comfort-King™ 3/8"

Model No. (Black)	Model No. (Steel Grey)	W'	L'	Price/Each
NG878	NG884	3	5	\$114.95
NG880	NG886	3	60	\$1,327.15

### SUPREME 1/2" - Provides 33% more comfort than standard 3/8"

Model No. (Black)	Model No. (Steel Grey)	W'	L'	Price/Each
NH790	NH789	3	5	\$00.00
NH796	NH795	3	60	\$00.00

## Ergo-Ease™



**Comfort-King™ offers optimal cushion and resilience for proper fatigue relief and increased productivity!**

- ✓ Premium anti-fatigue mat
- ✓ Dual-layer foams hermetically sealed in a rubber shell for extreme wear resistance
- ✓ High-quality foam provide softness and comfort for leg and back relief
- ✓ Vulcanized commercial grade SBR rubber surface
- ✓ Ribbed surface for extra traction and slip resistance
- ✓ Can be used in dry and moderately wet (no submersion) environments
- ✓ Excellent chemical resistance
- ✓ Colour: Black



Model No. (Black)	W'	L'	Price/Each
SAQ116	2	3	\$179.55
SAQ121	3	5	\$404.70
SAQ122	3	10	\$703.00
SAQ123	2	lin.ft.	\$64.51 /lin.ft.
SAQ124	3	lin.ft.	\$96.90 /lin.ft.


# Diamond Plate Matting Guide

	Best (Spongecote®)	Better (Select®)	Good (Smart®)
<b>Products</b>	UltraSoft Diamond-Plate No. 414, Diamond-Plate SpongeCote® No. 415 and Diamond-Plate with GritWorks!® No. 41	Diamond-Plate Select No. 495	Smart® Diamond-Plate No. 497 Wear-Bond Deck Top Solid
<b>Sponge Base</b>	Nitricell®—a premium Nitrile rubber composite sponge formulated for crush-resistance and extended performance.	Flex-Link™—Dense, closed cell PVC sponge designed with similar performance characteristics to others on the market.	Smart®—A recycled urethane composite sponge, less durable overall, but truly designed for budget or environmentally conscious operations.
<b>Resilience</b>	Best in its class. It continues to bounce back and provides long-term employee satisfaction.	Good resilience, good recovery	Good rebound, proven for use in many commercial applications as a flooring system underlayment
<b>Standing Area</b>	Extends to within 1" of the edge of the mat providing more standing room.	The sponge extends to within 2" - 3" of each edge.	The sponge extends to within 2" - 3" of each edge.
<b>Bevel</b>	Sponge offers built-in trip prevention bevel on standard sizes.	Sponge features rounded corners on stock sizes.	Sponge edges are not beveled
<b>Warranty</b>	4 years	3 years	1 year

## UltraSoft Diamond-Plate No. 414



- ✓ Unparalleled comfort and enhanced employee productivity and morale
- ✓ Double-thick Nitricell® sponge base is a PVC loaded with nitrile rubber
- ✓ Designed for heavy-use areas
- ✓ Popular, high-tech diamond-plate surface resists abrasion and most chemical spills
- ✓ Beveled safety edges
- ✓ Available in black or black with yellow safety borders



## Diamond-Plate SpongeCote® No. 415



- ✓ Resilient Nitricell® sponge base provides comfort and enhances productivity
- ✓ Ideal for dry work areas
- ✓ 9/16" thick
- ✓ Beveled safety edges
- ✓ Available in black or black w/yellow safety borders

### No. 414 - 15/16" Black/Yellow

Model No.	W'	L'	Price/Each
SAJ810	2	3	\$106.40
NG924	3	5	\$266.95
NG925	2	75	\$2,670.45
NG926	3	75	\$3,819.00
NG927	4	75	\$5,098.65

### Cuts up to 75' in length

Model No.	W'	L'	Price/Each
NG928	2	lin.ft.	\$40.38/ lin.ft.
NG929	3	lin.ft.	\$59.09/ lin.ft.
NG930	4	lin.ft.	\$78.76/ lin.ft.
SAL159	5	lin.ft.	\$121.60/ lin.ft.
SAL161	6	lin.ft.	\$135.85/ lin.ft.

### No. 414 - 15/16" Black

Model No.	W'	L'	Price/Each
SAJ809	2	3	\$97.85
NG917	3	5	\$247.00
NG918	2	75	\$2,446.25
NG919	3	75	\$3,502.65
NG920	4	75	\$4,663.55

### Cuts up to 75' in length

Model No.	W'	L'	Price/Each
NG921	2	lin.ft.	\$00.00/lin.ft.
NG922	3	lin.ft.	\$00.00/lin.ft.
NG923	4	lin.ft.	\$00.00/lin.ft.
SAL158	5	lin.ft.	\$00.00/lin.ft.
SAL160	6	lin.ft.	\$00.00 /lin.ft.

### No. 415 - 9/16" Black/Yellow

Model No.	W'	L'	Price/Each
NB416	2	3	\$83.89
NB430	3	5	\$173.85
NB425	2	75	\$2,108.05
NB439	3	75	\$2,897.50
SAL165	4	75	\$3,862.70

### Cuts up to 75' in length

Model No.	W'	L'	Price/Each
NG410	2	lin.ft.	\$00.00/lin.ft.
NG411	3	lin.ft.	\$00.00/lin.ft.
SAL163	4	lin.ft.	\$00.00/lin.ft.
SAL167	5	lin.ft.	\$00.00/lin.ft.
SAL169	6	lin.ft.	\$00.00 /lin.ft.

### No. 415 - 9/16" Black

Model No.	W'	L'	Price/Each
NB420	2	3	\$73.72
NB431	3	5	\$180.50
NB426	2	75	\$1,873.40
NB440	3	75	\$2,539.35
SAL164	4	75	\$3,384.85

### Cuts up to 75' in length

Model No.	W'	L'	Price/Each
NG412	2	lin.ft.	\$00.00/lin.ft.
NG413	3	lin.ft.	\$00.00/lin.ft.
SAL162	4	lin.ft.	\$00.00/lin.ft.
SAL166	5	lin.ft.	\$00.00/lin.ft.
SAL168	6	lin.ft.	\$00.00 /lin.ft.

## Diamond-Plate with GritWorks!® No. 416



- ✓ Ideal for primarily dry areas with slight overspray or where grease and oil get tracked onto the mat
- ✓ Carbide grit that increases traction by over 50% while also increasing the chemical resistance and durability of the surface
- ✓ Super resilient, Nitricell® sponge base which is PVC loaded with nitrile rubber
- ✓ Exceptional comfort, rebound and long life
- ✓ All mats come with safety-beveled edges
- ✓ Colour: Black



### No. 416 - Standard 9/16"

Model No.	W'	L'	Price/Each
SAL632	2	3	\$119.70
SAL634	3	5	\$276.45
SAL638	3	75	\$3,410.50

### No. 416 - UltraSoft 15/16"

Model No.	W'	L'	Price/Each
SAL633	2	3	\$00.00
SAL635	3	5	\$00.00
SAL639	3	75	\$00.00

### Cuts up to 75' in length - Standard 9/16"

Model No.	W'	L'	Price/Each
<b>SAL642</b>	2	lin.ft.	\$40.66
<b>SAL644</b>	3	lin.ft.	\$53.87
<b>SAL646</b>	4	lin.ft.	\$71.73

### Cuts up to 75' in length - UltraSoft 15/16"

Model No.	W'	L'	Price/Each
<b>SAL643</b>	2	lin.ft.	\$52.54/ lin.ft.
<b>SAL645</b>	3	lin.ft.	\$70.30/ lin.ft.
<b>SAL647</b>	4	lin.ft.	\$93.67/ lin.ft.

## Diamond-Plate Select No. 495



- ✓ Diamond-Plate Select is an excellent alternative to similar SpongeCote® products
- ✓ Priced for those on a tighter budget, it has a specially formulated blown-vinyl sponge base called Flex-Link®
- ✓ It's designed to prevent worker fatigue in dry industrial applications and is a good choice for areas that require a high-tech look
- ✓ Available in two thicknesses: Standard – 9/16" thick with safety beveled edges Ultra Thick – 15/16" thick with safety beveled edges designed for extra softness
- ✓ Colour: Black, black w/yellow borders



### 9/16" - Black

Model No.	W'	L'	Price/Each
<b>SAL348</b>	2	3	\$58.33
<b>SAL357</b>	3	5	\$142.50
<b>SAL360</b>	3	75	\$2,035.85

### 9/16" - Black/yellow

Model No.	W'	L'	Price/Each
<b>SAL349</b>	2	3	\$67.55
<b>SAL358</b>	3	5	\$155.80
<b>SAL361</b>	3	75	\$2,333.20

### 15/16" - Black

Model No.	W'	L'	Price/Each
<b>SAL200</b>	2	3	\$77.81
<b>SAL206</b>	3	5	\$181.45
<b>SAL208</b>	3	75	\$2,746.45

### 15/16" - Black/yellow

Model No.	W'	L'	Price/Each
<b>SAL201</b>	2	3	\$86.07
<b>SAL207</b>	3	5	\$201.40
<b>SAL209</b>	3	75	\$3,011.50

### CutS up to 75' in length

Model No.	W'	L'	Thickness"	Colour	Price/Each
<b>SAL354</b>	3	lin.ft	9/16	Black	\$31.35/lin.ft.
<b>SAL355</b>	3	lin.ft	9/16	Black/Yellow	\$34.96/lin.ft.
<b>SAL204</b>	3	lin.ft	15/16	Black	\$41.90/lin.ft.
<b>SAL205</b>	3	lin.ft	15/16	Black/Yellow	\$45.89/lin.ft.

## Smart Diamond-Plate No. 497



- ✓ Diamond plate surface with a 100% recycled urethane composite sponge base
- ✓ Comfortable and functional in dry industrial applications
- ✓ Black (BK) and black w/yellow borders (BYL)
- ✓ Green rating > 80% recycled



### 5/8" Black

Model No.	W'	L'	Price/Each
SBA894	2	3	\$42.85
SBA895	3	5	\$93.01
SBA899	2	lin.ft.*	\$14.63
SBA900	3	lin.ft.*	\$19.57
SBA901	4	lin.ft.*	\$23.85

\*Cuts up to 75' in length

### 1" Black

Model No.	W'	L'	Price/Each
SBA878	2	3	\$58.90/ lin.ft.
SBA879	3	5	\$138.70/ lin.ft.
SBA883	4	lin.ft.*	\$21.19/ lin.ft.
SBA884	5	lin.ft.*	\$29.26/ lin.ft.
SBA885	6	lin.ft.*	\$36.39/ lin.ft.

### 5/8" Black w/Yellow Borders

Model No.	W'	L'	Price/Each
SBA902	2	3	\$46.27
SBA903	3	5	\$94.43
SBA907	2	lin.ft.*	\$15.68
SBA908	3	lin.ft.*	\$19.86
SBA909	4	lin.ft.*	\$24.99

\*Cuts up to 75' in length

### 1" Black w/Yellow Borders

Model No.	W'	L'	Price/Each
SBA886	2	3	\$62.23/ lin.ft.
SBA887	3	5	\$139.65/ lin.ft.
SBA891	4	lin.ft.*	\$22.14/ lin.ft.
SBA892	5	lin.ft.*	\$29.45/ lin.ft.
SBA893	6	lin.ft.*	\$37.43/ lin.ft.

## Wear-Bond™ Tuff-Spun®



- ✓ Medium-duty anti-fatigue Deck-Top surface for improved abrasion and puncture resistance
- ✓ High-density vinyl top with vinyl sponge base
- ✓ Impact-absorbing base foam
- ✓ 50% greater puncture resistance and five times the abrasion resistance than traditional sponge products
- ✓ Lower cost than deck plate sponge products
- ✓ 9/16" thick

**Applications:** Finishing/assembly stations, factories, work stations, cashier's station, pick modules, pharmacies and service counters

### Black

Model No.	W'	L'	Price/Each
SAX700	2	3	\$54.63
SAX701	3	5	\$136.80
SAX702	3	12	\$325.85

### Black w/yellow borders

Model No.	W'	L'	Price/Each
SAX707	2	3	\$54.25
SAX708	3	5	\$136.80
SAX709	3	12	\$325.85

\*Available in cuts up to 75' in length



# 24/Seven® Comfortable, Modular, Simple to Use



## Reasons to choose 24/Seven®

- ✓ The 3' x 3' mats interlock on all four sides to cover
- ✓ large areas, or can be used as single stations
- ✓ Optional yellow and black borders provide safe access

- ✓ Modular design
- ✓ Quick installation and replacement
- ✓ Comfort • 5 formulations
- ✓ Can customize on site



### What is your application? Choose from 5 formulations

**General purpose rubber** - Natural rubber formulation designed

for general application, such as areas with water or debris

**CFR rubber** - Designed for areas with mineral oil based cutting fluids and solvents

**CFR rubber with GritWorks!®** - For wet areas that need extra traction

**NBR 100% nitrile** - Designed for areas with petrochemicals such as hydrocarbons, naphthenes, paraffins and petroleum distillates

**NBR 100% nitrile with GritWorks!®** - For wet areas that need extra traction

### Solid

Model No.	Description	W	L	Price/Each
NH589	General Purpose No. 570 Solid Mat	3'	3'	\$90.16
SAQ100	CFR No. 570 Solid Mat	3'	3'	\$161.50
SAL233	CFR w/GritWorks!® No. 574 Solid Mat	3'	3'	\$242.25
SAQ101	Nitrile No. 570 Solid Mat	3'	3'	\$185.25
SAQ103	Nitrile w/GritWorks!® No. 574 Solid Mat	3'	3'	\$274.55

### Open

Model No.	Description	W	L	Price/Each
NH587	General Purpose No. 570 Solid Mat	3'	3'	\$77.81
SAL228	CFR No. 570 Solid Mat	3'	3'	\$128.25
SAL234	CFR w/GritWorks!® No. 574 Solid Mat	3'	3'	\$196.65
SAQ102	Nitrile No. 570 Solid Mat	3'	3'	\$141.55
SAQ104	Nitrile w/GritWorks!® No. 574 Solid Mat	3'	3'	\$213.75

### Black Ramps

Model No.	Description	W	L	Price/Each
NH591	General Purpose Female	3'	39"	\$17.86
NH594	General Purpose Male	3'	39"	\$17.86
SAQ128	CFR Female	3'	39"	\$28.98
SAQ125	CFR Male	3'	39"	\$28.98
SAQ129	Nitrile Female	3'	39"	\$32.97
SAQ126	Nitrile Male	3'	39"	\$32.97

### Yellow Ramps

Model No.	Description	W	L	Price/Each
NH593	General Purpose Female	3'	39"	\$25.46
NH596	General Purpose Male	3'	39"	\$25.46
SAL230	CFR Female	3'	39"	\$40.19
SAL232	CFR Male	3'	39"	\$40.19
SAQ130	Nitrile Female	3'	39"	\$43.80
SAQ127	Nitrile Male	3'	39"	\$43.80




## Workrite No. 474



### 1/2" thick GENERAL purpose anti-fatigue drainage mat

- ✓ Compounded in a flexible and resilient natural rubber for use around water and non-caustic agents
- ✓ Flow-through design and underside knobs also accommodate small parts or debris
- ✓ Molded beveled edges allow easy access
- ✓ Lightweight design facilitates frequent cleanings
- ✓ Provides worker comfort at an exceptional value!
- ✓ Colour: Black



Model No.	W'	L'	Price/Each
NB607	3	5	\$100.70
NG013	3	10	\$00.00
NG014	3	20	\$00.00

## Hog Heaven



### 1/2" thick GENERAL purpose anti-fatigue drainage mat

- ✓ Solid textured nitrile rubber surface for better chemical and oil resistance, and superior slip resistance
- ✓ Welding safe
- ✓ Electrically conductive
- ✓ Closed cell nitrile/PVC cushion
- ✓ 100% nitrile border will not crack or curl
- ✓ Unmatched durability
- ✓ Available in black and black/yellow safety stripes



#### 5/8" Thick - Black No. 421

Model No.	W'	L'	Price/Each
SAM152	2	3	\$48.83
SAM153	3	5	\$117.80
SAM154	3	12	\$288.80
SAM155	4	6	\$196.65

#### 5/8" Thick - Black/Yellow No. 423

Model No.	W'	L'	Price/Each
SAM166	2	3	\$00.00
SAM167	3	5	\$00.00
SAM168	3	12	\$00.00
SAM169	4	6	\$00.00

#### 7/8" Thick - Black No. 422

Model No.	W'	L'	Price/Each
SAM159	2	3	\$60.23
SAM160	3	5	\$136.80
SAM161	3	12	\$339.15
SAM162	4	6	\$221.35


#### 7/8" Thick -Black/Yellow No. 424

Model No.	W'	L'	Price/Each
SAM173	2	3	\$00.00
SAM174	3	5	\$00.00
SAM175	3	12	\$00.00
SAM162	4	6	\$00.00

## Cushion Max™



- ✓ Superior anti-microbial, anti-fatigue mat for comfort and ergonomic benefits
- ✓ Made of 100% nitrile/PVC closed cell foam
- ✓ Diamond patterned surface that is more than twice as durable as traditional PVC foam mats
- ✓ Solid pattern helps to reduce slip and fall accidents while beveled borders make for a safe transition from floor to mat
- ✓ Cost effective alternative to traditional PVC foam mats
- ✓ Ozone resistant
- ✓ Recommended for use in warehouses, picking lines, assembly lines, work stations, check out stations, labs or other wet or dry environments
- ✓ 5/8" thick
- ✓ Colour: Black



Model No.	W'	L'	Price/Each
<b>SAR819</b>	2	3	\$29.17
<b>SAR820</b>	3	5	\$72.87
<b>SAR821</b>	3	12	\$178.60
<b>SAR822</b>	4	6	\$117.80

Available with drainage holes

## Happy Feet



- ✓ Combine exceptional anti-fatigue performance with unique safety features
- ✓ Dense closed-cell rubber cushion encapsulated with solid nitrile rubber
- ✓ Resistant to chemicals, animal fats and petroleum products
- ✓ Static dissipative and safe for use in computer rooms and electrical parts manufacturing
- ✓ Safe for welding
- ✓ Low profile, beveled edges available with safety striped borders
- ✓ Colour: Black, black and yellow, other colours available on request



### Texture-Surface No. 480 - Black

Model No.	W'	L'	Price/Each
<b>SAM180</b>	2	3	\$67.26
<b>SAM181</b>	3	5	\$169.10

### Texture-Surface No. 480 - Black/Yellow

Model No.	W'	L'	Price/Each
<b>SAM183</b>	2	3	\$75.15
<b>SAM184</b>	3	5	\$186.20

## WeldSafe® No. 447



- ✓ This extra-thick, versatile drainage mat is designed for overall productivity
- ✓ WorkSafe's premium natural rubber compound is ideal for use around water, mild chemicals and detergent solutions.
- ✓ An excellent choice for wet areas or in applications with wood or metal shavings.
- ✓ Use as individual workstation mats or cover larger spaces by using connector strips, 7/8" Thick.
- ✓ Green Rating > 33% post
- ✓ Industrial material
- ✓ Color: Black



Model No.	W'	L'	Price/Each
<b>NG181</b>	2	3	\$82.75
<b>NG182</b>	3	5	\$208.05

Other lengths available, call for a quote.

### CutS up to 75' in length

Model No.	W'	L'	Price/Each
<b>SAL188</b>	2	lin.ft.	\$00.00/lin.ft.
<b>NG184</b>	3	lin.ft.	\$00.00/lin.ft.
<b>SAL189</b>	4	lin.ft.	\$00.00/lin.ft.

Other lengths available, call for a quote.

## Tile Matting Comparison Guide

	SpongeCote®	SMART®
<b>Products</b>	UltraSoft Tile-Top AM No. 419AM, Tile-Top SpongeCote® AM No. 420AM	Smart® Tile-Top No. 496
<b>Sponge Base</b>	Nitricell® – a premium nitrile rubber composite sponge formulated for crush-resistance and extended performance. 100% anti-microbial.	Smart® – A recycled urethane composite sponge, less durable overall, but truly designed budget or environmentally conscious operations.
<b>Resilience</b>	Best in its class. It continues to bounce back and provides long-term employee satisfaction.	Good rebound, proven for use in many commercial applications as a flooring system underlayment
<b>Standing Area</b>	Extends to within 1" of the edge of the mat providing more standing room.	The sponge extends to within 2" of each edge.
<b>Bevel</b>	Sponge offers built-in trip prevention bevel on standard sizes	Sponge edges are not beveled
<b>Warranty</b>	4 years	1 year

## Tile-Top AM No. 420 & UltraSoft Tile-Top AM No. 419



### 100% anti-microbial (AM) Mats

- ✓ Especially effective in areas where exposure to micro-organisms and chemicals is common
- ✓ Tile-Top AM mats are permanently anti-microbial
- ✓ The non-porous vinyl surface has an extra wear layer for exceptional abrasion and chemical resistance
- ✓ The mats' superb comfort comes from its micro-pure™ (permanently anti-microbial) Nitrile composite sponge base
- ✓ Tile-Top AM is a standard 1/2" thick while UltraSoft Tile-Top AM (7/8" thick) features a double-thick sponge base for those employees who need an even more comfortable standing surface

### Tile-Top No. 420AM - 1/2" Thick

Black	Blue	Grey	Charcoal	W'	L'	Price/Each
<b>SAQ654</b>	<b>SAQ655</b>	<b>SAQ658</b>	<b>SAQ657</b>	2	3	\$96.90
<b>SAQ670</b>	<b>SAQ671</b>	<b>SAQ674</b>	<b>SAQ673</b>	3	5	\$235.60
<b>SAQ661</b>	<b>SAQ662</b>	<b>SAQ664</b>	<b>SAQ663</b>	2	60	\$1,918.05
<b>SAQ677</b>	<b>SAQ678</b>	<b>SAQ680</b>	<b>SAQ679</b>	3	60	\$2,818.65
<b>SAQ686</b>	<b>SAQ687</b>	<b>SAQ689</b>	<b>SAQ688</b>	4	60	\$3,741.10

### UltraSoft Tile-Top No. 419AM - 7/8" Thick


Black	Blue	Grey	Charcoal	W'	L'	Price/Each
SAQ319	SAQ616	SAQ618	SAQ617	2	3	\$119.70
SAQ320	SAQ628	SAQ630	SAQ629	3	5	\$299.25
SAQ619	SAQ620	SAQ622	SAQ621	2	60	\$2,343.65
SAQ631	SAQ632	SAQ634	SAQ633	3	60	\$3,511.20
SAQ639	SAQ640	SAQ642	SAQ641	4	60	\$4,684.45

**Note:** Also available in cuts up to 60' in length

### Smart Tile-Top No. 496



- ✓ Priced like a sponge mat, yet wears five times longer
- ✓ Compare to other marbled anti-fatigue mats and reap the savings!
- ✓ Resilient sponge base is called Rebound - a 100% recycled urethane composite
- ✓ Comfortable and functional in dry industrial applications
- ✓ Green rating > 80% recycled



#### 1/2" Thick

Black	Blue	Grey	Charcoal	W'	L'	Price/Each
SBA910	SBA926	SBA942	SBA958	2'	3'	\$60.80
SBA911	SBA927	SBA943	SBA959	3'	5'	\$141.55
SBA912	SBA928	SBA944	SBA960	2'	60'	\$1,272.05
SBA913	SBA929	SBA945	SBA961	3'	60'	\$1,639.70
SBA914	SBA930	SBA946	SBA962	4'	60'	\$2,125.15
SBA915	SBA931	SBA947	SBA963	2'	lin.ft.*	\$23.47
SBA916	SBA932	SBA948	SBA964	3'	lin.ft.*	\$30.02
SBA917	SBA933	SBA949	SBA965	4'	lin.ft.*	\$39.05

#### 7/8" Thick

Black	Blue	Grey	Charcoal	W'	L'	Price/Each
SBA918	SBA934	SBA950	SBA966	2'	3'	\$77.33
SBA919	SBA935	SBA951	SBA967	3'	5'	\$181.45
SBA920	SBA936	SBA952	SBA968	2'	60'	\$1,578.90
SBA921	SBA937	SBA953	SBA969	3'	60'	\$2,144.15
SBA922	SBA938	SBA954	SBA970	4'	60'	\$2,756.90
SBA923	SBA939	SBA955	SBA971	2'	lin.ft.*	\$29.07
SBA924	SBA940	SBA956	SBA972	3'	lin.ft.*	\$39.33
SBA925	SBA941	SBA957	SBA973	4'	lin.ft.*	\$50.54

\*Cuts up to 60' in length

# Tuf Sponge No. 451 & Deluxe Tuf Sponge No. 442



## Top quality PVC sponge matting!

- ✓ Excellent choices for practical and economical comfort
- ✓ Blown-vinyl sponge ergonomically designed to reduce floor hardness up to 50%
- ✓ Available in workstation mats and rolls, they can easily be “custom” cut to fit your work areas
- ✓ Available in widths up to 6’ with all edges safety rounded on full rolls and stock sizes

## Colour:

- ✓ Tuf Sponge: Black, grey, black w/yellow borders (available on request)
- ✓ Deluxe Tuf Sponge: Black, grey

### Tuf Sponge No. 451

Black	Grey	Thickness"	W'	L'	Price/Each
NB550	NB551	3/8	2	3	\$23.47
NB565	NB566	3/8	3	5	\$58.62
NB568	NB569	3/8	2	60	\$665.00

### Tuf Sponge No. 451 - Cuts up to 60' in length

Black	Grey	Thickness"	W'	L'	Price/Each
JA083	JA084	3/8	2	lin.ft	\$8.63/ lin.ft
NG415	NG418	3/8	3	lin.ft	\$8.63/ lin.ft
NG416	JA087	3/8	4	lin.ft	\$8.63/ lin.ft
JA085	-	3/8	6	lin.ft	\$8.63/ lin.ft

### Deluxe Tuf Sponge No. 442

Black	Grey	Thickness"	W'	L'	Price/Each
SAL174	SAL175	5/8	2	3	\$40.28
SAL180	SAL181	5/8	3	5	\$101.65

### Deluxe Tuf Sponge No. 442 - Cuts up to 60' in length

Black	Grey	Thickness"	W'	L'	Price/Each
SAL172	SAL173	5/8	2	lin.ft	\$15.11/ lin.ft
SAL178	SAL179	5/8	3	lin.ft	\$21.85/ lin.ft
SAL184	SAL185	5/8	4	lin.ft	\$29.36/ lin.ft

## Endurable No. 459



- ✓ This PVC sponge has a remarkably durable and abrasion resistant surface
- ✓ The dense PVC surface, created during the manufacturing process, is heat bonded to a comfortable sponge base
- ✓ This dual density anti-fatigue mat lasts much longer than similar products, but is very economical
- ✓ Edges beveled for safety
- ✓ 1/2" thick
- ✓ Colour: Black



Model No.	W'	L'	Price/Each
NG593	2	3	\$59.66
NG596	2	60	\$1,047.85
NG594	3	5	\$151.05
NG595	3	12	\$358.15
NG597	3	60	\$1,569.40
NG598	4	60	\$2,090.95

### Cuts up to 60' in length

Model No.	W'	L'	Price/Each
NG599	2	lin.ft.	\$20.05/ lin.ft
NG600	3	lin.ft.	\$30.02/ lin.ft
NG601	4	lin.ft.	\$40.00/ lin.ft

Other lengths available, call for a quote

## Ultra-Tred ArmorCote No. 440



### A urethane coated, PVC sponge anti-fatigue mat

- ✓ Offers the comfort of a PVC sponge plus the chemical and abrasion resistance of a double-thick urethane coating on the surface
- ✓ Ideal for use in mostly dry applications such as labs and other medium traffic areas
- ✓ 3/8" thick
- ✓ Colour: Black w/yellow safety borders



Model No.	W'	L'	Price/Each
NB533	2	3	\$37.81
NB537	3	5	\$94.53
NB534	3	12	\$228.00
SAJ811	2	60	\$674.50
NB538	3	60	\$1,011.75
NB540	4	60	\$1,348.05

### Cuts up to 60' in length

Model No.	W'	L'	Price/Each
JA080	2	lin.ft.	\$13.59/ lin.ft
JA081	3	lin.ft.	\$20.33/ lin.ft
JA082	4	lin.ft.	\$26.98/ lin.ft

## WorkSafe® No. 477



### 7/8" thick, high performance drainage mat

- ✓ Extra-thick, drainage mat designed for worker comfort
- ✓ Premium natural rubber compound; use around water, mild chemicals and detergent solutions
- ✓ Angled drainage holes and underside knobs allow debris and fluids to flow through
- ✓ Connect mats side by side with connector strips
- ✓ Optional edging also available
- ✓ Colour: Black




Model No.	Description	W'	L'	Price/Each
NB468	Single	2	3	\$92.53
NB469	Single	3	4	\$152.00
NB621	Single	3	5	\$168.15
NB472	Connector	-	-	\$9.50

## Ortho Stand™ No. 454



### Domed anti-fatigue mat increases circulation

- ✓ Ergonomically designed to increase worker comfort
- ✓ Hollow-domed surface encourages subtle changes in posture increasing circulation and lessening fatigue
- ✓ An economical, dry area, single work area mat
- ✓ 1/2" thick, natural rubber
- ✓ Colour: Black, black w/yellow borders



#### Black

Model No.	W'	L'	Price/Each
NB582	2	3	\$00.00
NB583	3	4	\$00.00


#### Black/Yellow

Model No.	W'	L'	Price/Each
SAL192	2	3	\$00.00
SAL193	3	4	\$00.00

## WorkSafe® Light No. 478 CFR



- ✓ This best-selling, lightweight, high performance drainage mat is now resistant to mineral oil based cutting fluids
- ✓ The new CFR (Cutting Fluid Resistant) formulation is perfect for wet industrial areas
- ✓ Its lightweight design eases the strain of clean-up, yet keeps employees quite comfortable
- ✓ WorkSafe® Light is 1/2" thick with molded beveled edges for easy access
- ✓ A well-engineered drainage system that keeps debris from becoming trapped



#### Black


Model No.	Description	W'	L'	Price/Each
NB632	-	2	3	\$00.00
NB630	-	3	4	\$00.00
NB631	-	2	3	\$00.00
SAL221	Connector	3	4	\$00.00

## Modular WorkSafe® Light No. 472



### Lightweight, modular anti-fatigue matting

- ✓ 3' x 3' single workstation sections securely interlock to cover large spaces
- ✓ Hidden interlock system requires no additional bevels or attachment devices
- ✓ Perfect for high maintenance areas, it's lightweight and easy to clean
- ✓ Overall thickness of 1/2" with safety rounded edges and excellent drainage
- ✓ **Available in two compounds:**
  - General-Purpose - natural rubber
  - Grease Proof - 50% nitrile rubber (for use around greases, chemicals and caustic agents)
- ✓ Colour: Black



Model No.	Description	W'	L'	Price/Each
NC823	General-Purpose	3	3	\$00.00
NC824	Grease-Proof	3	3	\$00.00

# Sanitizing Footbath Mat No. 222



## Decontaminates & disinfects footwear

- ✓ Great for food processing plants, keeps hygienic areas free of contamination and germs
- ✓ Has thousands of pliable rubber scrapers that dislodge contaminants from footwear as the shoe soles are immersed in the disinfectant solution
- ✓ Holds one gallon of disinfectant solution - chlorine or quaternary
- ✓ SAQ090 allows the mat to hold up to 5.5 gallons of sanitizing solution
- ✓ When filled to a practical level, the solution will totally immerse the treads of the boot sole while the fingertips release any accumulations
- ✓ Colour: Black
- ✓ Accepted for use in Canadian food processing facilities

Model No.	W'	L'	Absorption Capacity	Price/Each
<b>SAL651</b>	24	32	1 gallon	\$81.13
<b>SAQ090</b>	32	39	5.5 gallons	\$187.15

# Comfort Flow™



- ✓ Fully launderable mat that performs great as an anti-fatigue mat and as a flow-through mat in wet or dry environments
- ✓ Constructed of 100% high density nitrile rubber
- ✓ For superior resistance to grease and oil
- ✓ Provides excellent anti-fatigue properties for added employee comfort and improved ergonomics
- ✓ Non-skid backing keeps mat in place
- ✓ Drainage holes for easyflow of water and debris
- ✓ Beveled edges for safe access
- ✓ Anti-microbial treated: Guards against degradation from micro-organisms and minimizes mats being a source of odours
- ✓ Recommended for use in kitchens, behind bars and wet industrial applications
- ✓ Welding safe; highly resistant to high temperatures
- ✓ Low profile, 3/8" thick and slip-resistant surface
- ✓ Colour: Black



Model No.	W'	L'	Price/Each
<b>SAR813</b>	2	3	\$00.00
<b>SAR814</b>	3	5	\$00.00
<b>SAR815</b>	4	6	\$00.00
<b>SAR816</b>	3	9	\$00.00



## Comfort King™ Anti-Microbial



**Offers optimal cushion and resilience while inhibiting bacteria and germ growth!**

- ✓ Anti-microbial additive inhibits the growth of harmful micro-organisms
- ✓ Highly energized Zedlan™ sponge combines softness, resilience and durability for exceptional relief
- ✓ Outwears other sponge products by nearly three to one
- ✓ Maintains flexibility even in low temperatures
- ✓ Ideal for dry environments such as hospitals, nursing homes, daycare facilities, laboratories etc.



Model No.	W'	L'	Price/Each
<b>SAM328</b>	2	3	\$57.76/ lin.ft.
<b>SAM330</b>	3	5	\$145.35/ lin.ft.
<b>SAM334</b>	3	60	\$1,434.50/ lin.ft.
<b>SAM337</b>	2	lin.ft.	\$20.62/ lin.ft.
<b>SAM338</b>	3	lin.ft.	\$30.97/ lin.ft.
<b>SAM339</b>	4	lin.ft.	\$41.33/ lin.ft.

## Clean Room Mat No. 095



**Traps impurities & keeps areas clean**

- ✓ Clean Room mat traps impurities in areas that require dirt and dust control
- ✓ The tacky surface pulls dirt and dust off shoe soles
- ✓ Effective and easy to use, each mat has 30 or 60 layers of tough film
- ✓ Once the top layer is contaminated, simply pull it off and discard
- ✓ Use on low-profile carpet, tile, or concrete surfaces
- ✓ Colours: Blue, white
- ✓ Sold per case of 4




White (30)	Blue (30)	White (60)	W'	L'	Price/Each (30)	Price/Each (60)
<b>SEB153</b>	<b>SEB152</b>	<b>SEB162</b>	18	36	\$145.35	\$285.00
<b>SEB155</b>	<b>SEB154</b>	<b>SEB163</b>	18	45	\$187.15	\$363.85
<b>SEB159</b>	<b>SEB158</b>	-	24	36	\$192.85	-
<b>SEB157</b>	<b>SEB156</b>	<b>SEB164</b>	24	45	\$252.70	\$495.90
<b>SEB161</b>	<b>SEB160</b>	-	36	45	\$368.60	-

## Grade "A" No. 482




- ✓ Specially formulated anti-bacterial nitrile rubber composite designed to withstand solutions used in a wide variety of food processing environments
- ✓ 100% anti-microbial with built-in handles to ease pick-up and cleaning of the mats
- ✓ NSF Certified
- ✓ Hygienic porthole and solid underside design of the mat simplify cleaning and virtually eliminates areas where food can collect
- ✓ Substantial underside knobs allow quick drainage and increase the comfort level of the mat
- ✓ Flat, but textured surface increases traction when greasy and wet
- ✓ 1/2" thick
- ✓ Colour: Terra cotta
- ✓ Accepted for use in Canadian food processing facilities
- ✓ CFIA approved



Model No.	W'	L'	Price/Each
<b>SAN571</b>	30	36	\$140.60
<b>SAN572</b>	30	60	\$211.85

## Non-Conductive Corrugated Switchboard No. 702 & Diamond Plate Switchboard No. 701



### Can insulate up to 30 000 V!

- ✓ High-performance non-conductive matting protects personnel in areas with dangerous high-voltage equipment
- ✓ Maximum rating: 30 000 V
- ✓ Recommended usage: up to 17 000 V
- ✓ The corrugated surface is abrasion resistant and easily cleaned
- ✓ 1/4" thick
- ✓ Conforms to ANSI/ASTM D-178-01 Type 2, Class II
- ✓ Passes MSHA IC-246 fire resistance test (mining safety)
- ✓ Colour: Black

### No. 702 - Corrugated

Model No.	W'	L'	Price/Each
<b>SAL242</b>	2	75	\$1,434.50
<b>NB657</b>	3	75	\$1,870.55

### No. 702 - Cuts up to 75' in length

Model No.	W'	L'	Price/Each
<b>SAL241</b>	2	lin.ft.	\$21.95/ lin.ft.
<b>NB658</b>	3	lin.ft.	\$28.79/ lin.ft.
<b>NB660</b>	4	lin.ft.	\$54.15/ lin.ft.

### No. 701 - Diamond-Plate

Model No.	W'	L'	Price/Each
<b>SAL236</b>	2	75	\$1,434.50
<b>SAL238</b>	3	75	\$1,870.55

### No. 701 - Cuts up to 75' in length

Model No.	W'	L'	Price/Each
<b>SAL235</b>	2	lin.ft.	\$21.95/ lin.ft.
<b>SAL237</b>	3	lin.ft.	\$28.79/ lin.ft.
<b>SAL239</b>	4	lin.ft.	\$54.15/ lin.ft.

## Static Dissipative Anti-fatigue No. 791



### Quickly drains static electricity from workers

- ✓ Frequently used in commercial areas where static discharge can harm products or equipment
- ✓ Excellent resistivity: RTG 1 x 10<sup>7</sup> ohms
- ✓ Super resilient Nitricell® sponge base provides long-term comfort and relieves employee fatigue
- ✓ Easy-to-clean vinyl surface and safety bevelled edges
- ✓ Each mat has a one mega ohm snap and must be grounded
- ✓ Workers must be wearing conductive shoes or heel grounders (**CSAL252**) to allow the mats to function
- ✓ 1/2" thick
- ✓ Colour: Grey

### No. 702 - Corrugated

Model No.	W'	L'	Price/Each
NH534	2	3	\$133.95
NH535	3	5	\$329.65

Grounding snap is attached to lower left hand corner of each mat

### No. 702 - Cuts Up to 75' in Length

Model No.	W'	L'	Price/Each
NB694	2	lin.ft.	\$74.20/ lin.ft.
NB695	3	lin.ft.	\$97.85/ lin.ft.
SAJ574	15' L Ground Wire (Sold Separately)		\$18.34

## Electrically Conductive Anti-Fatigue No. 786DP



- ✓ Ideal for use in areas at risk for damage from static electricity from workers before it can be passed on to sensitive equipment with microprocessors or to flammable liquids
- ✓ Surface prevents the accumulation of static electricity
- ✓ Nitricell® sponge base provides superior comfort and productivity
- ✓ Will drain electrical charge of 20 000 V in less than 1 second
- ✓ This mat must be grounded; for maximum effectiveness, ground every 8' to 10'
- ✓ 9/16" thick
- ✓ Colour: Black

### No. 702 - Corrugated

Model No.	Description	W'	L'	Price/Each
NB692	Diamond Plate Surface	3	5	\$297.35
SAL243	Smooth Surface	2	3	\$132.05
SAR335	Smooth Surface	3	5	\$312.55

### No. 702 - Cuts Up to 75' in Length

Model No.	W'	L'	Price/Each
NB693	3	lin.ft.	\$68.59/ lin.ft.
SAJ574	15' L Ground Wire (Sold Separately)		\$18.34

Other lengths available, call for a quote

# Parking Signs

Make customers and visitors aware of driving and parking restrictions with our full line of parking signs. Mark parking lots, lane ways and other area clearly and professionally with our wide variety of legends.



SA1000



SA1003



SA1006



SA1009



SA1012



SA1001



SA1004



SA1007



SA1010



SA1013



SA1002



SA1005



SA1008



SA1011



SA1014

**How to Order Signs:** Add the sign number (SA1000), with the sign type (V). (SA1000V)

Stock No.	Material type	Size	Price
V	Vinyl	12" x 18"	\$25.00
P	Polyethylene, Semi-Rigid PVC	12" x 18"	\$30.00
A	Aluminum	12" x 18"	\$49.00
M	Magnetic	12" x 18"	\$39.00

Contact for Volume Discounts

## Sign Posts & Hardware

- ✓ Available in three sizes\*: 8', 10' and 12' posts
- ✓ Hardware set (sold separately) contains one nut, one bolt, one washer, and one spacer; two sets per installation required
- ✓ Galvanized




\*Other lengths also available. Contact us for details.

Model No.	Description	Length'	Price/Each
SAO195	Post	8	
SAO196	Post	10	
SAO197	Post	12	
SAO201	Hardware Set	-	
SAO725	3" Base	4	

# Fire Equipment Signs

Make the location of fire safety and suppression equipment clear to employees with our full line of fire equipment signs. We provide a wide variety of legends and styles to meet your need to make hoses, extinguishers and safety exits easy to find and access during an emergency situation.



# Glow In The Dark Fire Equipment Signs

Our GLOW-IN-THE-DARK signs are an excellent way to ensure safety during a power outage. Our luminous signs will maintain visibility to the light adjusted eye for up to 6-hours. Photoluminescent system recharges quickly when exposed to light.



# Recycle Signs

Make customers and visitors aware of driving and parking restrictions with our full line of parking signs. Mark parking lots, lane ways and other area clearly and professionally with our wide variety of legends.



SA1027



SA1029



SA1030



SA1028



SA1031



SA1032

### Size

Size No.	Size
A	7" x 10"
B	10" x 14"
C	14" x 20"

**How to Order Signs:** Add the sign number (SL1000), with the sign type (V). (SL1000V)

Stock No.	Material type	Price
V	Vinyl	\$00.00
P	Polyethylene, Semi-Rigid PVC	\$00.00
A	Aluminum	\$00.00
M	Magnetic	\$00.00

# Impact Recovery Sign Posts

## ZA1010A0

- ✓ Post is 5' 6" high, white
- ✓ Meet MTO standards
- ✓ 8" x 8" plastic fixed base permanently mounts to road surface with bolts or epoxy (not included)

## ZA1010A1

- ✓ Anchor mounting kit for impact recovery (flexible) sign posts.
- ✓ Consists of 1/2" x 4" Concrete screw Anchors with 1" Washers. (4 Bolts / 4 Anchors / 4 Washers)

