

FALL PROTECTION

Guide and Usage Material

The ABC's of Fall Protection

A typical Person Fall Arrest System (PFAS) incorporates three components, often described as the ABC's of fall protection. The anchorage connector, body support, and connecting device, when used together, form a complete system for maximum worker protection. But don't forget about another required component of any fall protection program – descent, rescue, and retrieval of a fallen worker.



Anchorage is a secure point of attachment. They must be able to hold fast under more than a ton of force generated in a fall.



Body support harnesses distribute fall forces over the upper thighs, pelvis, chest, and shoulders. They provide a connection point on the worker for the PFAS.



Connectors such as shock absorbing lanyards or self retracting lifelines connect a worker's harness to the anchorage.



Descent and rescue devices are used to retrieve an injured worker or lower him to the ground.

Full Body Harness Applications

CSA STANDARD Z259.10-06 divides harnesses into 5 classes


Class A



Personal Fall Arrest

Class A full body harnesses are designed to support the body during and after the arrest of a fall.


Class D



Suspension and Controlled Descent

Class D full body harnesses are designed for suspension or controlled descent from a height.

Class E



Limited Access (Evacuation)

Class E full body harnesses are designed to support a worker in a position that reduces the worker's profile during passage through a limited access area.


Class L



Ladder Climbing

Class L full body harnesses are designed for use with fall restrict systems involving the use of a fall arrester that travels on a vertical lifeline or rail.

Class P



Work Positioning

Class P full body harnesses are designed to position a worker during a work operation.

Fall Protection

Exofit™ Nex Harnesses

- ✓ The newest, most advanced harnesses in the industry
- ✓ Soft, lightweight, water repellent webbing reduces attraction of mold and dirt, and has up to 5 times more abrasion resistance
- ✓ Spring-loaded stand-up dorsal D-ring with impact indicator
- ✓ Comfortable design dons without tangling
- ✓ Duo-Lok™ quick-connect buckles provide one-handed operation for fast, easy donning
- ✓ Revolver™ vertical torso adjusters eliminate loose ends and lock into place, preventing slippage
- ✓ Tech-Lite™ aluminum D-Rings offer a higher level of security and comfort
- ✓ Lightweight, moisture wicking, breathable hybrid comfort padding won't move or slip
- ✓ Soft edging moves with you, preventing uncomfortable rubbing or chafing and enhancing comfort and mobility
- ✓ Molded lanyard keepers prevent dangerous entanglements, and snap free when snagged
- ✓ Shoulder caps provide protection and comfort when carrying heavy materials
- ✓ Reflective piping enhances visibility in low-light conditions
- ✓ Built-in carrying pocket conveniently protects a cell phone, camera, or other items
- ✓ Integrated trauma straps help minimize suspension trauma post fall
- ✓ i-Safe™ enabled providing the ability to track inspections, control inventory, and manage information
- ✓ Certified to CSA standard Z259.10-06



Model No.	D-Rings	Hip Pad and Body Belt	Size	CSA Class	Price/Each
SEB598	Back	No	Small	A	\$00.00
SEB599	Back	No	Medium	A	\$00.00
SEB600	Back	No	Large	A	\$00.00
SEB601	Back	No	X-Large	A	\$00.00
SEB592	Back and Side	Yes	Small	A, P	\$00.00
SEB593	Back and Side	Yes	Medium	A, P	\$00.00
SEB594	Back and Side	Yes	Large	A, P	\$00.00
SEB596	Back and Side	Yes	X-Large	A, P	\$00.00

Exofit™ XP Harnesses



- ✓ Soft, lightweight webbing is strong, but not stiff or coarse
- ✓ Spring-loaded stand-up dorsal D-ring with impact indicator
- ✓ Comfortable design dons without tangling
- ✓ Quick-connect buckles provide one-handed operation for fast, easy donning
- ✓ Complete 5-point adjustment with easy-grip end tabs
- ✓ Removable padding is easily cleaned in the washing machine
- ✓ Breathable 3D mesh lining guarantees you'll stay dry and comfortable
- ✓ Soft edging moves with you, preventing uncomfortable rubbing or chafing and enhancing comfort and mobility
- ✓ Integrated lanyard keepers prevent dangerous entanglements, and snap free when snagged
- ✓ Reflective piping enhances visibility in low-light conditions
- ✓ i-Safe™ enabled providing the ability to track inspections, control inventory, and manage information
- ✓ Certified to CSA standard Z259.10-06



Model No.	D-Rings	Size	CSA Class	Price/Each
SEB414	Back	Small	A	\$00.00
SEB415	Back	Medium	A	\$00.00
SEB416	Back	Large	A	\$00.00
SEB417	Back	X-Large	A	\$00.00

Exofit™ Full Body Harnesses



- ✓ Constructed from abrasion-resistant anti-tear ballistic nylon, for twice the endurance of standard nylon or polyester
- ✓ Comfortable design dons without tangling
- ✓ Quick-connect buckles provide one-handed operation for fast, easy donning
- ✓ Complete 5-point adjustment with easy-grip end tabs
- ✓ Shoulder, leg, and hip padding is built-in so it can't slip
- ✓ Breathable lining guarantees you'll stay dry and comfortable
- ✓ Soft edging moves with you, preventing uncomfortable rubbing or chafing and enhancing comfort and mobility
- ✓ Reflective piping enhances visibility in low-light conditions
- ✓ i-Safe™ enabled providing the ability to track inspections, control inventory, and manage information
- ✓ Certified to CSA standard Z259.10-06



Model No.	D-Rings	Size	CSA Class	Price/Each
SEB393	Back	Small	A	\$00.00
SEB394	Back	Medium	A	\$00.00
SEB395	Back	Large	A	\$00.00
SEB396	Back	X-Large	A	\$00.00
SEB410	Back, Front and Side	Small	A, D, L, P	\$00.00
SEB411	Back, Front and Side	Medium	A, D, L, P	\$00.00
SEB412	Back, Front and Side	Large	A, D, L, P	\$00.00
SEB413	Back, Front and Side	X-Large	A, D, L, P	\$00.00

Exofit™ XP Harnesses



- ✓ Soft, lightweight webbing is strong, but not stiff or coarse
- ✓ Spring-loaded stand-up dorsal D-ring with impact indicator
- ✓ Comfortable design dons without tangling
- ✓ Quick-connect buckles provide one-handed operation for fast, easy donning
- ✓ Complete 5-point adjustment with easy-grip end tabs
- ✓ Removable padding is easily cleaned in the washing machine
- ✓ Breathable 3D mesh lining guarantees you'll stay dry and comfortable
- ✓ Soft edging moves with you, preventing uncomfortable rubbing or chafing and enhancing comfort and mobility
- ✓ Integrated lanyard keepers prevent dangerous entanglements, and snap free when snagged
- ✓ Reflective piping enhances visibility in low-light conditions
- ✓ i-Safe™ enabled providing the ability to track inspections, control inventory, and manage information
- ✓ Certified to CSA standard Z259.10-06



Model No.	Style	D-Rings	Leg Connections	Size	CSA Class	Price/Each
SEB391	Vest – Standard	Back	Quick-Connect	Universal	A	\$00.00
SEB406	Vest – Standard	Back	Tongue Buckle	Universal	A	\$00.00
SEB403	Vest – Standard	Back	Pass-Thru	Universal	A	\$00.00
SEB401	Vest – Positioning	Back and Side	Tongue Buckle	Universal	A, P	\$00.00
SEB392	Vest – Retrieval	Back and Shoulder	Quick-Connect	Universal	A, E	\$00.00
SEB409	Vest – Retrieval	Back and Shoulder	Tongue Buckle	Universal	A, E	\$00.00
SEB397	Construction	Back and Side	Tongue Buckle	Small	A, P	\$00.00
SEB398	Construction	Back and Side	Tongue Buckle	Medium	A, P	\$00.00
SEB399	Construction	Back and Side	Tongue Buckle	Large	A, P	\$00.00
SEB400	Construction	Back and Side	Tongue Buckle	X-Large	A, P	\$00.00
SEB418	Construction	Back	Tongue Buckle	Universal	A	\$00.00
SEB402	Cross-Over	Back and Front	Pass-Thru	Universal	A, D, L	\$00.00
SEB405	Cross-Over	Back, Front and Side	Pass-Thru	Universal	A, D, L, P	\$00.00

Suspension Trauma Safety Straps



- ✓ They are deployed when needed, hook together in seconds, and let a suspended worker stand up in harness, relieving downward pressure
- ✓ You can quickly attach them to most harness brands right in the field
- ✓ Compact, lightweight design stays out of your way
- ✓ Priced per pair



Model No.	Price/Each
SEB436	\$00.00

Miller® AirCore™ Harnesses



- ✓ Designed with breathable, open-core padding technology that provides optimal air flow, while reducing heat and moisture entrapment, keeping a worker drier and cooler
- ✓ Patented Miller DuraFlex® stretchable webbing provides greater flexibility and increased comfort
- ✓ Easy adjustment with cam buckles on shoulder straps
- ✓ Contoured ergonomic padding design minimizes contact around a worker's neck, lower back, and inner thighs to reduce chaffing and irritation
- ✓ Stand-up back D-ring
- ✓ Quick-connect chest strap buckles for easy donning
- ✓ Lightweight materials and components reduce fatigue for all-day endurance and increased productivity
- ✓ Durable knitted mesh back shield minimizes moisture absorption and maintains optimal air circulation
- ✓ Certified to CSA standard Z259.10-12



Steel Hardware

Model No.	D-Rings	Leg Connections	Additional Features	CSA Class	Price/Each
SEJ642	Back	Tongue Buckle	-	A	\$00.00
SEJ643	Back and Side	Tongue Buckle	-	A, P	\$00.00
SEJ644	Back and Side	Tongue Buckle	Lumbar Pad and Removable Belt	A, P	\$00.00
SEJ645	Back	Quick Connect	-	A	\$00.00
SEJ646	Back and Side	Quick Connect	-	A, P	\$00.00
SEJ647	Back and Side	Quick Connect	Lumbar Pad and Removable Belt	A, P	\$00.00

Aluminum Hardware

Model No.	D-Rings	Leg Connections	Additional Features	CSA Class	Price/Each
SEJ648	Back	Tongue Buckle	-	A	\$00.00
SEJ649	Back and Side	Tongue Buckle	-	A, P	\$00.00
SEJ650	Back and Side	Tongue Buckle	Lumbar Pad and Removable Belt	A, P	\$00.00
SEJ651	Back	Quick Connect	-	A	\$00.00
SEJ652	Back and Side	Quick Connect	-	A, P	\$00.00
SEJ653	Back and Side	Quick Connect	Lumbar Pad and Removable Belt	A, P	\$00.00

Miller® Revolution™ Harnesses



- ✓ Donning made easy with two-sided Dualtech™ webbing with contrasting colours and textures
- ✓ Easy, one-hand cam buckle adjustment/release allows simultaneous adjustment of shoulder straps
- ✓ Web finials clip-on design safely organizes webbing after proper adjustment
- ✓ ErgoArmor™ semi-flexible back shield minimizes impact from sharp/heavy snap hooks and self-retracting lifelines
- ✓ PivotLink™ hip connections unique rotary design provides greater comfort in bending/mobility
- ✓ Integrated pack encapsulates labels minimizing damage and loss
- ✓ Integrated accessory system with modular attachment design provides connection points for belts/tools/accessories
- ✓ Rated to 400 lbs. (181.4kg) capacity
- ✓ Certified to CSA standard Z259.10-06



Model No.	D-Rings	Leg Connections	Removable Belt	CSA Class	Price/Each
SAN124	Back	Quick-Connect	No	A	\$00.00
SAN125	Back	Tongue Buckle	No	A	\$00.00
SAN126	Back	Quick-Connect	Yes	A	\$00.00
SAN127	Back	Tongue Buckle	Yes	A	\$00.00
SAN128	Back and Side	Quick Connect	No	A, P	\$00.00
SAN129	Back and Side	Tongue Buckle	No	A, P	\$00.00
SAN130	Back and Side	Quick-Connect	Yes	A, P	\$00.00
SAN131	Back and Side	Tongue Buckle	Yes	A, P	\$00.00

Accessories

Model No.	Description	Price/Each
SAN133	Cell Phone/Jobsite Radio Holder w/Snap-On Connector	\$00.00
SAN134	Water Bottle Holder, 1 Qt.	\$00.00
SAN135	Open Bolt and Bull Pin Bag w/Quick Release Tool Snap	\$00.00
SAN137	2-Pocket Nail and Tool Pouch	\$00.00
SAN138	Large Multi Pouch Tool Bag w/2 Steel Hammer Loops	\$00.00

Optional Padding

Model No.	Description	Price/Each
SAN142	Shoulder/Leg Pads (2/pack)	\$00.00
SAN143	Seat Pad	\$00.00

Belts (fits sizes 32" to 54")

Model No.	Description	Price/Each
SAN146	Belt w/PivotLink™ Attachments, 5-Accessory Connectors	\$00.00
SAN147	Padded belt w/PivotLink™ Attachments, 5-Accessory Connectors	\$00.00

Miller® Ultra Harnesses



- ✓ The new line of Ultra Harnesses is designed with patented DuraFlex® stretchable webbing that provides greater comfort, increases productivity and improves safety
- ✓ In addition, the DuraFlex® Python™ Ultra Harness also features cushioned tubular webbing in the shoulder straps to minimize possible discomfort around the neck and shoulders when required to wear a tool belt
- ✓ Comfort-touch back D-ring pad is designed with woven, breathable material for greater comfort; orients harness for quick tangle-free donning
- ✓ Sleek, quick-connect buckles for chest and leg straps for easy donning and feature a dual-tab release mechanism to prevent accidental opening
- ✓ Friction shoulder strap buckles stay firmly in place
- ✓ Universal fit
- ✓ Certified to CSA standard Z259.10-06



DuraFlex® Ultra Harnesses

Model No.	D-Rings	Additional Features	CSA Class	Price/Each
SAK309	Back	-	A	\$00.00
SAK310	Back and Side	-	A, P	\$00.00
SAK311	Back and Side	Body Belt	A, P	\$00.00

DuraFlex® Python™ Ultra Harnesses

Model No.	D-Rings	Additional Features	CSA Class	Price/Each
SAK142	Back	-	A	\$00.00
SAK307	Back and Side	-	A, P	\$00.00
SAK308	Back and Side	Body Belt	A, P	\$00.00

HP™ High Performance Harnesses



- ✓ Durable, lightweight nylon webbing
- ✓ Bright colours make the HP™ harnesses readily visible and easy to inspect
- ✓ Back strap prevents user from falling out of the harness
- ✓ Lanyard ring allows user to attach lanyard when not in use
- ✓ All harnesses include sub pelvic strap
- ✓ Universal fit (available in other sizes upon request)
- ✓ Available in blue polyester webbing for greater chemical resistance
- ✓ Colour: Lime green
- ✓ Certified to CSA standard Z259.10-06



Model No.	D-Rings	Shoulder	Leg	Chest	CSA Class	Special Feature	Price/Each
SEB391	Back	Friction	Mating	Mating	A	Belt Loops	\$00.00
SEB406	Back	Friction	Tongue Buckle	Mating	A	Belt Loops	\$00.00
SEB403	Back	Friction	Mating	Mating	A, P	Belt Loops	\$00.00
SEB401	Back and Side	Friction	Tongue Buckle	Mating	A, P	Belt Loops, 6" CoolMax Back Pad/ Tool Belt and CoolMax Shoulder Pads	\$00.00
SEB392	Back and Shoulder	Mating	Mating	-	A, L, P	-	\$00.00
SEB409	Back and Shoulder	Mating	Tongue Buckle	-	A, L, P	-	\$00.00
SEB397	Back and Side	Friction	Mating	Mating	A	-	\$00.00

Non-Stretch Harnesses



- ✓ Non-stretch nylon webbing is lightweight and durable
- ✓ Bright yellow colour makes it visible and easy to inspect
- ✓ Fall indicator/warning flag indicates that the harness has been involved in a fall and should be removed from service
- ✓ Back strap prevents user from falling out of the harness
- ✓ Lanyard ring allows user to attach lanyard when not in use
- ✓ Most harnesses include sub pelvic strap
- ✓ Universal fit unless specified (other sizes available upon request)
- ✓ Also available in polyester webbing for greater chemical resistance
- ✓ Colour: Yellow
- ✓ Certified to CSA standard Z259.10-06



Model No.	D-Rings	Shoulder	Leg	Chest	CSA Class	Special Feature	Price/Each
SC965	Back	Friction	Mating	Mating	A	Belt Loops	\$00.00
SC967	Back and Shoulder	Friction	Mating	Mating	A, E	Belt Loops	\$00.00
SC961	Back	Friction	Tongue Buckle	Mating	A	Belt Loops	\$00.00
SC962	Back and Front	Friction	Tongue Buckle	Mating	A, D, L	Belt Loops	\$00.00
SC963	Back and Shoulder	Friction	Tongue Buckle	Mating	A, E	Belt Loops	\$00.00
SC964	Back, Front, and Shoulder	Friction	Tongue Buckle	Mating	A, D, E, L, P	Belt Loops	\$00.00
SC977	Back and Front	Mating	Mating	-	A, D, L	-	\$00.00
SC969	Back	-	Mating	Mating	A	Small/Medium	\$00.00
SC970	Back	-	Mating	Mating	A	Large/X-Large	\$00.00

Duraflex® Stretchable Harnesses



- ✓ Allows greater freedom of movement and offer improved comfort and overall safety
- ✓ Synthetic elastomer webbing stretches with the worker for maximum comfort
- ✓ Fall indicator/warning flag indicates that the harness has been involved in a fall and should be removed from service
- ✓ Back strap prevents user from falling out of the harness
- ✓ Injection-molded Santoprene® D-ring back pad is soft and flexible, enhancing comfort
- ✓ Pull-free lanyard ring allows user to attach lanyard when not in use
- ✓ Labelling includes inspection tag and space for personal identification
- ✓ Belt loops to accommodate belts, back pads and other accessories
- ✓ Universal fit (other sizes available upon request)
- ✓ Colour: Lime green
- ✓ Certified to CSA standard Z259.10-06



Model No.	D-Rings	Shoulder	Leg	Chest	CSA Class	Price/Each
SC978	Back, Front and Side	Mating	Mating	-	A, L, P	\$00.00
SC973	Back	Friction	Mating	Mating	A	\$00.00
SC975	Back	Friction	Tongue Buckle	Mating	A	\$00.00

Duraflex® Python™ Harnesses



- ✓ Shoulder straps are constructed of soft, cushioned tubular webbing
- ✓ Lower torso straps are constructed of specially-formulated DuraFlex® stretchable webbing
- ✓ Leg straps are constructed of lightweight, non-stretch webbing
- ✓ Injection-molded Santoprene® D-ring back pad is soft and flexible, enhancing comfort
- ✓ Pull-free lanyard ring allows user to attach lanyard when not in use
- ✓ Belt loops to accommodate belts, back pads and other accessories
- ✓ Universal fit (other sizes available upon request)
- ✓ Colour: Lime green
- ✓ Certified to CSA standard Z259.10-06



Model No.	D-Rings	Shoulder	Leg	Chest	CSA Class	Price/Each
SAH525	Back	Friction	Mating	Mating	A	\$00.00
SAH526	Back	Friction	Tongue Buckle	Mating	A	\$00.00
SAH527	Back and Side	Friction	Mating	Mating	A, P	\$00.00
SAH528	Back and Side	Friction	Tongue Buckle	Mating	A, P	\$00.00

Titan™ Contractor's Harnesses



- ✓ Full-body harnesses made from lightweight durable polyester webbing for all-day comfort and dependability
- ✓ Fully adjustable design
- ✓ Sliding back D-ring
- ✓ Sub-pelvic strap
- ✓ Universal fit (other sizes available upon request)
- ✓ Colour: Orange
- ✓ Certified to CSA standard Z259.10-06



Model No.	D-Rings	Shoulder	Leg	Chest	CSA Class	Price/Each
SN064	Back	Mating	Mating	Mating	A	\$00.00
SN065	Back and Side	Mating	Mating	Mating	A, P	\$00.00
SN066	Back	Mating	Tongue Buckle	Mating	A	\$00.00
SN067	Back and Side	Mating	Tongue Buckle	Mating	A, P	\$00.00

T-Flex Titan™ Stretchable Harnesses



- ✓ Durable, stretch polyester webbing construction for improved comfort and greater mobility
- ✓ Fully adjustable design for maximum comfort
- ✓ Non-slip chest strap assures proper fit
- ✓ Sub-pelvic strap for added safety and support
- ✓ Mating shoulder and chest strap buckles stay firmly in place
- ✓ Pull-free lanyard rings for added convenience
- ✓ Sliding back D-ring and pad ensure correct back D-ring position
- ✓ Universal fit
- ✓ Certified to CSA standard Z259.10-06



Model No.	D-Rings	Chest Connections	CSA Class	Price/Each
SAK297	Back	Mating	A	\$00.00
SAK298	Back	Tongue Buckle	A	\$00.00
SAK299	Back and Side	Mating	A, P	\$00.00
SAK300	Back and Side	Tongue Buckle	A, P	\$00.00

Welder's Harnesses



- ✓ Blue, flame-retardant Nomex® webbing to protect against weld splatter
- ✓ The special inner Kevlar® core adds strength and high-temperature resistance
- ✓ Features one back D-ring, friction shoulder straps and mating leg and chest connections
- ✓ Contrasting webbing colours make inspection easier
- ✓ Rated to 400-lb (181.4 kg) capacity when using a SofStop® shock absorber
- ✓ Includes unique, durable Lexan® labeling with inspection grid for easy tracking
- ✓ Universal fit (other sizes available upon request)
- ✓ Certified to CSA standard Z259.10-06



Model No.	Price/Each
SAK325	\$00.00

Miller® Revolution™ Arc-Rated Harnesses



Designed to protect workers from falls caused by electric arc-flash and arc-blast exposure when working at heights or in confined space applications near energized electrical sources

- ✓ Features the same key elements as the Miller® Revolution Harness (see page 496)
- ✓ Kevlar®/Nomex® Miller® DualTech™ webbing - patent-pending 10 000 lb. tensile strength webbing is engineered with permanent fire retardant (FR) properties.
- ✓ Webbing offers the durability and FR properties of Kevlar® on the outer side, with softer FR Nomex® on the inside of the webbing for greater comfort
- ✓ Webbing assures arc protection and durability that eclipses any nylon webbing
- ✓ PivotLink™ design allows unmatched freedom of motion and comfort, while the unique cam buckles provide easy two-finger adjustment
- ✓ Leather insulators under all metal hardware offer additional protection for the worker
- ✓ Kevlar® web loop on the back pad allows for a “metal-less” connection when used with a Kevlar® shock-absorbing lanyard with a choke-off loop
- ✓ All Miller® Revolution™ arc-rated harnesses have bright red binding on every pad, making them easily identifiable as an arc-rated product
- ✓ Meets stringent ASTM F887-05 arc-flash standards
- ✓ Certified to CSA standard Z259.10-06



Model No.	D-Rings	Leg Connections	CSA Class	Price/Each
SAR473	Back	Quick-Connect	A	\$00.00
SAR474	Back and Side	Tongue Buckle	A	\$00.00

Note: Other styles available upon request

Relief Step™ Safety Devices



- ✓ Allows the user to “stand up” in their harness, permitting the ability to move and flex leg muscles
- ✓ Provides support and enhances blood circulation until rescue
- ✓ Small and lightweight, can be attached to any brand of full-body harness
- ✓ Utilizing two devices per harness (one for each leg/foot) is recommended to assure greater user comfort



Model No.	Price/Each
SAK162	\$00.00

Titan™ Aerial Lift Fall Protection Kits



- ✓ Full-body Titan™ construction harness with permanently attached 6' (1.8 m) tubular shock-absorbing lanyard
- ✓ Universal fit
- ✓ Harness certified to CSA standard Z259.10-06, Class A
- ✓ Lanyard certified to CSA standard Z259.11-05, Class E4



Model No.	D-Rings	Carrying Bag	Price/Each
SAH515	Locking Snap Hook	No	\$00.00
SAH517	Locking Rebar Hook	No	\$00.00

Titan™ Construction & General Maintenance Fall Protection Kits



- ✓ One full body universal sized harness with tongue buckle leg straps (SN066)
- ✓ One 6' (1.8 m) tubular shock-absorbing lanyard (SN069)
- ✓ One 6' (1.8 m) cross arm strap
- ✓ Harness certified to CSA standard Z259.10-06, Class A
- ✓ Lanyard certified to CSA standard Z259.11-05, Class E4



Model No.	Price/Each
SR532	\$00.00

Titan™ ReadyRoofer® Fall Protection Kits



Lightweight, Full-Body Harness

- ✓ Fully adjustable, non-stretch harness
- ✓ Certified to CSA standard Z259.10-06, Class A

Compact Trailing Rope Grab

- ✓ Lightweight, easy-to-use design with hands-free operation
- ✓ Durable, corrosion-resistant, stainless steel construction
- ✓ Attaches anywhere on the lifeline

Versatile, Reusable Roof Anchor with Attachment D-Ring

- ✓ Easily installs on steep-pitched or flat surface roofs
- ✓ Reusable roof anchor

Shock-Absorbing Lanyard

- ✓ 3' (0.9 m) polyester web lanyard with integral shock absorber and two locking snap hooks
- ✓ Certified to CSA standard Z259.11-05, Class E4

High-Strength Rope Lifeline

- ✓ 5/8" (16 mm) diameter polyester/polypropylene construction with loop and locking snap hook
- ✓ 9300-lb tensile strength, treated to combat ultraviolet rays



Water-Proof Container

- ✓ Ideal for equipment storage

Model No.	Description	Price/Each
SAK303	25' (7.6 m) Rope Lifeline	\$00.00
SAK304	50' (15 m) Rope Lifeline	\$00.00

EZ-Stop Shock Absorbing Lanyards



- ✓ Features the lightest, smallest, and strongest shock absorber in the world; 66% smaller and 40% lighter than previous EZ-stop models
- ✓ Lightest and strongest rebar hooks on the market
- ✓ Thinnest-ever webbing using HI-10TM Vectran® energy management material for reduced weight and bulk
- ✓ Vectran® is a multifilament high tenacity performance yarn spun from liquid crystal polymer that is five times stronger than steel
- ✓ Repel™ webbing repels water to reduce the attraction of mold and dirt
- ✓ High abrasion resistance
- ✓ Excellent chemical and cut resistance
- ✓ High impact resistance
- ✓ High visibility accents keep you safe in low-light conditions
- ✓ Protected labels for durability and longevity
- ✓ Rugged and durable soft shock absorber cover is designed to last
- ✓ Certified to CSA standard Z259.11-05, Class E4



Model No.	Length'	No. of Legs	Harness Connection	Anchorage Connection	Price/Each
SEJ418	3	One	Snap Hook	Snap Hook	\$00.00
SEJ419	4	One	Snap Hook	Snap Hook	\$00.00
SEJ420	6	One	Snap Hook	Snap Hook	\$00.00
SEJ421	6	One	Snap Hook	Rebar Hook	\$00.00
SEJ422	6	Two	Snap Hook	Snap Hooks	\$00.00
SEJ423	6	Two	Snap Hook	Rebar Hooks	\$00.00
SEJ424	6	Two, Elastic	Snap Hook	Rebar Hooks	\$00.00
SEJ480*	6	Two, Elastic	Snap Hook	Rebar Hooks	\$00.00

*Made with lightweight aluminum snap and rebar hooks

Shockwave™ 2 Lanyards



- ✓ Tubular core style lanyards uniquely designed to expand and contract in reaction to a workers movements
- ✓ Stays out of your way when not in use, avoiding trips and snags
- ✓ Built in impact indicator provides visual evidence if the lanyard has been involved in a fall
- ✓ Length: 6'
- ✓ Certified to CSA standard Z259.11-05, Class E4



Model No.	No. of Legs	Harness Connection	Anchorage Connection	Price/Each
SEB868	One	Snap Hook	Snap Hook	\$00.00
SEB869	Two	Snap Hook	Snap Hooks	\$00.00

Pro™ Pack Shock Absorbing Lanyards



- ✓ Pack-type shock absorber limits fall arrest forces to 900 lbs. for added safety
- ✓ Durable 1" polyester web construction
- ✓ Durable alloy steel, zinc-plated hardware
- ✓ Certified to CSA standard Z259.11-05, Class E4



Model No.	Length'	No. of Legs	Harness Connection	Anchorage Connection	Price/Each
SEB871	4	One	Snap Hook	Snap Hook	\$00.00
SEB872	6	One	Snap Hook	Snap Hook	\$00.00
SEB384	6	One	Snap Hook	Gate Hook	\$00.00
SEF153	6	Two	Snap Hook	Gate Hook	\$00.00

*Made with lightweight aluminum snap and rebar hooks

Pro-Stop™ Shock Absorbing Lanyards



- ✓ Tubular web shock absorber limits fall arrest forces to 900 lbs. for added safety
- ✓ Durable 1" polyester web construction
- ✓ Durable alloy steel, zinc-plated hardware
- ✓ Certified to CSA standard Z259.11-05, Class E4



Model No.	Length'	No. of Legs	Harness Connection	Anchorage Connection	Price/Each
SEB874	4	One	Snap Hook	Snap Hook	\$00.00
SEB875	6	Two	Snap Hook	Snap Hooks	\$00.00

Miller® Manyard® Shock-Absorbing Lanyards



- ✓ Unsurpassed in the market for safety, comfort and mobility
- ✓ Special woven shock-absorbing inner core reduces fall arrest forces
- ✓ Heavy-duty tubular outer jacket serves as a back-up web lanyard
- ✓ Unique warning flag provides visual proof that a lanyard has been involved in a fall and should be removed from service
- ✓ Locking snap hook harness connection
- ✓ Certified to CSA standard Z259.11-05, Class E4



Model No.	Length'	No. of Legs	Anchorage Connection	Price/Each
SC980	4	One	Locking Snap Hook	\$00.00
SEI549	5	One	Locking Snap Hook	\$00.00
SC982	6	One	Locking Snap Hook	\$00.00
SC983	8	One	Locking Snap Hook	\$00.00
SC984	4	One	Locking Rebar Hook	\$00.00
SC985	5	One	Locking Rebar Hook	\$00.00
SC986	6	One	Locking Rebar Hook	\$00.00
SC987	8	One	Locking Rebar Hook	\$00.00
SAH529	6	Two	Locking Rebar Hooks	\$00.00

Miller® Manyard® II Stretchable Shock-Absorbing Lanyards



- ✓ Manyard® II shock-absorbing lanyards offer the same features as the Manyard® lanyards, with additional value-added features:
- ✓ Unique stretchable design offers greater manoeuvrability and safety
- ✓ Integral bright red core makes visual inspection easier and more reliable
- ✓ Locking snap hook harness connection
- ✓ Length: 6'
- ✓ Certified to CSA standard Z259.11-05, Class E4



Model No.	No. of Legs	Anchorage Connection	Price/Each
SAH530	One	Locking Snap Hook	\$00.00
SAH531	One	Locking Rebar Hook	\$00.00
SAH532	Two	Locking Rebar Hooks	\$00.00

Miller® Manyard® II Stretchable Shock-Absorbing Lanyards



- ✓ Manyard® II shock-absorbing lanyards offer the same features as the Manyard® lanyards, with additional value-added features:
- ✓ Unique stretchable design offers greater manoeuvrability and safety
- ✓ Integral bright red core makes visual inspection easier and more reliable
- ✓ Locking snap hook harness connection
- ✓ Length: 6'
- ✓ Certified to CSA standard Z259.11-05, Class E4



Model No.	Length'	Anchorage Connection	Price/Each
SA012	4	Locking Snap Hook	\$00.00
SA013	6	Locking Snap Hook	\$00.00
SA014	8	Locking Snap Hook	\$00.00

Miller® Manyard® II Stretchable Shock-Absorbing Lanyards



- ✓ Manyard® II shock-absorbing lanyards offer the same features as the Manyard® lanyards, with additional value-added features:
- ✓ Unique stretchable design offers greater manoeuvrability and safety
- ✓ Integral bright red core makes visual inspection easier and more reliable
- ✓ Locking snap hook harness connection
- ✓ Length: 6'
- ✓ Certified to CSA standard Z259.11-05, Class E4



Model No.	Length'	Anchorage Connection	Price/Each
SA033	4	5/8" Rope	\$00.00
SA035	6	5/8" Rope	\$00.00
SA036	4	Webbing	\$00.00
SA037	5	Webbing	\$00.00
SA038	6	Webbing	\$00.00

Titan™ Tie-Back Lanyards



- ✓ Pack-type shock absorber is designed for tie-back use, eliminating the need for a separate anchorage connector
- ✓ Special polyester webbing (9800 lbs.) for greater abrasion resistance
- ✓ Forged sliding D-ring for ease of use
- ✓ Pack type shock-absorber that keeps fall forces at or below 900 lbs.
- ✓ Locking snap hook harness connection
- ✓ Auto-locking carabiner anchorage connectors
- ✓ Length: 6'
- ✓ Certified to CSA standard Z259.11, Class E4



Model No.	Length'	Anchorage Connection	Price/Each
SAK301	4	One	\$00.00
SAK302	6	Two	\$00.00

Titan™ Shock-Absorbing Lanyards



- ✓ Made of lightweight, durable polyester webbing
- ✓ Tubular built-in core lanyards feature a built-in woven inner core which smoothly expands to reduce fall arrest forces, while the outer jacket serves as a back-up web lanyard
- ✓ Pack-type style includes the shock absorber pack that expands to reduce fall forces while a back-up safety strap deploys
- ✓ Length: 6'
- ✓ Locking snap hook harness connection
- ✓ Certified to CSA standard Z259.11-05, Class E4



Model No.	No. of Legs	Shock-Absorber	Anchorage Connection	Price/Each
SC980	One	Tubular Built-In Core	Locking Snap Hook	\$00.00
SEI549	One	Tubular Built-In Core	Locking Rebar Hook	\$00.00
SC982	Two	Tubular Built-In Core	Locking Snap Hook	\$00.00
SC983	Two	Tubular Built-In Core	Locking Rebar Hooks	\$00.00
SC984	One	Pack-Type	Locking Snap Hook	\$00.00
SC985	Two	Pack-Type	Locking Snap Hooks	\$00.00
SC986	Two	Pack-Type	Locking Rebar Hooks	\$00.00

BackBiter® Tie-Back Lanyards



- ✓ Made with the Miller® 5K snap hook (gate load capacity of 5000 lbs.), which is designed especially for wrapping around objects and snapping back onto the lanyard
- ✓ Offers a solution to the common, yet unsafe, practice of workers wrapping a regular lanyard around their anchor point
- ✓ All models come with the SofStop® shock absorber
- ✓ Harness connects with a locking snap hook
- ✓ Length: 6'
- ✓ Certified to CSA standard Z259.11-05, Class E4



Model No.	Description	Colour	Price/Each
SH005	Nylon	Green	\$00.00
SH007	Polyester	Blue	\$00.00

Welder's Shock-Absorbing Lanyards



- ✓ Blue, flame-retardant Nomex® webbing to protect against weld splatter
- ✓ The special inner Kevlar® core adds strength and high-temperature resistance
- ✓ Features Sofstop® shock-absorber and two locking snap hooks
- ✓ Contrasting webbing colours make inspection easier
- ✓ Length: 6'
- ✓ Certified to CSA standard Z259.11-05, Class E4



Model No.	Price/Each
SAK326	\$00.00

Arc-Rated Shock-Absorbing Lanyards



- ✓ Arc-rated Kevlar® webbing available in both single and double-legged models upon request
- ✓ Also available with choke-off loop upon request
- ✓ Locking snap hook harness connection
- ✓ Length: 6'
- ✓ Certified to CSA standard Z259.11-05, Class E4



Model No.	Description	Anchorage Connections	Price/Each
SAR475	Manyard II	Locking snap hooks	\$00.00
SAR476	Manyard II	Locking rebar hook	\$00.00
SAR477	w/SofStop® Shock Absorber	Locking snap hooks	\$00.00
SAR478	w/SofStop® Shock Absorber	Locking rebar hook	\$00.00

Decelerator Energy-Absorbing Lanyards



- ✓ Simple design – Limits complexity and keeps down cost
- ✓ Proven performance – Effectively limits maximum arrest force to less than 900 lbs.
- ✓ Flagging system – Even partial deployment causes a flag to become visible, indicating that the lanyard has been subjected to a fall equivalent load and should be withdrawn from service
- ✓ Nylon webbing – Offers superior resistance to abrasion and alkaline chemicals
- ✓ Two-leg lanyards available – Provide 100% tie-off
- ✓ Snap hook harness connection
- ✓ Certified to CSA standard Z259.11-05, Class E4



Model No.	Length'	No. of Legs	Anchorage Connection	Price/Each
SC980	4	One	Locking Snap Hook	\$00.00
SEI549	6	One	Locking Rebar Hook	\$00.00
SC982	4	One	Locking Snap Hook	\$00.00
SC983	6	One	Locking Rebar Hooks	\$00.00
SC984	4	Two	Locking Snap Hook	\$00.00
SC985	6	Two	Locking Snap Hooks	\$00.00

Soft Pak Energy-Absorbing Lanyards



- ✓ Shock-absorbing design – Proven over years of service, the Soft Pak effectively limits maximum arrest force to less than 900 lbs.
- ✓ Easily visible deployment – The slightest deployment of the Soft Pak is clearly visible, aiding equipment inspection and identification of lanyards that have been subjected to a fall equivalent load and should be withdrawn from service
- ✓ Lightweight polyester webbing – Offers superior UV and chemical resistance
- ✓ Two-leg lanyards available – Provide 100% tie-off
- ✓ Snap hook harness connection
- ✓ Certified to CSA standard Z259.11-05, Class E4



Model No.	Length'	No. of Legs	Anchorage Connection	Price/Each
SN113	6	One	Snap Hook	\$00.00
SAK515	6	Two	Scaffold Hooks	\$00.00

Durabuilt Lanyards



- ✓ Energy absorbing lanyard
- ✓ Durable polyester construction
- ✓ Variety of constructions and configurations available
- ✓ Double locking snap hook harness connection
- ✓ Certified to CSA standard Z259.11-05, class E4



Continuous Web

Model No.	Length'	Number of Legs	Anchorage Connections	Price/Each
SAK520	4	One	Double Locking Snap Hook	\$00.00
SAK521	6	One	Double Locking Snap Hook	\$00.00

Decelerator

Model No.	Length'	Number of Legs	Anchorage Connections	Price/Each
SAH537	4	One	Double Locking Snap Hook	\$00.00
SAH750	6	One	Double Locking Snap Hook	\$00.00
SAH761	6	One	Double Locking Rebar Hook	\$00.00
SAK524	4	One	Scaffolding Hook	\$00.00
SAK525	6	One	Scaffolding Hook	\$00.00

Double-Leg Decelerator

Model No.	Length'	Number of Legs	Anchorage Connections	Price/Each
SAK526	4	Two	Double Locking Snap Hooks	\$00.00
SAK527	6	Two	Double Locking Snap Hooks	\$00.00
SAK528	4	Two	Scaffolding Hooks	\$00.00
SAK529	6	Two	Scaffolding Hooks	\$00.00

Nano-Lok Edge Self-Retracting Lifelines



- ✓ Specifically designed for foot level tie-off and sharp edge applications
- ✓ Uses an innovative combination of lifeline material, energy absorption, and harness connection to reduce forces on both the worker and the sharp edge, allowing you to effectively defeat gravity, every time
- ✓ Connector and integrated, backpack-style energy absorber work together to limit forces to protect against sharp edges
- ✓ Backpack design stays tight to the harness and evenly disperses the units weight
- ✓ The direct-to harness connection provides 360° of rotation and leaves the D-ring open for rescue or other equipment
- ✓ Tough and flexible 3/16" galvanized cable lifeline provides maximum range of motion, durability, and cut resistance
- ✓ Durable, lightweight, impact resistant thermoplastic housing
- ✓ Certified to CSA standard Z259.2.2-98, Type 1 SRL



Model No.	Number of Legs	Anchorage Connections	Price/Each
SEJ600	One	Snap Hook	\$00.00
SEJ601	One	Swivel Snap Hook	\$00.00
SEJ607	One	Rebar Hook	\$00.00
SEJ604	One	Aluminum Carabiner	\$00.00
SEJ608	Two	Snap Hooks	\$00.00
SEJ609	Two	Swivel Snap Hooks	\$00.00
SEJ615	Two	Rebar Hooks	\$00.00
SEJ614	Two	Aluminum Rebar Locking Hooks	\$00.00

Talon™ Web Self-Retracting Lifeline



- ✓ 8' (2.4 m) nylon web self-retracting lifeline
- ✓ Extremely lightweight design, under 3 lbs. (1.3 kg)
- ✓ Direct harness attachment option
- ✓ Built-in anchorage connector
- ✓ Greater freedom of movement without compromising safety
- ✓ Certified to CSA standard Z259.2.2-98, Type 1 SRL



Model No.	Price/Each
SEB337	\$00.00

Sealed Blok™ Self-Retracting Lifelines



- ✓ 30' Sealed Blok™ self-retracting lifeline that features a retrieval bracket and swivelling snap hook with impact indicator
- ✓ New sealed design keeps the critical working components (brake, power spring, energy absorber) free of dirt, grease, water and chemicals
- ✓ Built-in carrying handle makes transport and anchoring safe and easy, and provides a secondary “dropped objects protection” attachment point
- ✓ Large pivoting anchorage handle stays in line with load for added security and allows use of a variety of connecting hardware
- ✓ Anti-ratcheting brake stops falls within inches and limits arresting forces to 900 lbs. for added safety
- ✓ Cast aluminum housing and heavy gauge steel end plates resist damage and provide corrosion resistance
- ✓ Self-locking swivel hook with impact indicator makes connections easy, and provides a visual means of inspection
- ✓ Certified to CSA standard Z259.2.2-98, Type 3 RSRL



Model No.	Price/Each
SEB341	\$00.00

Nano-Lok™ Self-Retracting Lifelines



- ✓ Automatic quick-activating arrestor stops a falling worker within inches; replaces lanyard and improves safety
- ✓ 6' retractable lifeline provides continuous fall protection without restrictions – keeps lifeline out of worker's way, reducing dragging, snagging, and trip falls
- ✓ Extremely compact and lightweight; at just 1.6 lbs. this unit is 15% lighter and 30% smaller than other units in its class
- ✓ 420-lb. weight capacity – higher capacity for operator and tools
- ✓ Integrated shock absorber provides a visual indication of a fall
- ✓ Anchorage connectors install to web, leaving dorsal D-ring open for other equipment or rescue
- ✓ Swiveling anchorage loop eliminates lifeline twisting for smoother operation
- ✓ Wide variety of configurations provides complete jobsite versatility and flexibility
- ✓ Twin-leg configurations replace twin-leg lanyards and provide 100% tie-off continuous fall protection and improved mobility
- ✓ Certified to CSA standard Z259.2.2-98, Type 1 SRL



Model No.	Number of Legs	Harness Connection	Anchorage Connections	Price/Each
SEE926	One	Cab Mount Stainless Steel Bracket	Steel Swivel Snap Hook	\$00.00
SEE927	One	Single Leg Connector	Steel Snap Hook	\$00.00
SEE928	One	Single Leg Connector	Steel Swivel Snap Hook	\$00.00
SEE929	One	Single Leg Connector	Aluminum Carabiner	\$00.00
SEE930	Two	Twin Leg Connector	Steel Rebar Hooks	\$00.00
SEE931	Two	Twin Leg Connector	Aluminum Rebar Hooks	\$00.00

Ultra-Lok™ Self-Retracting Lifelines



- ✓ Galvanized wire rope lifeline
- ✓ Maximum durability with minimal weight
- ✓ Stainless steel working components for corrosion resistance
- ✓ Durable polyurethane housing and aluminum side plates
- ✓ Anti-ratcheting, twin disc brake system limits arresting forces to 900 lbs. (4 kN) or less
- ✓ Smooth performance
- ✓ Swivel snap hook harness connection and steel hook anchorage connection
- ✓ Certified to CSA standard Z259.2.2-98, Type 2 SRL



Model No.	Length'	Price/Each
SEB347	20	\$00.00
SEB345	30	\$00.00
SEB348	50	\$00.00

Rebel™ Web Self-Retracting Lifelines



- ✓ Web lifeline
- ✓ Self-locking hooks
- ✓ Great value with superior features
- ✓ Compact and lightweight
- ✓ Durable aluminum housing
- ✓ Swivel carabiner anchorage connection
- ✓ Certified to CSA standard Z259.2.2-98, Type 1 SRL



Model No.	Length'	Harness Connection	Lifeline	Price/Each
SEB349	10	Swivel Snap Hook	Web	\$00.00
SEB350	20	Rebar Hook	Web	\$00.00
SEE717	33	Swivel Snap Hook	Galvanized Cable	\$00.00
SEE718	50	Swivel Snap Hook	Galvanized Cable	\$00.00

Tie-Off Adaptors



- ✓ Pass-thru style polyester web tie-off adaptor



Model No.	Length'	Price/Each
SEB389	3	\$00.00
SEB390	6	\$00.00

D-Ring Anchorage Plates



- ✓ Can be bolted or welded to a structure, offering a compact, reliable connection point
- ✓ Two 1/2" diameter attachment holes
- ✓ Cadmium plated steel D-ring
- ✓ 304 stainless steel anchorage plate
- ✓ Plate size: 1/4" x 2" x 4 1/2"



Model No.	Price/Each
SEB449	\$00.00

Saflok® Mining Anchors



- ✓ Designed to be used with friction rock bolts in a variety of mining applications
- ✓ The hybrid swivel anchor is designed to stay in one spot, while the bolt anchor offers the flexibility to move from location to location
- ✓ Durable, lightweight, and easy to install



Model No.	Description	Bolt Width mm	Price/Each
SEJ619	Bolt Anchor w/Swivel O-Ring	39	\$00.00
SEJ620	Bolt Anchor w/Swivel O-Ring	47	\$00.00
SEJ621	Hybrid Swivel Anchor	39	\$00.00
SEJ622	Hybrid Swivel Anchor	47	\$00.00

Roof Anchors



- ✓ 5000-lb anchorage point can be reused
- ✓ Forged alloy D-ring
- ✓ Painted steel construction
- ✓ Includes twenty 16D nails for single use
- ✓ Total weight: 3 lbs.



Model No.	Price/Each
SEB388	\$00.00

Door/Window Jamb Anchors



- ✓ Fits door or window sizes ranging from 21 1/2" to 51 1/2" in width
- ✓ Non-penetrating design ensures no damage to structure
- ✓ Fast and easy installation with built-in adjustment knob – no tools or drilling are required
- ✓ Lightweight and extremely portable design



Model No.	Price/Each
SEJ618	\$00.00

Fixed Beam Anchors



- ✓ Installs in seconds to the beam structure in any orientation
- ✓ Final tightening using a built-in adjustment handle
- ✓ Fits up to 1 1/2" thick beam flange, 2 1/2" to 12" wide



Model No.	Price/Each
SEE808	\$00.00

Cable Tie-Off Adaptors



- ✓ 1/4" coated galvanized cable
- ✓ Lightweight and extremely durable
- ✓ Stands up to harsh environments
- ✓ Snap hook at one end, O-ring at the other
- ✓ Length: 6'



Model No.	Price/Each
SEB470	\$00.00

Concrete D-Ring Anchors



- ✓ Reusable D-ring assembly
- ✓ Rugged design for harsh environments
- ✓ Safe "hook-up" indicator notifies user of proper installation
- ✓ Install into 11/16" or 3/4" holes - only standard drill bits needed



Model No.	Price/Each
SEB438	\$00.00

Concrete Detent Anchors



- ✓ Reusable detent pin assembly allows a user to tie-off anywhere a socket is pre-installed with a push of a button
- ✓ Lightweight and portable
- ✓ Socket can be installed vertically or overhead into a concrete wall, floor, or ceiling
- ✓ Rugged, corrosion resistant stainless steel



Model No.	Price/Each
SEJ623	\$00.00

Freestanding Counterweight Anchors



- ✓ Freestanding system is easily placed on top of the roof surface to provide tie-off point for one worker



Model No.	Price/Each
SEE809	\$00.00

Rail Dog® Rail Anchors



- ✓ Provides user with a mobile anchor point for a wide range of railway or crane applications
- ✓ Stainless steel construction for high strength and corrosion resistance
- ✓ Lightweight, compact and portable
- ✓ Quick and easy to install – no tools required



Model No.	Price/Each
SEJ624	\$00.00

Glyder™ II Sliding Beam Anchors



- ✓ Wear pads eliminate metal-to-metal contact, for smooth operation
- ✓ Easy installation
- ✓ Dual beam grip adjustment prevents twisting and turning
- ✓ Extremely light weight at only 3.7 lbs.
- ✓ User capacity of 420 lbs.
- ✓ Fits flange 3 1/2" to 14" wide and up to 1 1/4" thick



Model No.	Price/Each
SEB435	\$00.00

Beam Trolley Anchorage Connectors



- ✓ Installs easily and quickly overhead with no tools necessary at ends or midpoint on beams
- ✓ Non-corrosive double-shielded wheel bearings provide smooth and effortless operation
- ✓ Trolley guards protect the wheels from damage and keep the beam ahead of the trolley clear of debris
- ✓ Provides added maneuverability, improved safety, and increased productivity
- ✓ Fits flat or tapered beam flanges 3" to 8" wide, and up to 11/16" thick



Model No.	Price/Each
SEJ617	\$00.00

Rollgliss™ R500 Rescue & Descent Devices



- ✓ Choice of controlled descent rescue, evacuation, or the versatility of assisted rescue with lifting capabilities
- ✓ Fully automatic controlled descent feature, at 2-3 ft. per second (0.6-0.9 m)
- ✓ Ideal for rescue and evacuation from heights up to 1000' (300 m) for one user 310 lbs. or 330' (100 m) for two users totaling 550 lbs.
- ✓ Unique bidirectional design allows one end of the lifeline to descend while the other ascends, ready for another rescue



Model No.	Price/Each
SEJ616	\$00.00

Saflok™ Carabiners



- ✓ Steel carabiners
- ✓ Self locking/closing
- ✓ 3600-lb. gate



Model No.	Gate Opening"	Price/Each
SEH168	11/16	\$00.00
SEE719	1 3/16	\$00.00

Cable Ladder Safety Systems



- ✓ The Lad-Saftm flexible cable system consists of a top and bottom bracket that act as anchors for a steel cable that runs the length of the climbing area
- ✓ A Lad-Saftm sleeve connects the worker to the system, automatically follows the user during the climb, and locks on to the cable in the event of a fall
- ✓ Designed for ease of use, economy, and versatility
- ✓ Integrated tension indicating bottom brackets take the guess work out of installation
- ✓ Galvanized and stainless steel construction stands up to harsh environments for added longevity
- ✓ Integrated shock absorbing top bracket reduces forces imposed on ladder during a fall
- ✓ Intermediate cable guides prevent cable wear against the ladder and permit the climber to bypass without disconnecting
- ✓ Complete system includes both top and bottom brackets, cable and cable guides. They do not include a sleeve, carabiner, or harness
- ✓ System is also customizable, call today to learn more



Model No.	Length'	Price/Each
SEE810	20	\$00.00
SEE811	30	\$00.00

Rope Lifelines



- ✓ 30' lifeline
- ✓ 5/8" diameter
- ✓ Snap hook at one end
- ✓ Features additional abrasion and UV resistance, for added durability, longevity, and safety



Model No.	Price/Each
SEC130	\$00.00

Anchorage Connectors

Designed as the intermediary for securing a connecting device to an anchorage, careful consideration should be given to selecting a proper anchorage for ultimate safety. The anchorage should be easily accessible, located a safe distance above any lower obstacles and support 5000 lbs. (22 kN) per worker.

Rebar Hook Anchors

by Honeywell

- ✓ Facilitates anchoring to scaffolding, pipe or angle iron
- ✓ Features a locking rebar hook
- ✓ 400-lb. maximum capacity

Model No.	Description	Price/Each
SD538	w/Shock Absorber	\$00.00
SD008	w/o Shock Absorber	\$00.00

Beam Trolleys

by Honeywell

- ✓ Steel anchor point that can be attached to horizontal I-beams
- ✓ Adjustable beam trolley slides along with the worker to provide maximum mobility
- ✓ 400-lb. maximum capacity

Model No.	Description	Beam Width'	Price/Each
SD010	Beam Trolley	3 to 4 1/2	\$00.00
SAK435	Adapter Kit for SD010	3 to 8 1/2	\$00.00

Cross-Arm Straps

by Honeywell

- ✓ Web cross-arm strap wraps around I-beams and other structures
- ✓ Attaches with a 2" D-ring that slips through a 3" D-ring
- ✓ Forms a secure attachment point for lanyards and other connecting devices
- ✓ Length: 6'
- ✓ 400-lb. Maximum capacity

Model No.	Length'	Description	Price/Each
SD009	6	Standard	\$00.00
SAR479	3	Arc-Rated Kevlar	\$00.00
SAR480	6	Arc-Rated Kevlar	\$00.00

Beam Clamps



- ✓ Steel anchor point that can be attached to horizontal I-beams, S-beams or W-beams
- ✓ Swivel attachment ring prevents twisting of the worker's connecting device
- ✓ 400-lb. maximum capacity

Model No.	Max Beam Width'	Price/Each
SD006	9	\$00.00
SD007	12 1/2	\$00.00

D-BOLT Permanent Anchorage Connectors



- ✓ 1/2" diameter D-bolt anchor
- ✓ One-piece unit with lockwasher and nut
- ✓ 400-lb. maximum capacity

Model No.	Price/Each
SD005	\$00.00

