

APOLLO S5

High puncture resistant PVC safety boot

Upper	PVC	
Outsole	PVC	
Toecap	Steel	
Midsole	Steel	
Lining	Tricot	
Footbed	N/A	
Safety category		EN ISO 20345 - S5 / SRA
Sample weight		1.111 gr.
Size range EU 36-4		47 / UK 3.5-12.0 / US 4.0-13.0 / CM 23.5-31.0



YEL

















STEEL TOECAP

Robust metal support to protect the feet of the wearer against falling or rolling objects.



STEEL MIDSOLE

Puncture resistant steel midsoles are made from stainless or coated steel and prevent sharp objects from penetating the outsole.



SRA SLIP RESISTANCE

Slip resistance is one of the most important features of safety and occupational footwear. SRA slip resistant soles are tested on a ceramic tile with dilute soap solution.



WATERPROOF MATERIALS

Waterproof materials make you capable of escorting patients into the shower in a safe and hygienic way.



HEEL ENERGY ABSORPTION

Heel energy absorption reduces the impact of jumps or running on the body of the wearer.



ANTISTATIC

Antistatic footwear prevents build-up of static electrical charges and ensures that they are discharged effectively. Volume resistance between 100 KiloOhm and 1 GigaOhm







APOLLO S5

Industries:

Catering, Chemical, Cleaning, Construction, Industry, Mining, Construction.

Environments:

Wet environment

Maintenance instructions:

To extend the life of your shoes, we recommend to clean them regularly and to protect them with adequate products. Do not dry your shoes on a radiator, nor nearby a heat source.

