



PRODUCT CATALOG

2017

Personal Protective Equipment
| Safety Equipment | Workplace
Safety Services

*biz*SAFE+

 **QUANTUM**
SAFETY NETWORK PTE LTD

About Us

Quantum Safety Network Pte Ltd

Quantum Safety Network Pte Ltd was started in 2003 as a trading company determined to help meet the needs of industries in Singapore for protective equipment due to the increasing stringency of local workplace safety and health policies. Since inception, we have worked with countless local and multinational companies as well as suppliers from all around the globe. We are committed to serving the occupational, health, safety and environmental protection needs in Singapore and Asia. It is our aim to protect people, assets and the environment with high-quality, occupational health and safety products and value-added services.

We supply high quality products from leading manufacturers that comply or exceed most international safety standards such as ANSI, EN, JIS, CSI, AS, NIOSH as well as other regional or local safety standards. Apart from meeting technical requirements, we also take great care in providing protection while not impairing work. We pay close attention to the fitting, comfort, customer preference and work environment when curating our product line and making recommendations. Apart from working closely with businesses to protect their workforce, our products are also readily available to end users through our online store: safetysolutions.com.sg.

Besides supplying protective equipment, we believe in a holistic approach to the concept of occupational health and safety. Our staff are well trained to provide customers with comprehensive training and advice on the proper usage, fitting, maintenance and limitations of certain protective devices supplied by us. We promise to strive and update ourselves with the latest in safety and occupational health so that we can help our customers with hazard identification, safety practice recommendations and the selection of appropriate protective devices for the best level of protection.

Our Vision

To be the most reliable and innovative safety solutions provider in the markets we serve.

Our Promise

To provide high-quality, reliable and innovative safety related products and services by working closely with suppliers and customers, thereby ensuring a mutually beneficial relationship.

Disclaimer

While every effort is made to ensure the factual accuracy of the information provided in this publication, Quantum Safety Network shall not be held responsible for any errors of omissions, inaccuracies, misleading or out of date information as presented within the publication or as interpreted by the reader. This includes any printing and formatting defects that may lead to information being distorted or left out.

Contents

HEAD PROTECTION	5-12	82-99	FOOT PROTECTION
FACE PROTECTION	13-15	100-112	FALL PROTECTION
EYE PROTECTION	16-29	113-115	SKIN PROTECTION
HEARING PROTECTION	30-37	116-121	SPILL PROTECTION
RESPIRATORY PROTECTION	38-52	122-126	TRAFFIC PROTECTION
GAS PROTECTION	53-54	127-129	FIRE PROTECTION
HAND PROTECTION	55-74	130-132	DISPOSABLE PROTECTION
BODY PROTECTION	75-81	133-136	OTHERS



HEAD PROTECTION

Protect the most important part of your body from bumps, falling debris and other sources of trauma.



3M White Safety Helmet (H-701R)

Model: H701R

- C/W 4-point ratch suspension and standard brow pad
- With accessory for ear muff, face shield attachment
- Meet ANSI/ISEA Z89.1-2009 Type 1, Class C, G and E



AL-Gard CS509 Clean Control Safety Bump Cap

Model: ALG-CS509

- Material: Polypropylene + Copren (133g)
- Color: White
- Adjustable ratchet system allows for a good fit for any head size
- Adjustable chinstrap for extra security
- Suitable for use under hooded cleanroom smock



AL-Gard Lightweight Bump Cap Liner

Model: ALG-EXSC

- Material: Polypropylene
- Color: White
- This cap is developed to meet needs for light helmet for light work environment
- It is not suitable for heavy work environment
- Suitable for use with most caps as shown in the photos
- *Cap is not included with sale



AL-Gard Safety Helmet With Chin Strap (EN397)

Model: ALG-MO2WT

- Tough Polypropylene Shell with lightweight construction (375g)
- 4-Point Webbing and quick-release ratchet system with sweat band for good comfort and fit
- Top vented for added comfort during long hours of wear
- Suitable for 51-62cm head sizes
- EN 397 | ANSI Certified
- Available in white, black, orange, red and green
- Also available with an optional visor (for black and white colours only)



Model: ALG-BBC

AL-Gard Short-Peak Baseball Bump Cap (BBC)

AL-Gard



- Design for protection against bump ●
- Fashion and comfort for all day wear day and night ●
- Reflective piping on all model to improve visibility ●
- Two panel of mesh provide added ventilation ●
- Unique elastic adjuster to fit head size from 53cm to 63cm ●
- Base liner can be removed and fully washable ●
- Sleek low profile design ●
- Available in navy blue and red/grey ●

Head Protection

Model: ALG-BBC

AL-Gard Micro-Peak Baseball Bump Cap (BBC)

AL-Gard



- Design for protection against bump ●
- Fashion and comfort for all day wear day and night ●
- Reflective piping on all model to improve visibility ●
- Two panel of mesh provide added ventilation ●
- Unique elastic adjuster to fit head size from 53cm to 63cm ●
- Base liner can be removed and fully washable ●
- Sleek low profile design ●
- Available in navy blue ●

Model: BULCHINSTRAP

Bullard Elastic 3-Point Chin Strap with Chin Cup

Bullard



- Elastic and adjustable length ●
- Suitable for use with most Bullard helmets ●
- Pictured helmet - S61R-WHR ●
- Helmet is not included with sale ●

Model: S61R

Bullard Safety S61 "SS98 Certified" Hard Hat (Made in USA)

Bullard



- 4-point suspension ●
- Pillowed cotton, brow pads ●
- Wide seamless nylon crown straps ●
- Front and rear vertical height adjustments ●
- Accessory slots accept a wide variety of attachments ●
- Meets SS98:2003 & ANSI/ISEA Z89.1, Type I, Class E and G requirements ●
- Made in the USA ●
- SS98 certified ●
- Available in hi-vis orange, pacific blue, yellow ●

Bullard Standard S62 "SS98 Certified" Vented Hard Hat (Made in USA)

Model: S62R



- 4-point suspension system
- Ratchet suspensions can be adjusted between hat sizes 6 1/2 " - 8"
- Replaceable vinyl brow pad is pillowed for maximum comfort
- Lightweight, vented shell design for increased ventilation and comfort
- Features accessory slots for attaching a variety of accessories
- Vertical height adjustment capability (two front, two rear)
- Made in the USA
- SS98 certified
- Available in pacific blue, black, hi-vis yellow, hi-vis orange, yellow, red



Bullard Standard S71 Full-Brim Hard Hat (Made in USA)

Model: S71R



- 4-point suspension system
- Full brim design protects against splash, glare and sun exposure
- Permanent under-brim glare guard
- Flex-Gear ratchet suspension (RS4RC) can be adjusted between hat sizes 6 1/2 " - 8"
- Vertical adjustment capability (two in front, two in rear)
- Round, wide crown area also allows for good ventilation
- Replaceable vinyl brow pad is pillowed for maximum comfort
- Made in the USA
- Available in hi-vis orange, pacific blue, hi-vis yellow



Clean Tek LED Light Strip for Helmets

Model: CTLED1

- 3-way LED strip design allow for visibility from all angles in the dark
- Strong adhesive tape allows for secure and long-lasting adhesion
- Easily accessible on/off switch for operation while wearing gloves
- Flexible light strips allow room for adjustment for use with other head mounted gear



Dancel Safety Helmet

Model: DAN-01Y

- Standard hard hat suitable for use at construction sites
- Available in yellow, orange, red, gray



Model: 88128

MSA Nylon Chin Strap



MSA nylon chin strap suitable for all MSA helmets

Head Protection

Model: 10160923

MSA V-Guard Full Brim Safety Helmet



- Polyethylene shell & suspension system protect the head against top impacts
- Full brim design provides an extra measure of protection & keeps sun and rain off your neck

Model: 475358

MSA V-Guard Safety Helmet



- Polyethylene shell & suspension system protect the head against top impacts
- UV stabilized HDPE shell
- High level of mechanical performance
- High comfort with textile, height adjustable suspension
- SS98 certified
- Available in blue ,yellow ,orange, red, green and gray



Model: BCBG

PRO Bump Cap



- Modern baseball style cap with short peak for extra visibility when looking upwards
- EN812 certified
- Bump cap shell with foam padded insert provides built-in protection against bumps and scrapes in the workplace
- Eyelet holes provide extra ventilation and comfort in extreme weather conditions
- Lightweight for maximum comfort during extended wear
- Fully adjustable for perfect fit for all size requirements
- Available in hi-vis yellow and hi-vis orange



PRO HHB Detachable Hard Hat Brim

Model: HHB-W

- Durable cotton
- Excellent sun protection with neck flap
- Available in white and orange
- Sold individually
- Available in white and orange



PRO Safety AirBorne Hard Hat HHV6MP

Model: HHV6MP

- Certified to AS/NZS1801-SAI Global Certified Lic 20500
- 10mm micro peak for increased vision whilst working at heights
- 6-point webbed harness
- Single hand adjustment wheel harness
- Fully adjustable 4-points chinstrap with quick release buckle
- Universal attachment slot enables firm fitting of visors and/or earmuffs
- Ideal for high wind areas when a secure fit is needed quickly
- Available in white, orange and yellow



PRO V6 Full Brim Hard Hat

Model: HHV6FB

- Lightweight
- Extended brim over the neck and ears helps to reduce the amount of harmful UV radiation from the sun
- The brim is slightly shorter in the front, allowing good upward vision
- 6 point ratchet harness
- Air vents and cotton sweatband prevents perspiration buildup
- All round peak for added protection
- Available in red, yellow, and orange



PRO V9 Vented Hard Hat

Model: HHV9

- Impact resistant ABS material
- 9 Points of ventilation for increased air-flow
- Low profile, lightweight design
- Easy locking system for fast on/off application
- Webbed harness cradling system to ensure correct hat position and promote ventilation
- Angled peak deflects rain from wearer in extreme weather
- Built in sweat band for added comfort
- Approvals: AS/NZS 1801 - SAI Global Certified Lic 20500
- Available in orange, red, yellow, green and blue



Model: ALGCS

Elastic Chin Strap



Elastic chin strap suitable for all Most helmets ●

Head Protection

Model: ALGCSC

Elastic Chin Strap with Chin Cup



Elastic chin strap with chin cup suitable for all Most helmets ●

Model: 38117

SIR Everest ABS Helmet (EN397)



- Well balanced, lightweight ABS shell with a 6-point terylene head-harness ●
- Wide textile sweatband ●
- 4-point chin strap with chin cup to always ensure correct positioning ●
- Easy adjustment of ratchet for sizes from 52 to 63 cm ●
- Resistance to low temperatures down to -30°C ●
- Weight: 450g ●

Model: CAPGRIP

Sureguard Cap Grip Hard Hat Holder



- Contains high performance magnets for attaching to metal surfaces ●
- Screws to attachment to timber and plaster board surfaces are included ●
- Inbuilt safety glasses holder ●
- Suitable for most standard type hard hats ●
- UV stabilised for outdoor use ●

Sureguard Clearview Safety Helmet

Model: Clearview

- Translucent design with a see through peak
- See through peak allows the wearer to look upwards without the need to tilt the head
- Adjustable 6 point terylene harness or poly cradle
- Attachment slot accepts most general 25mm and 30mm attachments
- Made from high impact Polycarbonate
- Rain guard with reinforced peak
- Clearview is fully Standards approved to AS/NZS 1801, EN397 & ANSI/ISEA Z89.1
- Available in blue, pink, yellow and red

SSA
SUREGUARD SAFETY AUSTRALIA





FACE PROTECTION

Protect your face against impact, chemicals and high temperature materials.

3M

 **Bullard**

 **CREWS
GLASSES**
An MCR Safety Brand

3M AOSafety Clear Face Shield

Model: AO 82701

- Heavy-duty impact protection (WP96)
- Meets ANSI Z87.1-2003 high impact standard.
- All easy-change shields mount quickly to headgear without tools, snaps or cams.
- Face shield dimensions are 9" X 14 1/2" X .080" (WP96)
- *Headgear is not included in sale



3M AOSafety Headgear (H4)

Model: AO 82500

- Economy pin-lock headgear
- Crown protector made of high strength thermoplastic
- Impact resistance over a wide range of temperatures
- Spring loaded assemblies help eliminate "window drops"
- Easy window replacement



3M AOSafety Ratchet Headgear (H8A)

Model: AO 82501

- Crown protector made of high strength thermoplastic
- Impact resistance over a wide range of temperatures
- Spring loaded assemblies help eliminate "window drops"
- Precise ratchet head size adjustment provides a comfortable snug fit
- Five position pin-lock crown strap provides additional support and comfort



Bullard Sentinel 2 Crown and Chin Protection

Model: Sentinel 2

- Lightweight, comfortable face protection
- Sure-lock ratchet adjusts the headband to sizes 6 1/2" to 8"
- Crown strap conforms to the shape of the head
- Sportek™ browpad pulls moisture away from the skin
- Browpads are hand washable and replaceable
- Able to accommodate both primary eye protection and half-facepiece style respirators
- *Visor is sold separately



Model: 840P

Bullard Visor



- Chemical resistant acetate (840M) ●
- Heat-formed polycarbonate (840P) ●
- Impact and heat resistance for 840P ●
- Clear, flat, multi-fit visor ●
- 8" X 15" x 0.04" ●

- For use with bullard brackets or most competitive models ●
- ANZI z87+ rated ●
- Suitable for use with Sentinel2 Crown & Chin Visor (840Mx2) ●

Face Protection

Model: 100G

Bullard Visor Bracket



- Available for front mounted cap style and full brim style helmets ●
- Gold lined aluminium ●
- Impact resistance rating: Z87+ ●

Model: CWS102

Crews Headgear Brackets



- Aluminum material ●
- 5 system cam lock for added impact resistance ●
- 102 Bracket accepts most manufacturers hard hat and universally punched windows ●
- Meets or exceeds ANSI Z87.1-1989 safety standard ●

Model: 181540

Crews Regular Faceshield



- Clear Lens ●
- Polycarbonate ●
- ANSI Z 87.1 standards ●



EYE PROTECTION

Protect your eyes from impact, chemical splashes, metal fumes, bright lights and UV radiation.

3M AL-Gard

bolle
SAFETY

PRO SAFETY
GEAR
prochoice.com.au

Model: 11511-00000-20
Lens Colour: Clear

3M Virtua Protective Eyewear



- Anti-fog lens
- Clear temple design
- Impact protection
- Incredibly lightweight
- Suitable for wearing with ear defenders or helmets



Model 11516-00000-20
Lens Colour Grey (Indoor/Outdoor)

Eye Protection

Model: 40661-00000-10

3M Safety Splash Goggle 334AF



- Economical goggle 334AF protective eyewear offers indirect anti-fog venting
- Adjustable elastic strap
- Polycarbonate construction with over-the-glass coverage
- Indoor or outdoor use safety goggles

Model: 11394-00000-20

3M Virtua Plus Protective Eyewear



- Clear lens
- Clear temple
- Polycarbonate lens absorbs 99.9% of UV
- Meets the high impact requirements of ANSI Z87.1-2003

AL-Gard J-71 Safety Spectacles

Model: ALG-J-71

AL-Gard

- Clear temple design
- Unisex styling
- Incredibly lightweight
- Anti-scratch lenses
- EN166 & ANSI Z87.1



AL-Gard Safety Goggles

Model: ALG-G11

AL-Gard

- Designed for comfort
- Indirect ventilation for good air circulation
- Anti-fog high impact resistant polycarbonate lenses that complies
- ANSI Z87.1 and CE EN 166: 1995 for impact resistance
- Compact size allows for use with face masks / respirators



AL-Gard J-67 Safety Spectacles

Model: ALG-J67-C
Lens Colour: Clear

AL-Gard

- EN166 & ANSI Z87.1 Certified
- Rubber nose pads suitable for Asian noses
- Wrap around lenses for better panoramic protection
- Anti-slip grip temples
- Angle adjustable temples allow for better fit for people with differing ear heights
- Suitable for wearing with ear defenders or helmets



Model	ALG-J67-IO
Lens Colour	Indoor/Outdoor



Model: ALG-F03-C
Lens Colour: Clear

AL-Gard F-03 Safety Spectacles

AL-Gard



- Modern and attractive unisex styling
- Durable and lightweight
- Suitable for wearing with ear defenders or helmets



Model ALG-F03-S
Lens Colour Smoke



Model ALG-F03-IO
Lens Colour Indoor/Outdoor

Eye Protection

Model: ALG-OTG-T29

AL-Gard OTG-T29 Safety Over-Spectacles

AL-Gard



- Stylish and high performance over-the-glass
- Anti-fog coated lens
- Integrated lateral protection
- Fits over most prescription eyewear
- Heavy-duty inclination system allows pantoscopic adjustment

Model: ALG-J-81

AL-Gard J-81 Safety Spectacles

AL-Gard



- Stylish design with green, high-visibility side accents
- Durable and lightweight construction
- Anti-scratch lenses
- EN166 & ANSI Z87.1

AL-Gard J-14 Safety Spectacles

Model: ALG-J14-C
Lens Colour: Clear

AL-Gard

- Wrap around light weight design
- Hard coated lenses provides anti scratch properties
- Soft rubber nose grips for added comfort & slip resistance
- Ansi Z87.1 and EN166 rated for low and medium impact resistance



Model	ALG-J14-IO
Lens Colours	Indoor/Outdoor



Model	ALG-J14-S
Lens Colours	Smoke

Bolle B-Clean Premoisturised Tissue Dispenser (100 Pieces)

Model: 1651600

bolle
SAFETY

- 100 cleaning premoistened tissues dispenser
- Anti-bacteria
- Anti-reflective
- Anti-static
- Water-based formula
- Alcohol and silicone free
- Certified by COLTS laboratory
- Suitable for all types of lenses



Bolle Bandido Safety Spectacles

Model: 1667201A
Lens Colour: Clear

bolle
SAFETY

- All polycarbonate frame
- Brilliant coverage for a wide variety of face shapes
- Anti-fog & anti-scratch lens
- Single piece, optically correct distortion free lens



Model	1667202A
Lens Colour	Smoke



Model	1667203
Lens Colour	Amber



Model: 1652821A

Bolle Atom Goggles

bolle
SAFETY



- Low profile and light weight frame with a spherical polycarbonate lens
- Soft, comfortable PVC frame contours to your face
- 'ALS' anti-fog/anti-scratch on both sides of the clear and smoke lenses
- Can be worn comfortably over spectacles
- Weight without mouthguard- 72g
- ANSI Z87.1 certified for medium impact and splash protection
- Optional prescription RX adaptor available



Model	1652831A
Information	With Mouthguard

Eye Protection

Model: 1653802A
Lens Colour: Clear

Bolle Curve Safety Spectacles (1653801A)

bolle
SAFETY



- Soft nose bridge
- Exceptional eye coverage via the wide fitting single piece lens
- 'ALS' anti scratch / anti fog on both side of the lens
- Fit asian unisex medium and large
- Weight - 27g
- ANZI Z87.1 / AS/ANS 1337.1.2010 medium impact



Model	1653801A
Lens Colours	Smoke

Model: 1680001A

Bolle Fusion+ Welding Helmet

bolle
SAFETY



- Active welding filters automatically darken when electric arc is ignited
- Provides extra large field of vision (100cm x 53cm)
- Blocks off the cell to clear state for grinding
- Fine adjustment and progressive sensibility
- Auto recovery delay adjustment
- Variable tint 5-8/9-13
- Solar powered
- Low battery indicator and replacement battery
- Approved to EN166 for impact protection
- Variable shade lens



Bolle Iris Safety Spectacles

Model: 1670001A
Lens Colour: Clear



- Polycarbonate frame for excellent durability & strength
- Co-mould temples for greater comfort and fit
- Exceptional eye coverage with 10.5 base lens
- Tilt adjustable temple arms
- Multi adjustable B-flex nose bridge pads allows height, tilt and width adjustability



Model 1670002A
Lens Colour Smoke



Model 1670018A
Lens Colour Indoor/Outdoor



Model 1670006A
Lens Colour ESP

Bolle Prism Safety Spectacles

Model: 1614401
Lens Colour: Clear



- Rimless polycarbonate frame
- Single piece, distortion free lens
- Ultra light weight only 22g
- Approved to ANSI Z87.1, EN166 & AS/NZS 1337.1.2010
- 8 base curve
- 'A:S' anti-fog/anti-scratch coating on both side of lens
- Fit: unisex - medium/large



Model 1614402
Lens Colour Smoke



Model 1614404
Lens Colour Bronze



Model 1614406
Lens Colour Amber



Model 1614403
Lens Colour Silver Flash

Bolle Tracker 2

Model: 1670001A
Lens Colour: Clear



- Polycarbonate frame ensures excellent durability and strength
- Rubber temple tips provide greater comfort and a secure fit
- An adjustable head strap improves fit and protection
- Exceptional visual clarity through an 8 base curve, distortion free lens
- EVA eye seal provides exceptional protection against dust and other particles
- Fit: medium/large
- Weight - 52g



Model 1652002A
Lens Colour Grey



Model 1652010A
Lens Colour Twilight



Model 1652015A
Information RX Lens Adaptor (Adaptor Only)

Model: 1662301
Lens Colour: Clear

Bolle Rush Plus Safety Spectacles

bolle
SAFETY



- Ultra light weight
- Built-in brow protection
- Adjustable PVC nose bridge plus co-mould temple arm for superior fit
- 'ALS' anti-fog/anti-scratch coating on both sides of the lens
- Fully recyclable : All polycarbonate frame with no metal parts
- Fit: unisex - medium/large

Eye Protection



Model 1662320
Information Gasket Kit with Strap



Model 1662310
Lens Colours Twilight



Model 1662302
Lens Colours Smoke

Model: 1615501A
Lens Colour: Clear

Bolle Sidewinder/Contour Safety Spectacle

bolle
SAFETY



- High gloss, dark gun metal dual material frame
- Superior comfort rubber nose pads and temple tips
- Dual Lens, half frame design providing brilliant eye coverage
- 'ALS' anti-fog/anti-scratch coatings on all clear, smoke, amber lens
- Fit: unisex - medium/large



Model 1615504A
Lens Colours Brown



Model 1615503A
Lens Colours Amber



Model 1615502A
Lens Colours Smoke

Model: 1654001A
Lens Colour: Clear

Bolle Thunder Safety Spectacle

bolle
SAFETY



- Bolle Thunder Safety Spectacles
- 'ALS' anti-fog/anti-scratch coating on both side of the lenses
- Grey color spectacle frame
- Tilt adjustable arms provide maximum fit and comfort for any face shape
- Fit: unisex - medium/large



Model 1654006A
Lens Colours Bronze



Model 1654001A
Lens Colours Smoke

Bolle BL-10 Safety Spectacles

Model: 1653902A
 Lens Colour: Smoke



- Bolleconomic eye protection
- 'ALS' anti-fog/anti-scratch on both side of clear and smoke lens
- Asian Fit



Bolle B-Clean Lens Cleaning Station

Model: 1651700



- Carton cleaning station with
- 250ml Anti-bacteria, anti-reflective & anti-static lens cleaning solution
- 2 x 200 multi-function dry cleaning tissues
- Water-based formula
- Alcohol and silicone free
- Certified by COLTS laboratory
- For all types of lenses



Bolle Boom Positive Seal Safety Spectacles

Model: 1654201A
 Lens Colour: Clear



- Lightweight frame
- 'ALS' anti-fog/anti-scratch coating on both sides of clear, smoke and twilight lenses
- 4 Position tilt adjustable, co-moulded temple arm for a personalised fit
- Full SBR eye seal to maximize protection against dust
- Fit: unisex - medium/large



Model	1654202A
Lens Colours	Smoke

Model: 1680501
Lens Colour: Clear

bolle
SAFETY



Bolle Overlight II Safety Over Spectacles / Goggles

- Lightweight, over spectacle frame ●
- Suitable for most modern prescription frames ●
- Side, upper and lower protection ●
- Anti-fog and anti-scratch coating ●
- AS/NZS 1337.1.2010 Rated ●



Model	1680502
Lens Colours	Smoke

Eye Protection

Model: 1658213A

bolle
SAFETY



Bolle 1658213A Concept Welding Shade 5 Safety Spectacles

- Polycarbonate frame and lenses with infrared absorbing dyes ●
- Total eye protection for gas welders and assistants ●
- Approved to AS/NZS 1337.1.2010 for medium impact protection ●
- Anti-fog and anti-scratch coating is applied on both sides of the lens ●

Model: 6400
Lens Colour: Clear

PRO SAFETY
GEAR



PRO 6400 General Safety Spectacles

- Certified to as/nzs1337.1:2010 Lic#25492 (SAI global) ●
- Medium impact anti scratch lens ●
- 9 Base curve lens for increased eye and lateral coverage ●
- Anti-fog lens 99.9% ●
- UV protection for outdoor wear ●
- Available in clear (6400), smoke (6402), amber (6405), and brown (6409) ●
- TPR positive seal gasket also available (64g) ●



Model	6400 + 64G
Lens Colours	Clear with Gasket



Model	6409
Lens Colours	Brown



Model	6405
Lens Colours	Amber



Model	6402
Lens Colours	Smoke

Prochoice DJG Disposable Jockey Goggles

Model: DJG



- Comfortable and lightweight
- Easy on/off
- Basic protection against dust and large droplets



PRO 9903 Blue Mirror Safety Spectacles

Model: 9903



- Medium impact, anti-scratch lens
- Stylish, wrap around design which promotes wear in any work environment
- Lightweight and durable polycarbonate frame
- 99.9% UV protection for outdoor wear
- Ultra lightweight to increase comfort for extended wear
- AS/NZS 1337 certified



3M ZT200 Prescription Safety Spectacles

Model: ZT-200-YG
Lens Colour: Yellow/Grey



- Ability to use multiple lens carriers for safety or sunwear prescriptions
- Brow bar above the lenses for comfort and to absorb sweat
- Highly visible reflective temples
- Frames made out of nylon, colors are black and yellow
- Available in blue/grey and yellow/grey



Model	ZT-200-YG
Lens Colour	Blue/Grey

Model: LB-009C-M/L

Al-Gard LB-009C Prescription Safety Spectacles

Al-Gard



- Adjustable temples suitable for different ear heights
- Foam rubber forehead bumper designed for better seal & comfort
- Available size: M/L

Eye Protection

Model: 1659021A
Lens Colour: Black Gloss

Bolle Twister Prescription Safety Spectacles with Head Band

bolle
SAFETY



- Close fitting high contour design for improved eye protection
- Rubber nose pads/ temple tips
- Polycarbonate frame ensures excellent durability and strength
- 6 Base lens gasket - TR 90 material
- EVA positive seal to maximise protection in dusty environments

Model: 1661621A
Lens Colour: Black Gloss

Bolle Drift Prescription Safety Spectacles

bolle
SAFETY



- Integrated side shields
- 6 base insert on an 8 base frame
- Polycarbonate demo lens
- 6 Base curve
- Size: 54/18
- Temple length: 120mm



Model 1661622A

Lens Colour Translucent Smoke

Bolle Skate Prescription Safety Spectacles

Model: 1661121A
Lens Colour: Gloss Black

bolle
SAFETY

- Integrated side shields
- Upper and lower protection
- Polycarbonate demo lens
- 6 base curve
- Size: 52/18
- Temple length: 120mm



Model	1659024A
Lens Colours	Translucent Smoke

Bolle B707 Prescription Safety Spectacles

Model: B707

bolle
SAFETY

- Upper, lower and side protection
- Metal frame
- Upper, lower and side protection
- Adjustable tips and pads
- Fixed side shields
- EN166 certified frame
- Available in small (51X18) and large (53X18) sizes



Bolle B808 Prescription Safety Spectacles

Model: 1675120A
Lens Colour: Charcoal

bolle
SAFETY

- Ventilated side shields
- Polycarbonate frame
- Non-slip tipgrip temples
- Non-slip bridge



Model	1675120A
Lens Colour	Charcoal
Size	Small



Model	1675121A
Lens Colour	Brown

Model: 1616755A
Lens Colour: Clear

bolle
SAFETY



Bolle MF167 RX Metal Prescription Spectacle Frame

- Adjustable optical nose pads ●
- All stainless steel frame with riveted side shields offering upper and lower protection ●
- Adjustable temple tips ●
- Classic frame designs
- Lightweight - 22g (frame only)
- ANZI Z87.1

Eye Protection



HEARING PROTECTION

Protect your ears against hearing loss from sudden and/or persistent loud noises.

3M MOLDEX

HOWARD
LEIGHT 
by SPERIAN

PRO SAFETY
GEAR
prochoice.com.au

Model: 1100

3M 1100 Uncorded Disposable Foam Ear Plugs



- Tapered shape designed to fit most ear canals
- NRR 29
- Soft, hypoallergenic foam helps create a custom seal in the ear canal
- Sold in a box of 200 pairs

Hearing Protection

Model: 1110

3M 1110 Corded Disposable Foam Ear Plugs



- Tapered shape to fit the ear canal comfortably
- Soft foam seals the ear comfortably
- Smooth, dirt resistant surface for hygiene
- Comfortable for a wide range of ear sizes
- Hypo-allergenic material
- Bright orange colour for good visibility
- Sold in a box of 100 pairs

Model: 1270/1271

3M 1270 Triple Flanged Ear Plugs



- Reusable, multi-flanged design
- Fits securely in the ear canal and helps provide reliable protection
- Bright orange colour provides high visibility to allow employers to identify employees wearing their ear plugs
- Soft cloth cord helps prevent loss of ear plugs
- Can be washed and reused many times
- NRR 24 dB
- 3M 1270 - 100 pairs/ box (comes without a carrying case)
- 3M 1271 - 50 pairs/ box (comes with a carrying case)

Model: 1293

3M 1293 Triple Flanged Ear Plugs



- NRR 25dB
- Softer material provides improved wearer comfort
- 3-flange design fits securely in the ear
- Plastic cord
- Finger grip stem for easy insertion and to help keep ear plug clean
- Elastic material does not contain silicone, so earplug may be used in sensitive work environments, such as automotive painting
- Storage case to keeps ear plug clean and protected
- 3M 1293 - 50 pairs/ box (comes with a carrying case)

3M Triple Flanged Earplugs with Rubber Cord

Model: 4002/4004

- Patented, premolded, triple-flange design inserts easily
- No rolling or sizing needed to get a comfortable, protective fit
- Hypoallergenic polymer is washable and reusable
- Carrying case keeps plugs clean and accessible for re-use
- NRR 25 dB
- 340-4004 - 100 pairs/ box (comes without a carrying case)
- 340-4002 - 50 pairs/ box (comes with a carrying case)



Howard Leight AirSoft Corded Multiple Use Ear Plugs

Model: AS-30Z/DPAS-30R

- Advanced air pocket design features internal noise-blocking fins
- NRR 27
- Four-flange profile creates better seal in the ear canal
- Less pressure in the ear canal eliminates that “plugged up” feeling
- Rounded flanges, tapered shape fits better in the ear canal
- Firm stem facilitates easy insertion and removal
- Outstanding noise-blocking protection highest attenuation in multiple-use
- DPAS-30R - 100 pairs/box (comes without a carrying case)
- AS-30R - 50 pairs/box (comes with a carrying case)



Howard Leight Laser Lite Disposable Foam Earplugs (Corded)

Model: LL-30

- Vibrant colors make protection visible
- Self-adjusting polyurethane foam expands to fit virtually every wearer
- Contoured T-shape for easy insertion and wear
- Smooth, soil-resistant closed cell-foam skin prevents dirt build-up
- 100 pairs/ box (sold in boxes)



Howard Leight Max Lite Disposable Foam Earplugs (Corded)

Model: LPF-30

- Ideal size for workers with smaller ear canals
- Low pressure polyurethane foam expands gently for comfortable long-term wear
- Contoured T-shape for easy handling and wear
- Smooth, soil-resistant closed cell-foam skin prevents dirt build-up
- 100 pairs/ box (sold in boxes)



Model: Max30

Howard Leight Max Max 30 (corded) Disposable Foam Earplugs



- Suitable for workers with smaller ear canals
- Low pressure Polyurethane material expands slowly and is comfortable even after long term wear
- Independently tested, NRR 30
- Contoured T-shape allows for easy handling and wear
- Smooth, soil-resistant closed cell-foam skin prevents dirt build-up
- 100 pairs/ box (sold in boxes)

Hearing Protection

Model: Max1

Howard Leight MAX1 Disposable Foam Earplugs



- The world's most-used polyurethane foam earplug
- NRR 33
- Contoured bell-shape is easier to insert, resists tendency to back-out of ear canal
- Polyurethane foam enhances comfort, especially for long-term wear
- Smooth, soil-resistant closed-cell foam skin prevents dirt build-up
- Sold in boxes of 200 pairs

Model: Quiet

Howard Leight Quiet Multiple Use Corded Earplugs



- Patented "no-roll" design is easy to handle and fit
- 26 NRR
- Contoured shape comfortably matches contours of the ear canal
- Smooth, non-irritating skin provides all-day comfort, easy to clean for long-term use
- Built-in insertion stem makes insertion quick and easy
- Sold in boxes of 100 pairs

Model: X-Treme

Howard X-Treme Disposable Uncorded Ear Plugs



- Brightly coloured orange offering high visibility and worker compliance
- Self-adjusting polyurethane foam expands to fit virtually every wearer
- Smooth, soil-resistant closed cell-foam skin prevents dirt build-up
- Bulk refills for leight source 400 earplug dispenser save time, waste and space
- Smooth tapered shape for easy insertion and removal
- Sold in a box of 200 pairs

Moldex Pura-Fit 6900(corded) Disposable Foam Earplugs

Model: 6900

MOLDEX

- Independently tested, NRR 33
- Tapered for easier insertion
- Improved, softer foam for maximum comfort
- Hygienically packaged in biodegradable paper pouches
- Non-irritating, smooth surface
- Longer length for easy fitting and removal
- Bright green colour allows for easy compliance checks
- 100 pairs/ box (sold in boxes)



Pro Dispenser Station 500 for Disposable Earplugs

Model: EPDS500A

PRO SAFETY GEAR

- Class 5, SLC8027dB
- Disposable, PU foam
- *Does not come with earplugs included
- Hearing protection for noise levels up to 110dB(A)
- ProPlug bell shape delivers maximum comfort
- Improved design makes it easier to insert and reduces tendency to back out of the ear



ProBell Disposable Earplugs Refill Bag

Model: EPYU500R

PRO SAFETY GEAR

- Class 5, SLC8027dB
- Disposable, PU foam
- Hearing protection for noise levels up to 110dB(A)
- ProPlug bell shape delivers maximum comfort
- Improved design makes it easier to insert and reduces tendency to back out of the ear



ProBullet Disposable Earplugs Refill Bag

Model: EPDS500R

PRO SAFETY GEAR

- Class 5, SLC8027dB
- Disposable, PU foam
- Uncorded earplugs
- Hearing protection for noise levels to 110 dB(A)



Model: H9P3E

3M H9P3E Peltor Optime 98 Cap Mount Earmuff



- For noise levels up to 98 dBA ●
- Universal mounting attachment fits most hard hats ●
- Earcup pivot points tilt for optimum comfort and efficiency. ●
- Ultra light with liquid/foam filled earmuff cushions. ●
- Noise reduction rating (NRR): 23 dB. CSA Class A. ●

Hearing Protection

Model: H10P3E

3M Optime 105 Helmet Attachable Earmuffs



- Twin-cup design, soft, foam filled ear cushions ●
- Helmet attachment style ●
- NRR 27 dB ●
- Cap mounted design allows for easy use with most hard hats ●

Model: H10A

3M Optime 105 Over-the-Head Earmuffs



- Twin-Cup design, soft, foam filled ear cushions ●
- Headband style ●
- NRR 27 dB ●
-

Model: H9A

3M Optime 98 Over-the-Head Earmuffs



- Lightweight ●
- Headband Style ●
- NRR 25 dB ●
- Dual low pressure bands improve comfort ●
- Broad foam cushions provide low surface pressure ●

3M Optime H7B 101 Behind the Head Earmuffs

Model: H7A

- For noise levels up to 101 dBA
- Stainless steel band distributes weight for low-pressure fit
- Noise reduction rating (NRR Class A.): 26 dB



Howard Leight Lightning L0F Folding Earmuffs

Model: 1010924

- Robust steel headband withstands demanding use, especially in tough environments
- Snap-in ear cushions make replacement quick and easy
- Padded foam headband delivers long-wearing comfort with minimal pressure on the head
- Three attenuation levels allow for targeted attenuation for a variety of applications
- Telescopic height adjustment remains fixed during use
- Delivers high degree of comfort
- Helmet earmuffs available to fit a variety of hard hats



Howard Leight Thunder T3H Cap Mounted Earmuffs

Model: HL 1011603

- Dielectric ear muffs design
- Cap brackets attach to most popular hard caps
- Earcups can swing back or snap down as necessary
- High level of noise protection - NRR 27
- Replaceable snap-in ear cushions
- Patented air flow control provides optimal sound attenuation across the frequency band



Howard Leight Viking V1 Multi-Position Earmuffs

Model: HL 1010925

- Multi-position design allows use with most hard hats and face shields
- Light weight and easy to use
- NRR 25
- Replaceable snap-in ear cushions
- Patented air flow control provides optimal sound attenuation across the frequency band



Model: 1010927



Howard Leight Viking V3 Multi-Position Earmuffs

- Multiple-position headband allows for a variety of wearing styles ●
- Patented air flow control technology delivers optimal attenuation ●
- across all frequencies, without increasing earcup size or weight ●
- Inner-ventilated headband suitable to warm/humid climates ●
- Snap-in ear cushions make replacement quick and easy ●
- Elastic headband strap for better positioning when worn behind-the- ●
- head or under-the-chin ●
- Non-deforming, dielectric construction suitable for electrical ●
- environments ●

Hearing Protection

Model: EMCOB



PRO Cobra Earmuffs

- Hearing protection for noise levels to 110dB(A) ●
- Convenient fold-away construction ●
- High quality ear cushions ●
- Inner foam and headband cushions provide comfort during extended ●
- wear ●
- Low clamping force applies minimum pressure while maintaining a ●
- tight, snug seal ●
- Sold and packaged individually ●
- Class 5, SLC8028dB ●

Model: EMPYT



PRO EMPYT Python Earmuffs

- Class 5, SLC8031dB ●
- Hearing protection for noise levels to 116dB(A) ●
- Solid, lightweight ear cup construction ●
- Padded foam headband minimises pressure on the head ●
- Steel wire provides a robust construction to withstand demanding use ●
- Increased wearer comfort due to low clamping force ●
- Sold and packaged individually ●

Model: 1012000



Howard Leight 1012000 Hygiene Kit

- Hygiene kit - Lightning L3/L3H/L3N/L3HV ●
- Pairs replacement snap-in ear cushions and foam inserts ●



RESPIRATORY PROTECTION

Protect your lungs from poisonous gases, minute particles, dangerous fumes and breathe comfortably in harsh working conditions.

SSA
SUREGUARD SAFETY AUSTRALIA

3M Dräger

Model: 2091

3M 2091 P100 Particulate Filter (For 6000/7000 Series Respirators)

3M



- Exceptional 99.97% filter efficiency ●
- Meets NIOSH P100-series test criteria ●
- Bayonet compatible with 3M half and full facepiece reusable respirators ●
- NIOSH approved for environments containing certain oil and non-oil based particles ●
- Sold in pairs ●

Respiratory Protection

Model: 2097

3M 2097 P100 Particulate Filter with Organic Vapor Relief (For 6000/7000 Series Respirators)

3M



- Exceptional 99.97% filter efficiency ●
- Meets NIOSH P100-series test criteria ●
- Well suited for a wide range of oil and non-oil based particulate contaminants ●
- Can be used as a prefilter for certain chemical exposures ●
- Bayonet compatible with 3M half and full facepiece reusable respirators ●
- Material resists abrasion and wetting ●
- Filters are flame and water resistant ●
- Sold in pairs ●

Model: 501

3M 501 Pad / Filter Retainer (For 5000 / 6000 Series Respirators)

3M



- Used to clamp particulate pre-filters on to gas and vapour filters ●
- For use with 3M respirator 5000 Series, 3M Cartridges 6000 Series and 3M Filter Adapter 603 ●
- Measures 10.2cm (high) x 21.5cm (long) x 11.4cm (wide) ●
- Sold in a box of 2 ●
- To be used with 3M 5N11 N95 pads ●

Model: 142-504

3M 504 / 07065 Respirator Cleaning Wipes

3M



- Used to clean 3M elastomeric facepiece respirators ●
- Individually packed ●
- 8 in x 10 in ●
- Towelettes are alcohol free and will not damage the facepiece materials ●
- 100 pieces per box ●

3M 5N11 N95 Pads (For 6000 / 7000 Series Respirators)

Model: 5N11

- NIOSH approved for environments containing certain non-oil-based particles
- Use on top of 3M gas and vapor cartridges with 3M 501 Retainer when particles are also present
- Use on top of 3M 603 filter holder and 3M 501 retainer to reduce particulate exposure
- Replaceable particle filter for cost savings
- Sold in a box of 10



3M 6000 Series Full Facepiece Respirator

Model: 6700/6800/6900

- Comfortable fit
- The exhalation port provides increased durability and is easy to keep clean
- Comes with 3M bayonet connection system
- Connects to a broad range of twin lightweight filters
- Can be used with both negative and positive-pressure systems
- Colour coded for easy size identification
- Protection factor: 50X TLV
- Size available: S/M/L



3M 6000 Series Half Facepiece Respirator

Model: 6100/6200/6300

- Comes with 3M bayonet connection system
- Connects to a broad range of twin lightweight filters
- Compatible with 3M supplied air systems
- Face piece is made from soft, lightweight thermoplastic elastomer
- Head harness assembly and spare parts available.
- NIOSH approved for negative pressure air purifying and positive pressure dual airline applications
- Protection factor: 10X TLV
- Size available: S/M/L



3M 6001 Organic Vapour Cartridges (For 6000 / 7000 Series Respirators)

Model: 6001

- NIOSH approved against certain organic vapors
- Swept-back design allows an enhanced field of view and comfort
- Bayonet compatibility allows use with many 3M half and full facepiece designs
- Wide range of applications reduces inventory needs
- Simple installation and usage requirements reduces training requirements
- Sold in packs of 2



Model: 6002

3M 6002 Acid Gas Cartridges (For 6000 / 7000 Series Respirators)



- NIOSH approved against certain acid gases: Chlorine, hydrogen chloride, sulfur dioxide, chlorine dioxide, hydrogen sulfide
- Swept-back design allows an enhanced field of view and comfort
- Bayonet compatibility allows use with many 3M half and full facepiece designs
- Wide range of applications reduces inventory needs
- Simple installation and usage requirements reduces training requirements
- Sold in packs of 2

Respiratory Protection

Model: 6003

3M 6003 Organic & Acid Gas Cartridges (For 6000 / 7000 Series Respirators)



- NIOSH approved against certain organic vapors or acid gases*
- Swept-back design allows an enhanced field of view and comfort
- Bayonet compatibility allows use with many 3M half and full facepiece designs
- Wide range of applications reduces inventory needs
- Simple installation and usage requirements reduces training requirements
- Sold in packs of 2

*Chlorine, hydrogen chloride, sulfur dioxide, chlorine dioxide, hydrogen sulfide, hydrogen fluoride.

Model: 6004

3M 6004 Ammonia and Methylamine Cartridges (For 6000 / 7000 Series Respirators)



- NIOSH approved against ammonia and methylamine
- Swept-back design allows an enhanced field of view and comfort
- Bayonet compatibility allows use with many 3M half and full facepiece designs
- Wide range of applications reduces inventory needs
- Simple installation and usage requirements reduces training requirements
- Sold in packs of 2

Model: 6006

3M 6006 Organic & Acid Gas Cartridges (For 6000 / 7000 Series Respirators)



- NIOSH approved against certain organic vapors, acid gases*, ammonia, methylamine or formaldehyde
- Swept-back design allows an enhanced field of view and comfort
- Bayonet compatibility allows use with many 3M half and full facepiece designs
- Wide range of applications reduces inventory needs
- Simple installation and usage requirements reduces training requirements
- Sold in packs of 2

*Chlorine, hydrogen chloride, sulfur dioxide, chlorine dioxide, hydrogen sulfide, hydrogen fluoride

3M 6009S Mercury Vapour Cartridges (For 6000 / 7000 Series Respirators)

Model: 6009S

- NIOSH approved against mercury vapor, chlorine and sulfur dioxide
- Swept-back design allows an enhanced field of view and comfort
- Bayonet compatibility allows use with many 3M half and full facepiece designs
- Wide range of applications reduces inventory needs
- Simple installation and usage requirements reduces training requirements
- Sold in packs of 2



3M 7000 Series Full Facepiece Respirator

Model: 7800S-S/7800S-M/7800S-L

- Silicone facepiece enhances fit and improves durability
- Double-flange face seal and 6 adjustable straps help provide a secure fit
- Can be used with a passive or electronic clip-on welding lens
- Scratch-resistant polycarbonate lens for durability
- High quality rust-free speaking diaphragm for excellent communication
- Extra-large inhalation and exhalation valves make breathing easier
- Protection factor: 50X TLV
- Size available: S/M/L



3M 7000 Series Half Facepiece Respirator

Model: 7501/7502/7503

- Valve design eases breathing and reduces heat and moisture buildup in the face piece
- Soft silicone material helps reduce tension and pressure points on the face
- Made from soft, resilient silicone and heat resistant plastics
- Unique head harness design allows for both traditional or drop-down wear
- Colour coded for easy size identification
- Protection factor: 10X TLV
- Size available: S/M/L



3M 7093 P100 Particulate Filter Cartridge (For 6000 / 7000 Series Respirators)

Model: 7093

- NIOSH approved for environments containing certain oil and non-oil based particles
- Commonly used in the Abatement market, the filter is encapsulated in a hard shell to protect it from the decontaminating water spray showers
- Sold in single pieces



Model: 8110

3M 8110S N95 Disposable Particulate Respirator (Mask) - Suitable for Smaller Faces

3M



- N95 approved filtering facepiece particulate respirator
- Designed for small-sized adult facial profiles; not approved for use by children
- Compatible with a variety of protective eyewear and hearing protection
- Adjustable noseclip reduces eyewear fogging and ensure a secure seal and fit
- Two-strap design with dual point attachment helps provide a secure fit
- Sold in boxes of 20 respirators

Respiratory Protection

Model: 8212

3M 8212 N95 Particulate Welding Respirator with Faceseal (Mask)

3M



- NIOSH approved for at least 95% percent filtration efficiency against certain non-oil based particles
- Recommended for welding and operations in which metal fumes may be present
- Cake resistant filter layers reduce the caking of particles on the respirator surface
- Adjustable noseclip reduces eyewear fogging and ensure a secure seal and fit
- 3M cool flow exhalation valve reduces heat build-up inside the respirator
- Advanced Electrostatic Media is designed for ease of breathing
- Sold in boxes of 20 respirators

Model: 8210

3M 8210 N95 Disposable Particulate Respirator (Mask)

3M



- NIOSH approved for at least 95 percent filtration efficiency against certain non-oil based particles
- Two-strap design with welded dual point attachment helps provide a secure seal
- Adjustable noseclip and foam helps provide a custom fit and secure seal
- Lightweight construction
- Advanced electrostatic media is designed for ease of breathing
- Sold in boxes of 20 respirators

Model: 8214

3M 8214 N95 Disposable Valved Respirator (Mask)

3M



- Carbon layer protects against metal fumes, ozone* and nuisance level organic vapors** Features foam faceseal and 3M Cool Flow Valve
- Flame resistant per modified ASTM D2859 (not a substitute for a faceshield)
- Comfortable foam faceseal/fully adjustable straps
- Sold in a box of 10

*3M recommended for ozone protection up to 10 times the OSHA PEL or applicable government occupational exposure limits, whichever is lower. Not NIOSH approved for use against ozone.
 **3M recommended for relief against nuisance levels of organic vapors. Nuisance level refers to concentrations not exceeding OSHA PEL or applicable government occupational exposure limits, whichever is lower.

3M 8233 P100 Disposable Valved Particulate Respirator (Mask)

Model: 8233

- NIOSH's N100 rated filtration efficiency
- 3M cool flow exhalation valve
- Comfortable foam face seal
- Compatible with a variety of protective eyewear and hearing protection
- Adjustable noseclip reduces eyewear fogging and ensure a better seal and fit
- Fully adjustable head straps help provide a secure fit
- Ideal for certain OSHA substance specific contaminants including lead, MDA, arsenic, cadmium, (excluding asbestos)
- Sold in carton of 20



3M 8246 R95 Disposable Particulate Respirator (Mask) with Acid Gas Relief

Model: 8246

- R95 Approved filtering facepiece particulate respirator
- Collapse resistant shell for increased durability
- Compatible with a variety of protective eyewear and hearing protection
- Adjustable noseclip reduces eyewear fogging and ensures a better seal and fit
- Two-strap design with dual point attachment helps provide a secure fit
- Carbon filter makes the respirator suitable for use where particles and nuisance levels of acid gases* may be present
- Comes in a box of 20

*3M recommended for relief against nuisance levels of acid gases. Nuisance level refers to concentrations not exceeding OSHA PEL or applicable government occupational exposure limits, whichever is lower.



3M 8511 N95 Disposable Valved Respirator (Mask)

Model: 8511

- NIOSH approved for at least 95 percent filtration efficiency against certain non-oil based particles
- 3M cool flow exhalation valve reduces heat build-up inside the respirator
- Adjustable M-noseclip reduces potential for eyewear fogging
- Braided headbands two-strap design with dual point attachment provide a secure seal
- Advanced electret media is designed for ease of breathing
- Sold in a box of 10



3M 8514 N95 Disposable Valved Respirator (Mask)

Model: 7093

- Suitable for use where metal fumes are present including those with ozone* and nuisance level organic vapors**
- Flame resistant per modified ASTM D2859 (not a substitute for a faceshield)
- Carbon filter layer reduces exposure to nuisance level odors
- 3M cool flow valve
- Soft nose foam; adjustable noseclip and straps
- Sold in a box of 10

*3M recommended for ozone protection up to 10 times the OSHA PEL or applicable government occupational exposure limits, whichever is lower. Not NIOSH approved for use against ozone

**3M recommended for relief against nuisance levels of organic vapors. Nuisance level refers to concentrations not exceeding OSHA PEL or applicable government occupational exposure limits, whichever is lower.



Model: 8515

3M 8515 N95 Disposable Valved Respirator For Welding (Mask)



- N95 approved for certain non-oil based particles
- 3M cool flow exhalation valve
- Flame resistant as per modified ASTM D2859 (not a substitute for a faceshield)
- Compatible with a variety of protective eyewear and hearing protection
- Adjustable M-noseclip reduces eyewear fogging and ensures a secure seal and fit
- Braided headbands help provide a secure fit
- Sold in a box of 10

Respiratory Protection

Model: 8577

3M 8577 N95 Disposable Valved Respirator (Mask)



- P95 approved
- Carbon layer for nuisance levels* of organic vapors
- 3M cool flow exhalation valve
- Compatible with a variety of protective eyewear and hearing protection
- Adjustable M-noseclip reduces eyewear fogging and ensures a secure seal and fit
- Braided two-strap design with dual point attachment helps provide a secure fit
- Sold in a box of 10

*3M recommended for relief against nuisance levels of acid gases. Nuisance level refers to concentrations not exceeding OSHA PEL or applicable government occupational exposure limits, whichever is lower.

Model: 9210

3M 9210 N95 Disposable Particulate Respirator (Mask)



- N95 approved for certain non-oil based particles
- Low breathing resistance filter technology
- Fold-flat, easy to store, proprietary 3-panel design
- Individual hygienic packaging
- For protection against certain non oil-based particles.
- Comes in a box of 20

Model: 9320

3M 9320 P2 Disposable Particulate Respirator (Mask)



- Low breathing resistance filter technology
- Fold-flat, easy to store, proprietary 3-panel design
- Individual hygienic packaging
- Blue colour coded straps denoting FFP2 protection level.
- Standard: EN149:2001 FFP2 NR D Approval: CE marked assigned protection
- Factor: 10
- For mechanically and thermally generated particle and fumes.
- Comes in a box of 20

3M 9322 P2 Disposable Valved Particulate Respirator (Mask)

Model: 9322 P2

- 3M cool flow exhalation valve helps to breathe easier
- Low breathing resistance filter technology
- Fold-flat, easy to store, proprietary 3-panel design
- Individual hygienic packaging
- Blue colour coded straps denoting FFP2 protection level
- For mechanically and thermally generated particle and fumes.
- Complies with AS/NZS 1716:2012
- Sold in a box of 10




Dräger X-Plore 1350 N95 Disposable Valved Respirator (Mask)

Model: 3951355

- CoolSAFE filter media N95 Approved according to NIOSH
- VarioFLEX head harness is constructed from a soft, tear-proof, elastic textile strap
- Nose clip is colored to quickly identify the protection class
- N95 dark blue / R95 light blue
- Soft foam nose pad
- Comes in different sizes for a more custom fit




Dräger X-Plore 1350 N95 Disposable Valved Respirator (Mask) With Odour Relief

Model: 3951358

- CoolSAFE filter media N95 approved according to NIOSH
- VarioFLEX head harness is constructed from a soft, tear-proof, elastic textile strap
- Nose clip is colored to quickly identify the protection class
- N95 dark blue / R95 light blue
- Soft foam nose pad
- CoolMAX exhalation valve allows humid and warm exhaled air out of the mask
- Comes in different sizes for a more custom fit




Dräger X-Plore 1380 N95 Disposable Respirator (Mask)

Model: 3951371

- CoolSAFE filter media N95 approved according to NIOSH
- VarioFLEX head harness is constructed from a soft, tear-proof, elastic textile strap
- Nose clip is colored to quickly identify the protection class
- N95 dark blue / R95 light blue
- Soft foam nose pad
- Comes in different sizes for a more custom fit




Model: 3951320

Dräger X-Plore 1750 N95 Disposable Respirator (Mask)

Dräger



- CoolSAFE filter media N95 approved according to NIOSH ●
- Folded design for easier transport ●
- Individually packaged ●
- VarioFLEX head harness is constructed from a soft, tear-proof, elastic textile strap ●
- Ergonomic nose pad ●
- Sold in a Box of 20 ●

Respiratory Protection

Model: 3951322

Dräger X-Plore 1750 N95 V OV Odour Disposable Valved Respirator (Mask)

Dräger



- CoolSAFE Filter Media N95 Approved according to NIOSH ●
- Activated carbon layer removes nuisance organic odors ●
- Folded design for easier transport ●
- Individually packaged ●
- VarioFLEX head harness is constructed from a soft, tear-proof, elastic textile strap ●
- CoolMAX Exhalation Valve allows humid and warm exhaled air out of the mask ●
- Ergonomic nose pad ●
- Sold in a Box of 15 ●

Model: 3951321

Dräger X-Plore 1750 N95 V Valved Disposable Respirator (Mask)

Dräger



- CoolSAFE filter media N95 approved according to NIOSH ●
- Folded design for easier transport ●
- Individually packaged ●
- VarioFLEX head harness is constructed from a soft, tear-proof, elastic textile strap ●
- CoolMAX exhalation valve allows humid and warm exhaled air out of the mask ●
- Ergonomic nose pad ●
- Sold in a Box of 15 ●

Model: DR55330/ DR55331/ DR55332

Dräger X-Plore 3300 Half Mask

Dräger



- Flexible nose area for leak free and secure fit ●
- “FlexiFit” head harness is made of a smooth material that will not entangle with hair ●
- Easily adjustable head harness that ensure even weight distribution ●
- “Low profile” design for wider field of vision and use under visors ●
- Suitable for use with twin bayonet filters in a lateral configuration ●
- Size available: S/M/L ●

Dräger X-Plore 3500 Half Mask

Model: DR55350/DR55351/
DR55352

- Flexible nose area for leak free and secure fit
- "FlexiFit" head harness is made of a smooth material that will not entangle with hair
- Easily adjustable head harness that ensure even weight distribution
- "Low profile" design for wider field of vision and use under visors
- Suitable for use with twin bayonet filters in a lateral configuration
- "Drop down" harness design allows removal of the mask without removing head protection
- Size available: S/M/L



Dräger

Dräger X-Plore 5500 Full Face Mask

Model: DR55270

- Double sealing frame, 3 fold sealing edges and EPDM material provides safe and comfortable fit
- Large field of view with 180° impact proof polycarbonate lens
- Ventilation system with separate interior half mask for fog-free lens and better view
- Equipped with 2 lateral bayonet connections compatible with many Dräger filters
- 5 point harness with wide strap design allows for easy and comfortable wear
- Lateral location of filters does not impede on field of vision
- Individually bar-coded



Dräger

Dräger X-Plore 6300 Full Face Mask

Model: DR55800

- EPDM material with double-layer face seal and triple sealing edges provides a secure and comfortable fit
- Scratch-proof and distortion free PMMA Plexiglas visor with 180° wideangle view
- Ventilation system with separate interior half mask for fog-free lens and better view
- 5 point harness with wide strap design allows for easy and comfortable wear
- Individually bar-coded
- Equipped with a Rd40 connections in accordance with EN 148-1
- Can be combined with the extensive Dräger X-plore Rd40 filter range



Dräger

Dräger 6738024 Organic Vapour Bayonet Cartridge Filters (Pairs)

Model: 6738024

- Protect against class 1 organic gases and vapours (of boiling point >65°C),
- Not suitable for protection against particulates
- Suitable for use with particle or pad and adapter in order to make a combination filter
- Compatible with X-plore 3300 and 3500 half masks and X-plore 5500 full face mask
- Tough ABS blue plastic housing
- Secure filters in a top-down positioning
- Sold in pairs



Dräger

Model: 6738025

Dräger



Dräger 6738025 Organic Vapour/Acid Gases Bayonet Cartridge Filters (Pairs)

- These filters protect against OV/AG/FM/CD/HF
- Not suitable for protection against particulates
- Suitable for use with particle or pad and adapter in order to make a combination filter
- Compatible with X-plore 3300 and 3500 half masks and X-plore 5500 full face mask
- Tough ABS blue plastic housing
- Secure filters in a top-down positioning
- Low-profile, swept-back design provides unrestricted visibility
- Sold in pairs

Respiratory Protection

Model: 6738351

Dräger



Dräger 6738351 Multi Gas+ Cartridge Filters (Pairs)

- Protects against: OV, Cl, HCl, SO₂, ClO₂, HF, CH₂O, NH₃, CH₅N, H₂S
- Not suitable for protection against particulate
- Suitable for use with a particle or pad and adapter in order to make a combination filter
- Compatible with X-plore 3300 and 3500 half masks and X-plore 5500 full face mask
- Come with a tough ABS blue plastic housing
- Secure filters in a top-down positioning
- Sold in pairs

Model: 6738816

Dräger



Dräger Bayonet A1B1E1K1 Gas Filters (Pairs)

- A1B1E1K1 filters protect against class 1 organic gases and vapours (B.P. >65°C)
- Gases Including: H₂S, CL, HCN, SO₂, HCL, NH₃ and organic ammonia derivatives
- Not suitable for protection against particulates
- Suitable for use with particle or pad and adapter in order to make a combination filter
- Compatible with X-plore 3300 and 3500 half masks and X-plore 5500 full face mask
- Tough ABS blue plastic housing
- Secure filters in a top-down positioning
- Low-profile, swept-back design provides unrestricted visibility
- Sold in pairs, approximately 110g per piece

Model: 6738817

Dräger



Dräger Bayonet A1B1E1K1HgP3 R D Combination Cartridge Filters (Pair)

- ABEK Class 1 Hg P3 R D filter protects against a wide range of gases and particles
- Coloured rings around the casing for easy identification
- Compatible with X-plore 3300 and 3500 half masks and X-plore 5500 full face mask
- Come with a tough ABS blue plastic housing
- Secure filters in a top-down positioning
- Sold in pairs, approximately 140g per piece
- CE-certified (EN 14387, EN 143:2000/A1:2006)
- Australian standard AS /NZS 1716 certified (SAI Global)

Dräger Bayonet Particulate P100 Filters (Pairs)

Model: 6738012

- Suitable for protection against particulates, not against harmful gases
- Can be converted using a gas cartridge filter and adapter to a combination filter
- Compatible with X-plore 3300 and 3500 half masks and X-plore 5500 full face mask
- Tough ABS blue plastic housing
- Secure filters in a top-down positioning
- Low-profile, swept-back design provides unrestricted visibility
- Sold in pairs




Dräger RD40 Gas Filters

Model: 6738804

- Thread connection is EN 148-1 certified
- Suitable for half and full face masks with standard connector Rd40
- CE approved (EN 141:2000 re. EN 14387, EN 143:2000, EN 371) & SAI global-approved
- Filter with aluminium housing to ensure reliable recognition of possible filter damage
- Individually packaged for optimum protection of the unused filter
- Resealable for longer use
- Shelf Life: 6 years for gas and combination filters
- 12 years for particle filters Dräger X-plore Rd40 filters

Filter	Color Code	Order-No.
According to EN		
Gas Filters		
940 A2B2		67 38 779
1140 A2B2E2K2		67 38 804
Combination Filters		
1140 A2B2 P3 R D		67 38 783
1140 AX P3 R D		67 38 862
940 A2B2E2K1 P2 R D		67 38 803
1140 A2B2E2K2 Hg P3 R D		67 38 797
1140 A1B2E2K1 Hg NO CO 20 P3 R D		67 38 801
1140 B2CO 60 P3 R D		67 38 805
According to NIOSH		
Particle Filters		
P100		67 37 013
Combination Filters		
PH/CN/CS/P100		67 37 360



Dräger X-Plore 6738027 AM/MA Cartridge Filters (Pairs)

Model: 6738027

- Protect against ammonia / methylamine
- Not suitable for protection against particulates
- Suitable for use with a particle or pad and adapter in order to make a combination filter
- Compatible with X-plore 3300 and 3500 half masks and X-plore 5500 full face mask
- Tough ABS blue plastic housing
- Secure filters in a top-down positioning
- Low-profile, swept-back design provides unrestricted visibility
- Sold in pairs



Model: 6738020



Dräger 6738020 N95 Particulate Filter Pads



- Light-weight and flexible ●
- Teardrop shape provides unrestricted view ●
- Low-profile design allows fit under visors ●
- Large surface area permits long service life with low breathing resistance ●
- Can be used alone or in combination with gas cartridges ●
- Sold in pairs ●

Respiratory Protection

Model: CAB













Bullard CAB Clean Air Box Breathing Air Filtration System

- 3-stage filtration and carbon (CO) monitoring ●
- Removes 95% of solid contaminants (>5microns) and bulk liquids from breathing air ●
- Removes particulates and extremely fine oil mists down to .01microns with a filter efficiency of 99.9998% ●
- Activated charcoal element removes unpleasant oil and hydrocarbon vapors and odors ●
- Polycarbonate pelican cases (portable units) or powder coated steel (wall mount units) ●
- Automatic condensate drains extend filter element life ●
- High intensity 90dB alarm ; remote capable with strobe ●
- Self-contained, with 80+hours of operation on 8-AA batteries ●

Colour-Coding for Filters

Table 2: Colour-Coding for Filters

Colour code	Filter type	Contaminants present
	AX ³⁾	Gases and vapours of organic compounds with boiling point ≤ 65 °C
	A	Gases and vapours of organic compounds with boiling point > 65 °C
	B	Inorganic gases and vapours, e.g. chlorine, hydrogen sulphide, hydrogen cyanide
	E	Sulphur dioxide, hydrogen chloride
	K	Ammonia and organic Ammonia derivates
	CO ⁴⁾	Carbon monoxide
	Hg ⁵⁾	Mercury vapour
	NO ⁶⁾	Nitrous gases including nitrogen monoxide
	Reactor ⁷⁾	Radioactive iodine including radioactive methyl iodide
	P	Particles

³⁾ AX filters may only be used as supplied from factory. Reuse and use against gascompounds is absolutely impermissible.

⁴⁾ CO filters for one time use only. Must be disposed after use. Special guidelines according to local regulations apply.

⁵⁾ Hg Filters can only be used for a maximum of 50 hours according to EN 14387.

⁶⁾ NO filters for one time use only. Must be disposed after use.

⁷⁾ Reactor filters: special guidelines according to local regulations apply.

Differentiation of filter types

Table 3: Differentiation of filter types

Filter type	Filter class	Protection against	Maximum permissible concentration of toxic substance
Gas filter		Gases and vapours	
		Capacity:	50 times the OEL with half masks / 2000 times the OEL with full face masks, but maximal:
	1	Small	0.1 vol. % (1000 ppm) ⁸⁾
	2	Medium	0.5 vol. % (5000 ppm) ⁸⁾
	3	Large	1.0 vol. % (10000 ppm) ⁸⁾
Particle filter		Particles	
		Efficiency (separation ability):	
	1	Small	4 times the OEL with half masks / 5 times the OEL with full face masks ⁹⁾
	2	Medium	12 times the OEL with half masks / 16 times the OEL with full face masks ⁹⁾
	3	Large	48 times the OEL with half masks / 1000 times the OEL with full face masks ⁹⁾
Combined filter		Gases, vapours and particles	
	1-P2	Appropriate	Appropriate
	2-P2	combination	combined levels
	1-P3	of gas and	
	2-P3	particle filters	

⁸⁾ Values taken from the European Norm EN 14387

⁹⁾ Values taken from the BGR 190

Additional national and local regulations must be followed.

Taken from "Filter Selection Guide" by Dräger



GAS PROTECTION

Protect your ears against hearing loss from sudden and/or persistent loud noises.



GMI PS200 4-Gas Multi Gas Detector

Model: 64041 (Diffusion)
64141 (Pumped)

- Audible, visual and vibrating alarms
- Internal pump (optional)
- Sensor integrity checking
- Ultra loud audible alarm, 95dBA & vibrations
- IP67, drop tested to 3m / 10ft

Measuring Ranges:

CH4 (LEL 0-100%)
O2 (0-25%)
CO (0-1000ppm)
H2S (0-100ppm)



GMI PS500 5-Gas Multi Gas Detector

Model: PS500

- Over 15 plug-and-play smart sensors to choose from
- Wide range of VOC's with 2 different PID sensors
- Flexible configuration to suit your specification
- Piercing 95 dB audible plus 360-degree high visibility light bar
- On-board datalogging for calibration certificates, data management and event logging
- High impact rubberised case, IP65
- Powered by 3 AA batteries or a rechargeable nickel metal hydride battery

Measuring Ranges:

CO 0 - 1000ppm
CO₂ 0 - 5% VOL
CO / H₂S 0 -1000ppm(CO)
H₂S 0-1000ppm

O₂ 0-25%
Dual Toxic
0-100ppm (H₂S)
LEL 0-100% LEL



Scott Safety Protégé 4-Gas Multi Gas Detector

Model: PRO-112212

- ABS/rubber over mold
- Bright display window for easy viewing
- Automatic zero-calibration and easy bump test
- Log archiving in simple Excel format
- Lithium ion rechargeable - Approximate five-hour charge time
- 18 hours battery for diffusion sampling, 12 hours with optional pump
- 90 dB alarm & wide-angle dual red alarm bar lights

Detects:

CO (0-999ppm)
H₂S (0-500ppm) CH4
(LEL 0-80%)
O₂ (0-25%)



Scott Safety Protégé SG Single Portable Gas

Model: DR55330/
DR55331 / DR55332

- Reusable single gas detector with interchangeable smart sensors
- Automatically changes display to suit each smart sensor without need for programming
- Visible alarms with flashing LEDs as well as vibration alerts
- Logs up to 5000 events
- IP66/67 ingress protection
- Replaceable lithium battery with a lifespan of 1.5 to 2 years
- Supported by portfolio of accessories including a 4-bay test station and IR Connect programmer

Detects:

- LEL IR, HCN, H2S (Standard Resolution, 0-500ppm)
- H2S (High Resolution, 0-100ppm)
- CO (Standard Resolution 0-1000ppm)
- CO (Hydrogen Resistant, 0-2000ppm)
- O2, NO, NO2, PH3, SO2, NH3, CL2, CLO2, O3





HAND PROTECTION

Protect your hands as you work with corrosive chemicals, extreme temperatures, dangerous tools and heavy machinery.



Glove EN Standards



EN 388

1. Abrasion Resistance Rating (0 – 4)
2. Blade Resistance Rating (0 – 5)
3. Tear Resistance Rating (0 – 4)
4. Puncture Resistance Rating (0 – 4)



EN 407

1. Burning Behaviour Rating (0 – 4)
2. Contact Heat Rating (0 – 4)
3. Convective Heat Rating (0 – 4)
4. Radiant Heat Rating (0 – 4)
5. Resistance to Small Drops of Molten Metal Rating (0 – 4)
6. Resistance to Large Quantities of Molten Metal Rating (0 – 4)



EN 374-1

General Chemical Protection



EN 374-2

Micro-Organism Resistance



EN 421

Radioactive Contamination

Specific Chemical Protection*



EN 374-3

- | | |
|----------------------|--------------------------|
| 1. Methanol | 7. Diethylamine |
| 2. Acetone | 8. Tetrahydrofurane |
| 3. Acetonitrile | 9. Ethyl Acetate |
| 4. Dichloromethane | 10. N-Heptane |
| 5. Carbon Disulphide | 11. Sodium Hydroxide 40% |
| 6. Toluene | 12. Sulphuric Acid 96% |

*Glove must be tested to a minimum of 3 specific chemicals with a penetration level 2 and is waterproof



EN 511

1. Convective Cold Resistance Rating (0-4)
2. Contact Cold Resistance Rating (0 – 4)
3. Water Permeability Rating (0 – 1)



EN 60903

Class (X)	Voltage Tested (V)	Approved for Work Under (V)	Category (Y)	Additional Requirement
00	2500	500	A	Acid Resistance
0	5000	1000	H	Oil Resistance
1	10000	7000	Z	Ozone Resistance
2	20000	17000	M	Resistance against high mechanical strain
3	30000	26500	R	Resistance against acid, oil, ozone and high mechanical strain
4	40000	36000	C	Resistance against extreme cold

Model: ALG-10123

AL-Gard 10123 Tactical Gloves with Touchscreen Compatible Fingertips (EN388)

AL-Gard



EN388 rating of 2,1,2,1 ●
 Highly durable palm paddings to protect against vibration ●
 Lightweight and breathable material for maximum comfort ●
 Thermoplastic rubber knuckles Spandex material on back of hand ●
 Index and thumb fingertips compatible with capacitive touchscreen ●
 devices ●

Elastic wrist with hook and loop closure ●
 Size: M/L/XL ●

Hand Protection

Model: ALG-413BBR

AL-Gard 413BBR Hi Visibility Mechanics Gloves

AL-Gard



High visibility green spandex back with reflective tape ●
 Design suitable for day and night time use ●
 Synthetic leather palm for superior comfort and durability ●
 Elasticated wrist band for better fit ●
 Size: M/L/XL ●

Model: ALG-88

AL-Gard 88 Premium Goatskin Gloves (EN388)

AL-Gard



Premium goatskin construction ●
 Comfortable and flexible keystone thumb ●
 EN388 rating of 2,1,1,1 ●
 Applications: construction, farming, assembly, work ●
 Size: 9-12 ●

Model: ALG-901

AL-Gard 901 Mechanic's Gloves (EN388)

AL-Gard



Highly durable and tough tan colour full grain goatskin palm ●
 Spandex material on back of hand ●
 Full finger with reinforced fingertips ●
 Elastic wrist with hook and loop closure ●
 EN388 rating of 3,1,2,1 ●
 Size: M/L/XL ●

AL-Gard Aluminised Heat Resistant Sleeves

Model: ALG-AS

- Heat protective sleeves in aluminised para-aramidic fibre
- Kevlar lining elastic cuffs
- Suitable for protection against radiant heat
- Sold in pairs
- Applications: metalworking industry, foundries, glass industry, firefighting



AL-Gard FH353 Goatskin Impact Gloves (EN388)

Model: ALG-FH353

- Supple goatskin leather provides improved breathability and abrasion and heat protection
- Kevlar threading for improved durability
- Thermoplastic rubber pads on the back of hand, fingers and thumb
- Provides impact protection while retaining sensitivity and finger control
- Elastic wrist cuffs for a better fit
- EN388 rating of 2,1,2,1
- Size: M/L/XL



EN 388



AL-Gard FH358 Impact Gloves with Gel Padded Palm (EN388)

Model: ALG-FH358

- Supple cowhide yellow leather provides improved breathability and abrasion and heat protection
- Kevlar threading for improved durability gel padded palms protects against vibration and shocks
- Thermoplastic rubber (TPR) pads on the back of hand, fingers and thumb
- Provides impact protection while retaining sensitivity and finger control Elastic wrist cuffs for a better fit
- EN388 rating of 3,1,3,1
- Size: M/L/XL



EN 388



AL-Gard FH406 Hi Visibility Mechanics Gloves (EN388)

Model: ALG-FH406

- EN388 rating of 2,1,2,1
- Hi -vis lime yellow with reflective strips design
- Synthetic leather palm padded gel pads on palm for anti vibration properties
- Neoprene knuckle panel for increased flexibility
- Velcro closed for better fit
- Size: M/L/XL/XXL



EN 388



Model: ALG-FH425YH

AL-Gard FH425YH High Visibility Impact Gloves

AL-Gard



- EN388 rating of 4,2,3,2
- Thermo plastic rubber for impact protection on fingers and thumb-TPX palm for abrasion resistance
- Gel padded palm for anti-vibration
- Size: M/L/XL

Hand Protection

Model: ALG-FSG

AL-Gard FSG Skeleton Mechanic Gloves

AL-Gard



- Durable and heavy duty gloves that are great for work and motorcycle/ bike riding
- Synthetic leather palm for abrasion and cut protection
- Black elastic spandex back for breathability, form-fitting and dexterity
- Gloves have adjustable velcro wrist closure for comfortable fit
- Printed skeleton bones in brilliant white on top side of the gloves improves night time visibility
- Size: M/L/XL

Model: ALG-101

AL-Gard Gas Welding Gloves

AL-Gard



- Calf leather tough and durable A-grade calf leather for comfort and freedom of movement
- EN388 tested and certified
- Colour coded cuffs
- 9 inches in length

Model: ALG-10125

AL-Gard 10125 Tactical Impact Gloves

AL-Gard



- Supple synthetic leather palm provide breathability, abrasion, heat protection
- Washable
- Tacky index finger pad improve sensitivity and finger control
- TPR (thermal plastic rubber) provide protection for the entire back of the hand, fingers and thumb with elevated knuckles
- Light weight and flexible padded palm absorb vibration
- Size: M/L/XL

AL-Gard TIG-WELD Tig Welding Gloves (EN388, EN407)

Model: ALG-TIG-WELD

- Soft and supple goat skin leather palm for the ultimate dexterity
- Thumb crutch for greater wear resistance
- Tanned colour gauntlet from cow split leather
- Cuff stitched with kevlar thread for extra seam strength
- En388 standards rating of 2, 1, 2, 2
- Certified to EN407 rating of contact heat level 1
- Size : standard length : 35cm



AL-Gard U3398 High-Visibility Rigger Gloves with Custom Printing

Model: ALG-U3398

- High-visibility orange fingers and knuckles
- Grade A goat-skin leather
- Key stone thumb and reinforced palm stitching
- One size only



Ansell Edmont Crusader (EN388, EN407)

Model: 42-474

- EN388 rating of (2,2,4,1)
- EN407 rating of (X,2,X,X,X)
- Nitrile coated with sweat-absorbent non-woven felt liner
- Front and back insulated to resist heat up to 200°C
- Excellent resistance to cuts, snags and abrasion
- Both coating and liner are very flexible



Ansell GoldKnit Lightweight Gloves

Model: AE 70-200

- 100% DuPont Kevlar gloves
- Provides light-duty cut protection
- Knitted and uncoated
- Protection from sharp edges of metals, ceramics, glass and other materials
- Reversible design allows glove to be worn on either hand, reducing replacement costs
- Launderable
- EN388 rating of (1,2,4,X)



Model: 92-600

Ansell TouchNTUFF 92-600 Disposable Nitrile Gloves (EN374)

Ansell



EN 374-1 EN 374-2 EN 420

- Ambidextrous design powder free smooth grip ●
- Chemical resistant ●
- EN374 rating of (1,2,3) ●
- EN420 certified ●
- Contains no natural rubber latex proteins hence preventing type 1 ●
- allergies ●
- 100 gloves/box ●
- Size: S/M/L/XL ●

Hand Protection

Model: 34-8743

ATG MaxiFlex Cut Gloves (EN388)

ATG



EN 388

- Seamless knitted engineered yarn glove with reinforced palm ●
- Nitrile coated micro-foam grip on palm & fingers ●
- Precision handling gloves in dry environments ●
- Thin, flexible, dexterous and comfortable ●
- EN388 rating of (4,3,3,1) ●
- Length: 25cm ●
- Size: S/M/L/XL/2XL ●

Model: 34-874

ATG MaxiFlex G-Tek Gloves (EN388)

ATG



EN 388

- Micro-foam nitrile palm coated with a nylon shell ●
- Offers dexterity, sensitivity and grip ●
- Super light and breathable ●
- Micro-foam nitrile coating for maximum tactility ●
- Treated to repel water and light oil ●
- Silicone free ●
- EN388 rating of (4,1,3,1) ●
- Size: S/M/L/XL ●

Model: TPG-LATEX

Biomedica Powder Free Disposable Latex Gloves

Biomedica



- Ambidextrous design powder free smooth grip ●
- 100 gloves/box provides ●
- An excellent biological barrier ●
- Size: S/M/L/XL ●

DPL 811C Interface Tough Nitrile Rubber Gloves (EN388, EN374)

Model: 811C-55.48/NIVS

- Length: 480mm, thickness: 55mm
- EN388 rating of (5,1,0,1) & EN374 rating of (2,0,6,6,0)
- Nitrile material offers solvent resistance
- Extra thick for abrasion resistance and added protection
- Anti-slip pattern for good grip in wet and dry conditions
- Long, straight cuff to protect forearm
- Chlorinated for low residual chemicals
- Free of extractable proteins
- Size: 8-10



DPL
Handling you with care

DPL 821C Interface Plus FL 38 Nitrile Rubber Gloves (EN388, EN374)

Model: 821C-38.33/CVIL

- Length: 330mm, thickness: 0.38mm
- EN388 rating of (5,1,0,1) & EN374 rating of (3,0,6,6,0)
- Nitrile for reliable solvent resistance
- Pure cotton flock lining to absorb perspiration
- Outstanding abrasion resistance
- Anti-slip pattern for good grip in wet and dry conditions
- Improved sensitivity and dexterity
- Straight cuff
- Free of Extractable Proteins
- Size: 8-10



DPL
Handling you with care

DPL 921U Frontier 75 Neoprene Gloves (EN388, EN374)

Model: 921U-78.38/CVIL

- Length: 380mm, Thickness: 0.78mm
- EN388 rating of (5,1,1,0) & EN374 rating of (3,3,2,0,0)
- Neoprene for high chemical resistance
- Anti-slip pattern for good grip in wet and dry conditions
- Pure cotton flock lining to absorb perspiration
- Straight cuff
- Size: 8-10



DPL
Handling you with care

DPL LinePro Electric Insulating Rubber Gloves (EN388, EN420)

Model: DPL

- Special grade natural rubber compounds for assured electrical protection
- Superior anatomical construction results in lower hand fatigue
- Higher flexibility for long duration wear comfort
- ASTM color coded marking shows working voltage for reference and safety
- Packed in opaque UV resistant bags and individual boxes for product protection
- Each glove is inspected/tested for electrical insulation
- Proof voltage tested on premium grade test machine, custom made in USA
- EN388 rating of (2, 2, 4, 4)
- Size: 8-10, Available in Class 00, 0, 1, 2



DPL
Handling you with care

Model: 3025-913



Harada Cleanroom Disposable PVC Gloves

- Ambidextrous design powder free smooth grip ●
- 100 gloves/box ●
- Size: S/M/L/XL ●

Hand Protection

Model: CX-JFR2-05



Lakeland ChemMAX Push Fit Glove Connection System (EN14605)

- Suitable for ChemMAX 1, 2 and 3 chemical protective coveralls ●
- Consists of two concentric rings which clip together with the glove and garment fabric between ●
- Tested and certified to a type 3 jet test with no leakage apparent (EN 14605 / ISO 17491) ●
- Gloves are not included in sale ●

Model: AMN850



Lakeland TG850 MicroMax Disposable Sleeves

- Tyvek® sleeves ●
- Elastic ends ●
- Excellent barrier to dry particulates, aerosols, and liquids ●
- Rip-stop scrim for added durability ●
- Light weight and economical ●
- 18" in length ●

Model: 96-1754



Lakeland 96-1754 Blue Enhand CR Antimicrobial Cut 5 Gloves

- Passes ASTM E2149 ●
- Passes AATCC test method 100 ●
- Microbes are killed instantly ●
- Withstands up to 40 washings ●
- Can be washed with bleach ●
- Ionically bonds to fibers to last the life of every fiber in the product ●
- Size: M/L ●

Manulatex GCM Stainless Steel Chainmail Glove

Model: GCM-130

- Stainless steel chainmail - five fingers
- Available with or without cuff hygienic and adjustable polyurethane strap
- Press-stud fastening
- Compliant to the NF EN 1082-1 standards
- GCM chainmail gloves are recommended for uses in: butcheries fishmongers oyster farms abattoirs / slaughter houses textile industries
- The chainmail glove must not be used with indented tools or clogged machine to avoid any snapping up accident due to chainmail rings that would be dragged away
- Size: XXS/XS/S/M/L/XL

Manulatex



Mapa AdvanTech E194 TRIonic Gloves (EN388, EN374)

Model: E194

- Tripolymer material - mix of natural latex, neoprene and nitrile
- Provides comfort, optimal mechanical and chemical resistance
- Excellent resistance and strong chemical protection against a great number of chemical products
- Manufacturing process guarantees a very low level of contaminants
- EN388 rating of (1, 1, 1, 0)
- Size: 6-10

MAPA
PROFESSIONNEL



Mapa Butoflex Gloves (EN388)

Model: AO-86357-650

- Specific chemical resistance, for very corrosives acids, ketones, esters and amine derivatives
- Unrivalled flexibility and dexterity
- Embossed exterior finish, meaning slippery objects can be handled without risk
- Length: 14", Thickness: 20mm, Interior finishing: smooth, Exterior finishing: Embossed texture
- EN388 Rating of (1, 1, 2, 2)
- Size: 7-10

MAPA
PROFESSIONNEL



Mapa Kroflex 840 Latex Palm Coated Work Gloves (EN388)

Model: 840418

- EN388 rating of (3,5,4,3)
- EN407 rating of (X2XXXX) - Contact heat protection up to 250°C
- Highest protection level against cuts
- Good thermal insulation of the hand
- Good grip for picking up parts safely, due to embossed texture
- Good puncture-resistance
- Size: 8-10

MAPA
PROFESSIONNEL



Model: 395

Mapa Kronit Glove (EN388, EN407)

MAPA
PROFESSIONNEL



- Entirely liquid-proof, chemical & cut protection
- Total hand protection level 5 against cuts
- Long-lasting performance, measured after 5 washes
- Good grip for picking wet and slippery objects safely
- Multi-purpose glove combining protection against cuts, liquids and contact heat up to 250°C
- EN388 rating of (4,5,4,3) Cat.3, EN 374 (JKL) & EN 407 rating of (X2XXXX)

Hand Protection

Model: 997

Mapa Solo Ultra 997 Disposable Nitrile Gloves

MAPA
PROFESSIONNEL



- Precision dexterity
- Protection for hands and the products being handled
- Rolled cuff to prevent tearing while ensuring the glove stays in place on the arm
- Length: 9", Thickness: 4m
- Sold in boxes of 100 gloves
- Size: S/M/L/XL

Model: 415

Mapa Technic-Mix Latex-Neoprene Gloves (EN388)

MAPA
PROFESSIONNEL



- EN388 rating of (2,0,1,1)
- Tactile sensitivity, due to the gloves reduced thickness
- Comfort and perspiration absorption through cotton flock-lining
- Good grip, due to the non-slip embossing
- Length: 32cm, thickness: 0.6mm
- Size: 9-10

Model: 710

Mapa Temp-Dex (EN388, EN407)

MAPA
PROFESSIONNEL



- Cut & Heat Resistance Gloves
- Thin, anatomically-shaped gloves ensure dexterity
- Long lasting special nitrile grip coating facilitates work in moderately oily environment
- Dot embossing for better insulation and grip
- Suitable for handling of moulds in ceramic industry, hot steel after welding and hot piping
- EN388 rating of (4,1,1,1) Cat. 2, EN407 rating of (X1XXXX)

Mapa Temp-Dex Plus (EN388, EN407)

Model: 720

- Cut & heat resistance gloves
- Special nitrile grip coating facilitates work in moderate oily environments
- Knitted aramide fibres ensure protection from cut and heat up to 200°C
- Comfort and insulation is provided by the interior terry-cloth
- Dot embossing provides better insulation and better grip
- Suitable for handling of moulds in ceramic industry, hot steel after welding and hot piping
- EN388 rating of (4,3,3,4) Cat. 2, EN407 rating of (X2XXXX)
- Size: 9-11



Mapa Temp-Tec Thermal Insulation & Chemical Resistance Gloves (EN374, EN407)

Model: 332

- Thermal insulation & chemical resistance protection
- Multi-purpose chemical resistance (acid, aliphatic solvent) provided by the extra thickness of material
- Excellent thermal insulation of up to 150°C is provided by the double-knit cotton
- Good grip of wet or slippery objects is provided by an embossed texture
- Suitable for use when sampling of hot petrochemical products
Steam cleaning, boiler room work, handling of hot pipe & chemical treatment of metals
- EN374 rating of (ACJKL) EN407 rating of (X2XXXX)
- Size: 8-10



Mapa Ultrane Grip & Oil Proof Gloves (EN388)

Model: 500

- Grip and skin protection for oily environments
- Oilproof, it repels oil penetration, provides grip and reduces dermatitis in oily conditions
- Reduces muscle strain and boost productivity
- Excellent abrasion resistance due to nitrile coating
- Long lasting and cost-effective glove
- Attractive dark color glove adapted to the industrial environments
- Mechanical hazard EN 388 (4,1,2,1) Cat 2



Mapa Ultranitril Nitrile Gloves (EN388, EN374)

Model: 480/491/493

- Nitrile gloves
- Excellent mechanical resistance (abrasion, perforation)
- Excellent protection during intensive handling of high-risk chemical products
- Good grip on slippery objects provided by an embossed texture

MODEL	LENGTH	THICKNESS	SIZE
480	46cm	0.55mm	8-10
491	37cm	0.45mm	8-10
493	39cm	0.55mm	8-10



Model: NRAK1815-O

North Natural Rubber Latex Gloves (EN388, EN374)

NORTH



- Orange natural rubber latex gloves
- Diamond Embossed palm for excellent grip
- Superior tensile strength with excellent tactility, sensitivity and comfort
- Individually packed (per pair)
- Length: 15cm, thickness: 18mm
- EN388 rating of (2, 1, 1, 0) & EN374 rating of (AKL)

Hand Protection

Model: AFND

PRO Arax Heavy Duty Nitrile Foam Dipped Gloves (EN388, EN407)

PRO SAFETY GEAR



- Black nitrile foam dipped gloves with thick reinforced leather palm
- Abrasion, tear and puncture resistance provides improved dexterity and sensitivity
- Form fitting design that emulate individual hand contours
- Nitrile foam dip provides a solid grip when handling wet glass or greasy sheet metal
- Contact heat resistant to 100°C
- EN388 rating of (4,5,4,3), EN407 rating of (X1XXXX)

Model: AND

PRO Arax Wet Grip Nitrile Dipped Gloves (EN388, EN407)

PRO SAFETY GEAR



- Black nitrile foam dipped gloves
- Abrasion, tear and puncture resistance provides improved dexterity and sensitivity
- Form fitting design that emulate individual hand contours
- Nitrile foam dip provides a solid grip when handling wet glass or greasy sheet metal
- Contact heat resistant to 100°C
- EN388 rating of (4,5,4,3), EN407 rating of (X1XXXX)

Model: DVBP

PRO Blue Powder Free Vinyl Gloves

PRO SAFETY GEAR



- Powder free, close fitting
- Blue colour indicates suitability for use in food industries
- General purpose latex free: suitable for use by those allergic to latex
- Sizes: S, M, L, XL
- Qty/box: 100 pieces

Pro Choice SuperLite Gloves (EN388)

Model: NBR

- Light weight 3/4 dipped nitrile glove
- Abrasion resistant
- Knitted wrist to exclude debris
- Open back improves ventilation
- Available sizes: 7, 8, 9, 10
- Available colours: orange, blue
- EN388 rating of (3,1,1,1)
- Size: 7-10



PRO Clear Vinyl Gloves

Model: DVNL

- Powder free, close fitting
- General purpose latex free - suitable for use by those allergic to latex
- Sizes: S, M, L, XL
- Qty/Box - 100 pieces



PRO Heavy Duty Disposable Nitrile Gloves

Model: MDNPFHD

- Extra heavy duty nitrile gloves
- Stronger, thicker, and more resistant to chemicals
- Improved protection from oils, grease, fuels, cleaners, solvents, chemicals, & transmission fluid
- This glove has hypoallergenic properties for sensitive skin types
- Low odour
- Latex free and vinyl free glove material delivers superior comfort for extended wear
- Ambidextrous glove with textured palm and fingers for enhanced grip in wet and dry conditions
- Available in glove sizes M, L, XL



PRO MaxiPro Gloves (EN388)

Model: 270

- EN388 rating of (4,1,3,1)
- (BHT) bare hand technology
- Seamless 15 gauge, nylon fused Lycra shell
- Nitrile water-based
- PU foam coating for enhanced gripping power and maximum dexterity in wet and dry conditions
- Available in 270° and 360° nitrile dips
- Available sizes: 6 - 11



Model: NBRFB

PRO NBRFB Superguard Blue Fully Dipped Gloves (EN388)



EN388 rating of (4,1,2,1) ●
 Heavy weight fully dipped blue nitrile glove for full hand protection ●
 Abrasion resistant ●
 Knitted wrist to exclude debris ●

Hand Protection

Model: NPN

PRO NPN MaxiPro Synthetic Nitrile Dipped Gloves (EN388)



EN388 rating of (4,1,2,1) ●
 (BHT) bare hand technology ●
 Seamless 15 gauge, nylon fused lycra shell ●
 Nitrile water-based PU foam coating for enhanced gripping power and ●
 maximum dexterity in wet and dry conditions ●

Model: PFRB

PRO PFRB Fit Razorback Gloves (EN388)



EN388 rating of (4,2,3,2) ●
 Thermoplastic rubber on back of fingers, knuckle and hand ●
 Double layer water/oil resistant palm ●
 Silicone grip ●
 Pre-curved for added flexibility ●
 Bright yellow in colour ●

Model: PTY

PRO PTY ProFit Full Finger High Visibility Gloves (EN388)



EN388 rating of (3,1,2,1) ●
 Hi vis yellow with reflective piping ●
 One piece synthetic leather palm ●
 Reinforced foam padded inner palm ●
 Intergrated terry cloth sweat wipe ●
 Neoprene knuckle panel provides increased flexibility hook and loop ●
 fastener for snug fit ●
 Non-slip grip is ideal for use with hand and power tools in dry, wet or ●
 oily conditions ●

PRO Riggamate Cowsplit Leather Gloves (EN388)

Model: 803C

- Grey 'suede look' cow split rigger glove
- Tough and durable
- Colour coded cuff for easy size identification
- EN388 rating of (3, 2, 3, 2)
- Available sizes: L, XL, XXL
- Qty/pack - 12 pairs, qty/carton - 120 pairs



EN 388



PRO Riggamate Premium Cow Grain Leather Gloves (EN388)

Model: CGL41B

- Premium cow grain rigger gloves
- Wing thumb, stitch-free palm for increased durability
- Colour coded cuff for size identification
- EN388 rating of (3, 1, 2, 1)
- Available sizes: S, M, L, XL, XXL
- Qty/pack - 12 pairs, qty/carton - 120 pairs



EN 388



PRO Taeki 5 Nitrile Dipped Gloves (EN388)

Model: T5ND

- Nitrile coated palm
- Provides outstanding abrasion, cut and tear capabilities in handling dry, wet or greasy parts
- Lint free Stretchable and breathable material to allow perfect fit, dexterity and wearing comfort
- Can be washed and reused, increasing the lifetime and value of the glove
- EN388 rating of (4, 5, 4, 2)
- Sizes: 8, 9, 10, 11
- Qty/pack - 12, qty/carton - 120



EN 388



PROSense ONE Multi Purpose Gloves (EN388)

Model: ONNFRB

- Strategically placed TPR padding for knuckle and finger protection
- Hi-vis glove liner for increased visibility
- Seamless liner for comfort and durability
- Foam nitrile palm for superior grip
- Reinforced thumb for added protection
- Adjustable velcro strap for a secure fit
- EN388 rating of (4, 2, 4, 1)
- Available sizes: 7, 8, 9, 10, 11
- Qty/box: 12, qty/carton: 72



EN 388



Model: ONNFRBP

PROSense ONE Plus Anti Vibration Gloves (EN388)



- Anti-vibration foam padded palm ●
- Strategically placed TPR padding for knuckle and finger protection ●
- Hi-vis glove liner for increased visibility ●
- Seamless liner for comfort and durability Foam nitrile palm for superior grip ●
- Reinforced thumb for added protection ●
- Adjustable velcro strap for a secure fit ●
- EN388 rating of (4, 2, 4, 1) ●
- Available sizes: 7, 8, 9, 10, 11 ●
- Qty/box: 12, qty/carton: 72 ●

Hand Protection

Model: BNNLF

PRO BNNLF DexiFro Cold Weather Work Gloves (EN388, EN511)



- 13 gauge blue nylon/lycra with brushed acrylic liner for exceptional warmth and comfort ●
- Microporous surface offers great wet/dry gripping power ●
- Nitrile dots for increased skidproof ability in wet and dry conditions ●
- Foam technology increases breathability ●
- Anatomically designed for dexterity, comfort and fit ●
- Product code: BNNLF ●
- Sizes 7, 8, 9, 10, 11 ●
- Approvals: EN388 mechanical risks 4131, EN511 cold standards X1X ●

Model: Denim

Semi Leather Denim Cuff Working Gloves



- Cowhide split leather working gloves ●
- Cotton canvas back and denim cuffs ●
- For general use ●

Model: Allflex

Safety Jogger Allflex Nitrile Foam Nitrile Coated Palm & Nylon Liner Gloves (EN388)



- Provide excellent precision in dry conditions ●
- Nylon/spandex liner provide excellent grip and dexterity ●
- EN388 rating of (4, 1, 3, 2) ●

Safety Jogger 3111 Concrete Nitrile Rubber Palm Coated Cotton Lined Knit-Wrist Gloves

Model: Concrete

- Nitrile rubber palm coated cotton lined knit-wrist gloves
- Hard wearing, ergonomically shaped for excellent fit
- Outstanding abrasion resistance and cut resistance
- Good dry and wet grip cotton lining help to absorb sweat
- EN388 rating of (4, 1, 1, 1)



EN 388


SAFETY JOGGER
SAFETY SHOES

Safety Jogger Prosoft Nitrile Foam Nitrile Coated Palm & Polyester Liner Gloves (EN388)

Model: Prosoft

- Double layer blue nitrile & foam nitrile coating provide excellent precision and grip in humid conditions
- Seamless HPPE (High Performance Polyethylene) liner provide excellent dexterity and protection
- EN388 rating of (4, 5, 4, 4)
- Size: 8-11



EN 388


SAFETY JOGGER
SAFETY SHOES

Safety Jogger Protector Nitrile & Foam Nitrile Coated Palm & HPPE Lined Gloves (EN388)

Model: Protector

- Double layer blue nitrile & foam nitrile coating provide excellent precision and grip in humid conditions
- Seamless HPPE (high performance polyethylene) liner provide excellent dexterity and protection
- EN388 rating of (4, 5, 4, 4)



EN 388


SAFETY JOGGER
SAFETY SHOES

Safety Jogger Shield Cut 5 Gloves (EN388)

Model: Shield

- HPPE (high performance polyethylene) fibre palm coated and fingers with PU coating
- Ventilated back on cotton support
- EN388 rating of (4, 5, 4, 3)



EN 388


SAFETY JOGGER
SAFETY SHOES

Model: SuperPro



Safety Jogger SuperPro Nitrile palm Foam coated Polyester / Nylon Liner Gloves (EN388)

- Nitrile palm Foam coating & polyester/nylon liner gloves ●
- Excellent grip oily condition ●
- Excellent abrasion resistance polyester liner provide excellent grip and dexterity ●
- EN388 rating of (4, 1, 2, 1) ●
- Size: 8-11 ●

Hand Protection

Model: 33251



SIR Leather Welding Sleeves

- Cowhide split leather ●
- Elastic extremities ●
- Thickness: 1mm, length: 40cm ●

Model: 11506A



SIR Missouri Heat Resistant Gloves (EN388, EN407)

- Para-aramid fibre cloth ●
- Lining: TNT modacrylic ●
- Cuff: 18 cm ●
- EN388 rating of (2443), EN407 rating of (43XX4X) ●
- Only available in size 10 ●

Model: 11507



SIR Safety 11507 Wyoming Aluminised Heat Resistant Gloves (EN388, EN407)

- Aluminised para-aramid fibre / kelvar gloves ●
- Excellent thermal insulation high resistance to cut, tear and puncture ●
- Resistance to fire, contact heat and splashes of molten metal ●
- EN388 rating of (1, 4, 4, 3), EN407 rating of (4, 1, 2, 3, 2, 3) ●
- Free size ●

SIR 11111 Cypro 10" Full Leather Rigger Gloves

Model: 11111

- Grain leather offers excellent mechanical resistance
- High resistance to tear, abrasion and puncture
- Good breathability performance
- Ensures excellent heat insulation
- EN 388 score (3, 1, 3, 2)
- Available Size: 8, 9, 10



SIR Safety 11136 Borneo 10" Cowhide Leather Rigger Gloves

Model: 11136

- Full grain cowhide palm and split leather
- Elastic wrist for snug fit
- EN 388 rating of (3, 1, 3, 2)



Sureguard Safety Croc Grip Glove Holder

Model: MPC

- Extra large jaws hold small to extra-large gloves
- Strong tension for heavier gloves or articles
- Unique centre safety break device plus replacement
- Non-conductor of electricity





BODY PROTECTION

Protect your body against harmful chemicals, heat, injuries, dirt and grime.

AL-GARD  **Lakeland INDUSTRIES, INC.** **ULTIMATE**
Industrial



SANCTUM[®]
WORKWEAR



Lakeland ChemMAX 1 Suit (Type 3, 4, 5 & 6)

Model: CT1S428

- High density polyethylene film barrier laminated to spunbond polypropylene substrate
- Constructed with stitched and taped seams
- Design features double zip/storm flap front fastening
- Reinforced knee-pads
- Bright yellow color for easy identification
- Available from XS to XXL
- Mask, gloves and boots are NOT included



Lakeland
INDUSTRIES, INC.

Lakeland ChemMAX 2 Suit (Type 3, 4, 5 & 6)

Model: CT2S428E

- Saranex 23P barrier film bonded to a flexible bi-component unbonded substrate
- Constructed with stitched and taped seams
- Design features for double zip/storm flap front fastening
- Reinforced knee-pads
- White colour for easy identification
- Available from XS to XXL



Lakeland
INDUSTRIES, INC.

Lakeland ChemMax 3 CT3S450 Level B Encapsulated Suit

Model: CT3S450

- Design: rear entry, flat back, 48" zipper, storm flap, elastic wrists
- 20 mil PVC face shield
- 1 exhaust port with shroud & 1 air tube inlet
- Attached sock boots with boot flap
- Suit is not gas/vapor tight
- Available from XS to XXL



Lakeland
INDUSTRIES, INC.

Lakeland ChemMAX 3 Suit (Type 3, 4, 5 & 6)

Model: CT3S428

- EVOH barrier film provides the ultimate chemical barrier film in disposable materials
- Constructed with stitched and taped seams
- Design Features double zip/storm flap front fastening
- Reinforced knee-pads
- Grey colour for easy identification
- Available from XS to XXL



Lakeland
INDUSTRIES, INC.

Model: INT640

Lakeland Interceptor Standard Suit (Level A)



- Design: front entry, expanded back, soaked seam on outside only
- 48 gas tight zipper, double storm flap with hook and loop closure
- 40 mil PVC faceshield, butyl gloves
- Attached sock boots with boot flaps
- 2 exhaust valves
- 1.5 Waist belt with 3 belt loops sewn and sealed
- CE Type 1 and EN943:2002 certified
- Available from XS to XXL

Body Protection

Model: AMNC428E

Lakeland MicroMax NS Cool Suit



- Microporous PE film laminate coverall with breathable blue safeguard back panel
- Bound seams
- Coverall with 3 piece hood, inset sleeves, 2 piece diamond crotch gusset, elasticated hood, waist, cuffs and ankles
- Type 5 & 6
- Available from S to XXXL

Model: CT3S428

Lakeland MicroMax NS Coverall



- Zipper closure, attached hood, elastic wrists and ankles
- Type 5 & 6
- Available from S to XXXL

Model: AMN101

Lakeland MicroMAX NS Lab Coat



- Product Code: CTL140
- 3 Snap button closure
- Long sleeves
- 2 pockets - hip and chest
- Available from S to XXL

Lakeland EPVC-JT02 PVC Coat Jacket

Model: EPVC-JT02

- Protection against splashes and sprays of chemical in EN 14605 Type 3 & 4 application
- Reusable-long lasting service life
- Exceptional comfort with good durability
- Applicable in wet environment
- Excellent design for user's comfort



Lakeland
INDUSTRIES, INC.

Lakeland EPVC-TS02 PVC Bib and Brace Pants

Model: EPVC-TS02

- Protection against splashes and sprays of chemical in EN 14605 Type 3 & 4 application
- Reusable-long lasting service life
- Exceptional comfort with good durability
- Applicable in wet environment
- Excellent design for user's comfort



Lakeland
INDUSTRIES, INC.

Al-Gard Vinyl Coat Apron

Model: ALG-VCA

- Protects body, shoulders and arms
- Seamless design
- Open back/sleeves
- No elastic
- 40-mil PVC grommets permanently welded to the apron
- Ideal for use in food handling applications



Al-Gard

Ultitec Protection 500 Lightweight Disposable Coverall

Model: UT500

- Strong, durable and comfortable
- Individually wrapped or bulk package
- CE Category 1 coverall
- *Coveralls are white in colour, blue is only available upon special request
- Civil Protection, Construction, Decorative Work, Food Processing & Packing, Medical, Emergency



ULTITEC
Industrial

Model: DD-1000

Ultitec Protection 1000 (Type 5 & 6) Disposable Coverall



- Double layer PPSB improves fabric strength, tear and puncture resistance and make the coverall more durable
- Melt blown fabric laminated between the PPSB layers provides excellent particle barrier capabilities
- The fabric filters resist 99.8% of particles of size 0.5-1 µm
- Passes EN1073-2 for protection against radioactive particulate contamination
- Fully elasticated hood, ankles and wrists, which maximize comfort and protection
- EN 1073-2 Certified

Body Protection

Model: DD-2000

Ultitec Protection 2000 (Type 5-B & 6-B) Disposable Coverall



- Protection against chemical liquid spray, while remaining breathable and comfortable wearing experience, ideal for wide range of industrial applications
- Chemical liquid (EN368) and blood (ASTM F1670) penetration resistance for premium protection
- Passes EN1149-5 for antistatic property
- Passes EN1073-2 for protection against radioactive particulate contamination
- Passes EN14126 for protection against biological hazards and infective agents. (Type 5-B, 6-B)
- Low linting to reduce the risk of contamination in environment

Model: DD-2000B

Ultitec Protection 2000B (Type 5 & 6) Breathable Disposable Coverall



- Highly breathable back panel (ULTITEC 1000L fabric) Ideal for working in warmer environment
- Chemical liquid (EN368) and blood (ASTM F1670) barrier at premium protection on front fabric
- Front fabric ULTITEC 2000 meets EN1149-5 for antistatic property
- Passes EN1073-2 for protection against radioactive particulate contamination

Model: BB

PRO BB Back Support Belt



- Smooth glide adjustable clips
- Easy to adjust elastic outer panels for added lower back support
- Tapered abdomen support panels
- 35mm wide support elastic braces
- Adjustable belt and braces for comfortable fit
- Sizes: S, M, L, XL, 2XL
- Sold and packaged individually

SIR 33250 Leather Welding Apron

Model: 33250

- 1 mm thickness
- Cowhide split leather
- 60x90 cm
- Leather-strings closure



Valeo VEH Heavy Duty Elastic Back Support Belt

Model: VI46761G

- Adjustable two-stage hook and loop closure system
- Removable 1.5in elastic suspenders with hook and loop closures for safety
- Rubberized stay covers keep belt in place
- Quick release suspenders for safety
- Breathable 9-inch elastic with 5 non-conductive stays
- Machine washable

S: 24"-34" (Waist)
 M: 32"-42"
 L: 42"-52"
 XL:52"-62"



Valeo VES Standard Elastic Back Support Belt

Model: VI4680

- 8 elastic power net with 4 non-conductive stays
- Adjustable two-stage hook & loop closure system
- Removable 1.5 elastic suspenders with hook & loop tabs for safety
- Rubberized stay covers keep belt in place
- Machine washable

S: 24"-34" (Waist)
 M: 32"-42"
 L: 42"-52"
 XL:52"-62"



Sanctum Workwear KFR3002 Kalari Pyrovatex Flame Retardant Finished Coveralls with Reflective Strips

Model: KFR3014

- Material:100% cotton fabric with Pyrovatex finish, 180-320 g/m²
- Flat coat collar, two flap pockets with snap buttons on chest, two patch pockets on back, pen pocket
- Two-way concealed FR heavy duty industrial (brass/nylon) zip fastening
- Elasticated back
- Reflective tapes on arms, shoulders, and legs
- Adjustable cuffs and ankle openings
- Bartacking done in places where more strength is needed to support extra load
- EN 11611, EN 11612, EN 61482, NFPA 70E Certified
- Available in blue or orange



Model: WD4839

Dickies Redhawk Zip Front Coverall/Overall



- 65% polyester 35% cotton 260gsm
- Two way metal zip front with studed over placket
- Two zipped chest pockets, a tool pocket and a rule pocket
- Two swing pockets with side access
- Double pencil pocket on sleeve
- Full back elastication and an action back
- Two large back patch pockets, one zipped
- Knee pad pockets

Body Protection



FOOT PROTECTION

You can add some text here that related about skin protection or anything you want about 3-4

AL-Gard 
KING'S

SAFETY JOGGER
SAFETY SHOES


SKECHERS



KING'S
by Honeywell



SHOE SIZE CORRELATION

English	3	4	5	6	7	8	9	10	11	12	13
French	36	37	38	39/40	41	42	43	44/45	46	47	48



AL-Gard Safety Toe / Cover / Overshoe

Model: ALG-0921

- Alternative to steel toes
- 100% Genuine leather with full padded inner lining
- Wear-resistant and non-slip rubber out sole
- Wide 400mm elastic band for convenience and comfort doning and wearing
- Contoured extra wide steel toe cap that protect up to 200J energy impact (As per ISO EN Standard)
- Meets GB21148-2007 standard

AL-Gard



King's KJ404SX Executive Safety Shoes

Model: KJ404SX

- Sole construction : single density polyurethane outsole
- Steel toecap : available (extra wide 5-toe toecap)
- Steel midsole: not available
- Upper material : smooth full grain leather upper
- Lining : taibrelle lining
- Insole board : non-woven fibre insole board
- Insole : full length EVA foam insole for uniform shoes
- Size: 4-12 (UK)


 KING'S
 The Standard


King's KJ404X Executive Safety Shoes

Model: KJ404X

- Sole construction : single density polyurethane outsole
- Steel toecap : available (extra wide 5-toe toecap)
- Steel midsole: not available
- Upper material : printed leather upper
- Lining : taibrelle lining
- Insole board : non-woven fibre insole board
- Insole : full length EVA foam insole for uniform shoes
- Size: 3-12 (UK)


 KING'S
 The Standard


King's KJ424SX Executive Safety Shoes

Model: KJ424SX

- Sole construction : single density polyurethane outsole
- Steel toecap : available (extra wide 5-toe toecap)
- Steel midsole: not available
- Upper material : smooth full grain leather upper
- Lining : taibrelle lining
- Insole board : non-woven fibre insole board
- Insole : full length EVA foam insole for uniform shoes
- Size: 4-13 (UK)


 KING'S
 The Standard


Model: KJ424X



King's KJ424X Executive Safety Shoes

- Sole construction : single density polyurethane outsole ●
- Steel toecap : available (extra wide 5-toe toecap) ●
- Steel midsole: not available ●
- Upper material: printed leather upper ●
- Lining : taibrelle lining ●
- Insole board : non-woven fibre insole board ●
- Insole : full length EVA foam insole for uniform shoes ●
- Size: 3-12 (UK) ●

Foot Protection

Model: KJ484SX



King's KJ484SX Executive Safety Shoes

- Sole construction : single density polyurethane outsole ●
- Steel toecap : not available ●
- Steel midsole: not available ●
- Upper material : smooth full grain leather upper ●
- Lining : taibrelle lining ●
- Insole board : non-woven fibre insole board ●
- Insole : full length EVA foam insole ●
- Size: 4-13 (UK) ●

Model: KL221X



King's KL221X Ladies' Safety Shoes

- Sole construction: single density polyurethane (PU) sole (SRC outsole) ●
- Steel toecap: available ●
- Steel midsole: not available ●
- Upper material: full grain leather ●
- Lining: breathable non-woven fabric lining ●
- Insole board: antistatic insole board ●
- Insole: full length fabric-lined PU foam insole ●
- Size: 2-8 (UK) ●

Model: KL225X



King's KL225X Ladies' Safety Shoes

- Sole construction: single density polyurethane (PU) sole (SRC outsole) ●
- Steel toecap: available ●
- Steel midsole: not available ●
- Upper material: full grain leather ●
- Lining: breathable non-woven fabric lining with purple inserts ●
- Insole board: antistatic insole board ●
- Insole: full length fabric-lined PU foam insole ●
- Size: 2-8 (UK) ●

King's KL331X Ladies' Safety Shoes

Model: KL331X

- Sole construction: single density polyurethane (PU) sole (SRC outsole)
- Steel toecap: available
- Steel midsole: not available
- Upper material: full grain leather
- Lining: breathable non-woven fabric lining
- Insole board: antistatic insole board
- Insole: full length fabric-lined PU foam insole
- Size: 2-8 (UK)



King's KL335X Ladies' Safety Shoes

Model: KL335X

- Sole construction: single density polyurethane (PU) sole (SRC outsole)
- Steel toecap: available
- Steel midsole: not available
- Upper material: full grain leather with purple stitching
- Lining: breathable non-woven fabric lining
- Insole board: antistatic insole board
- Insole: full length fabric-lined PU foam insole
- Size: 2-8 (UK)



King's KWD701 Safety Shoes

Model: KWD701

- Sole Construction: Single density polyurethane (PU) sole (SRC outsole)
- Steel toecap: available
- Steel midsole: not available
- Upper material: full grain leather
- Lining: breathable non-woven fabric lining
- Insole board: antistatic insole board
- Insole: full length fabric-lined PU foam insole
- Size: 3-13 (UK)



King's KWD706 Safety Boots

Model: KWD706

- Sole construction : dual density polyurethane outsole
- Steel toecap: available (extra wide 5-toe toecap)
- Steel midsole: not available
- Upper material : tango print leather upper
- Lining : taibrelle lining
- Insole board : non-woven fibre insole board
- Insole : extra thick full length PU foam insole
- Size: 3-13 (UK)



Model: KWD804

King's KWD804 Safety Boots



- Sole construction : dual density polyurethane outsole ●
- Steel toecap: available (extra wide 5-toe toecap) ●
- Steel midsole: not available ●
- Upper material : tango print leather upper ●
- Lining : taibrelle lining ●
- Insole board : non-woven fibre insole board ●
- Insole : extra thick full length PU foam insole ●
- Size: 3-13 (UK) ●

Foot Protection

Model: KWD805C

King's KWD805C Safety Boots



- Sole construction : dual density polyurethane outsole ●
- Steel toecap: available (extra wide 5-toe toecap) ●
- Steel midsole: not available ●
- Upper material : tango print leather upper ●
- Lining : taibrelle lining ●
- Insole board : non-woven fibre insole board ●
- Insole : extra thick full length PU foam insole ●
- Size: 3-13 (UK) ●

Model: KWD806C

King's KWD806 Safety Shoes



- Sole construction : dual density polyurethane outsole ●
- Steel toecap: available (extra wide 5-toe toecap) ●
- Steel midsole: not available ●
- Upper material : tango print leather upper ●
- Lining : taibrelle lining ●
- Insole board : non-woven fibre insole board ●
- Insole : extra thick full length PU foam insole ●
- Size: 3-13 (UK) ●

Model: KWD807

King's KWD807 Safety Shoes



- Sole construction : dual density polyurethane outsole ●
- Steel toecap: available (extra wide 5-toe toecap) ●
- Steel midsole: not available ●
- Upper material : tango print leather upper ●
- Lining : taibrelle lining ●
- Insole board : non-woven fibre insole board ●
- Insole : extra thick full length PU foam insole ●
- Size: 3-13 (UK) ●

King's KWD901 Safety Shoes

Model: KWD901

- Sole construction : dual density polyurethane outsole
- Steel toecap: available (extra wide 5-toe toecap)
- Steel midsole: not available
- Upper material : tango print leather upper
- Lining : taibrelle lining
- Insole board : non-woven fibre insole board
- Insole : extra thick full length PU foam insole
- Size: 3-13 (UK)



King's KWS800 Safety Shoes

Model: KWS800

- Sole construction : dual density polyurethane outsole
- Steel toecap: available (extra wide 5-toe toecap)
- Steel midsole: not available
- Upper material :printed leather upper
- Lining : taibrelle lining
- Insole board : non-woven fibre insole board
- Insole : extra thick full length PU foam insole
- Size: 3-13 (UK)



King's KWS803 Safety Shoes

Model: KWS803

- Sole construction : dual density polyurethane outsole
- Steel toecap: available (extra wide 5-toe toecap)
- Steel midsole: not available
- Upper material :full grain leather upper
- Lining : taibrelle lining
- Insole board : non-woven fibre insole board
- Insole : extra thick full length PU foam insole
- Size: 3-13 (UK)



King's KV20YX PVC Boots

Model: KV20YX

- Yellow upper with black sole
- Estimated height: 356-410mm from heel
- Estimated weight: 2.25kg per pair (Size 7 with steel plate)
- Antistatic, slip and oil resistant shock absorbent PVC outsole
- Waterproof PVC upper construction
- Carbon steel toe cap for impact and compression resistance
- Pierce resistant stainless steel mid-sole insert
- Size: 5-12 (UK)



International Size Conversion Chart

MEN

EU	UK	US	JAPAN	KOREA
35	3	3	21,5	220
36	3,5	4	22,5	225
37	4	4,5	23	235
38	5	5,5	24	240
39	6	6,5	25	245
40	7,5	7,5	25,5	250
41	8	8	26,5	260
42	9	9	27	265
43	10	10	28	275
44	10,5	10,5	28,5	280
45	11,5	11,5	29,5	285
46	12	12	30	295
47	13	13	32	305
48	13,5	13,5	33	-

WOMEN

EU	UK	US	JAPAN	KOREA
35	3	5,5	21,5	220
36	3,5	6	22,5	225
37	4	6,5	23	235
38	5	7,5	24	240
39	6	8	25	245
40	6,5	9	25,5	250
41	7	9,5	26,5	260
42	8	10,5	27	265

SAFETY JOGGER
SAFETY SHOES

Safety Jogger Bestgirl S3 Safety Shoes

Model: Bestgirl

- Mesh Nylon Lining
- PU Sole with anti-slip properties
- Steel Toe Cap and Mid Sole
- Category - S3 / SRC
- SS513 Standard Certified



SAFETY JOGGER
SAFETY SHOES



Safety Jogger Bestrun S3 Safety Shoes (SS513 Tested)

Model: Bestrun

- Printed leather upper
- Anti-slip PU Sole
- Steel toe cap and mid sole
- Mesh nylon lining
- Premoulded insole
- Size range - EU 36-47/US 4.5-13/UK 3.5-12
- Category - S3 / SRC
- SS513 certified
- Size: 36-47 (EU)



SAFETY JOGGER
SAFETY SHOES



Safety Jogger Boreas 2 S3 Safety Boots

Model: Boreas2

- Water repellent brown full grain leather upper
- Composite toe cap
- SJ flex midsole
- Shock proof, antislip PU/rubber sole
- HRO - heat resistance sole
- Category S3 / SRC
- Size: 36-47 (EU)

SAFETY JOGGER
SAFETY SHOES



Safety Jogger Ceres S3 Ladies' Safety Shoes

Model: Ceres

- Rubber sole
- Composite toecap
- Anti perforation SJ FLEX midsole
- Category - S3 / SRC
- Mesh nylon lining
- Premoulded insole
- Rubber outsole with anti-slip
- Size: 36-43 (EU)

SAFETY JOGGER
SAFETY SHOES



Model: Dakar S19

Safety Jogger Dakar Safety Boot

SAFETY JOGGER
SAFETY SHOES



- Water repellent leather shoe ●
- Nylon mesh lining ●
- Antistatic, anti-slip sole ●
- Steel toe cap ●
- Puncture resistant steel sole ●
- Category - S3 / SRC ●
- Size: 36-42 (EU) ●

Foot Protection

Model: Dakar S18

Safety Jogger Dakar Safety Boot

SAFETY JOGGER
SAFETY SHOES



- Water repellent leather shoe ●
- Nylon mesh lining ●
- Antistatic, anti-slip sole ●
- Steel toe cap ●
- Puncture resistant steel sole ●
- Category - S3 / SRC ●
- Size: 36-42 (EU) ●

Model: Bestboot2

Safety Jogger Bestboot2 S3 Safety Boots (SS513 Tested)

SAFETY JOGGER
SAFETY SHOES



- Anti-slip PUsole ●
- Steel toe cap and mid sole ●
- Cambrella lining ●
- Premoulded insole ●
- Size Range - EU 36-47/US 4.5-13/UK 3.5-12 ●
- Category - S3/SRC ●
- SS513 certified ●
- Size: 36-47 (EU) ●

Model: Bestboy

Safety Jogger Bestboy S3 Safety Shoes (SS513 Tested)

SAFETY JOGGER
SAFETY SHOES



- Printed leather upper ●
- Anti-slip PU sole ●
- Steel toe cap and mid sole ●
- Mesh nylon lining ●
- Premoulded insole ●
- Size Range - EU 36-47/US 4.5-13/UK 3.5-12 ●
- Category - S3/SRC ●
- SS513 certified ●
- Size: 36-47 (EU) ●

Safety Jogger Bestfit S3 Safety Boots (SS513 Tested)

Model: Bestfit

- Smooth leather upper
- Anti-slip PU sole
- Steel toe cap and mid sole
- Cambrella lining
- Premoulded insole
- Size Range - EU 36-47/US 4.5-13/UK 3.5-12
- Category - S1P
- SS513 certified
- Size: 36-47 (EU)



Safety Jogger Bestlight Safety Shoe

Model: BestlightBLK

- Anti-slip EVA + rubber sole
- Premoulded insole
- Lightweight
- Size: 36-46 (EU)



Safety Jogger Ultima S3 Safety Boots (SS513 Tested)

Model: Ultima

- Water repellent full grain leather
- Heat resistant PU and rubber outsole
- Composite toe cap
- Puncture resistant SJ flex midsole
- Mesh nylon / coolmax lining
- Latex insole
- Category - S3 / SRC
- SS513 certified
- Size: 36-47 (EU)



Safety Jogger X0500 S2 Safety Shoes (SS513 Tested)

Model: X0500

- PU/PU sole
- Water repellent, white, cambrella lining
- Anti-static
- Steel toe
- Anti-slip
- Category - S2/SRC
- SS513 certified
- Size: 36-47 (EU)



Model: X0600

Safety Jogger X0600 S3 Safety Shoes (SS513 Tested)

SAFETY JOGGER
SAFETY SHOES



- Black water repellent leather ●
- PU/PU Sole ●
- Anti-static, shock proof ●
- Antislip ●
- Steel toe ●
- Steel midsole ●
- Category - S3 /SRC ●
- SS513 certified ●
- Size: 36-47 (EU) ●

Foot Protection

Model: Eos

Safety Jogger EOS S3 Safety Shoe (SS513 Tested)

SAFETY JOGGER
SAFETY SHOES



- Water repellent leather construction ●
- Nylon mesh lining ●
- PU sole with anti-slip & anti-static properties ●
- Composite toe cap and mid sole ●
- Category - S3 / SRC ●
- Size: 36-47 (EU) ●
- SS513 certified ●

Model: Hercules

Safety Jogger Hercules S5 Safety Boots

SAFETY JOGGER
SAFETY SHOES



- Waterproof black PVC Boots ●
- Puncture resistant steel sole ●
- Steel toe ●
- Antislip PVC sole ●
- Category - S5 ●
- Size: 36-47 (EU) ●

Model: Manager

Safety Jogger Manager S3 Executive Safety Shoes

SAFETY JOGGER
SAFETY SHOES



- Executive leather shoe ●
- Black water repellent leather ●
- Cambrella lining ●
- Antistatic, puncture resistant SJ flex sole ●
- Shock proof and antislip S3 PU sole + rubber parts ●
- Composite toe cap ●
- Size: 38-46 (EU) ●

Safety Jogger Poseidon S4 Safety Boots

Model: Poseidon

- Waterproof PVC Boots
- Steel toe cap
- Anti-slip PVC Sole
- Shock proof
- Category - S4
- Size: 36-47 (EU)



SAFETY JOGGER
SAFETY SHOES

Safety Jogger X1100N Safety Shoes

Model: X1100N

- Water repellent, black, leather shoe
- PU/PU sole
- Cambrella lining
- Steel toe cap
- Puncture resistant steel midsole
- Category - S3 / SCR
- Size: 36-46 (EU)



SAFETY JOGGER
SAFETY SHOES

Safety Jogger X1110 Safety Shoes

Model: X1110

- Water repellent, black, leather shoe
- PU/PU sole
- Cambrella lining
- Steel toe cap
- Puncture resistant steel midsole
- Category - S3 / SCR
- Size: 36-46 (EU)



SAFETY JOGGER
SAFETY SHOES

Safety Jogger X2000 S3 Safety Boots

Model: X2000

- Water repellent nubuck leather
- PU/PU sole
- Steel toe cap and mid sole
- Mesh nylon lining
- Premoulded insole
- Category - S3 / SRC
- Size: 37-46 (EU)



SAFETY JOGGER
SAFETY SHOES

Model: X2020P

Safety Jogger X2020P Safety Shoes

SAFETY JOGGER
SAFETY SHOES



- Water repellent nubuck leather ●
- PU/PU sole ●
- Steel toe cap and mid sole ●
- Mesh nylon lining ●
- Premoulded insole ●
- Category - S3 / SRC ●
- Size: 36-47 (EU) ●

Foot Protection



INTERNATIONAL

Size Conversion Chart



MEN'S SIZES

US	6.5	7	7.5	8	8.5	9	9.5	10	10.5	11	11.5	12	12.5	13	13.5	14	15	16
UK	5.5	6	6.5	7	7.5	8	8.5	9	9.5	10	10.5	11	11.5	12	12.5	13	14	15
EURO	39	39.5	40	41	41.5	42	42.5	43	44	45	45.5	46	47	47.5	48	48.5	49.5	50.5

WOMEN'S SIZES

US	5	5.5	6	6.5	7	7.5	8	8.5	9	9.5	10	10.5	11
UK			3	3.5	4	4.5	5	5.5	6	6.5	7	7.5	8
EURO	35	35.5	36	36.5	37	37.5	38	38.5	39	39.5	40	40.5	41

Model: 777067DBRN



Skechers Burgin Composite Toe & Kevlar Midsole Safety Boots (SS513)

- Smooth leather or nubuck leather upper ●
- Soft fabric boot lining ●
- Relaxed fit ●
- Gel infused memory foam cushioned removable comfort insole ●
- Oil resistant sole ●
- Composite safety toe & shock absorbing kevlar midsole ●
- Electrical Hazard (EH) safe design ●
- SS513 certified ●
- Size: 7-12 (US) ●

Foot Protection

Model: 76528 BKPR



Skechers D'Lite SR - Tottle Ladies' Safety Shoes

- Composite safety toe front ●
- Electrical hazard (EH) safe design ●
- Slip resistant rubber outsole ●
- Lightly textured durable synthetic veneered leather upper ●
- Soft fabric shoe lining ●
- Cushioned removable comfort insole ●
- D'Lites light and flexible shock absorbing midsole ●
- Flexible rubber OSHA compliant slip resistant traction outsole ●
- Size: 6-10 (US) ●

Model: 76528 GYPK



Skechers D'Lite SR - Tottle Ladies' Safety Shoes

- Composite safety toe front ●
- Electrical hazard (EH) safe design ●
- Slip resistant rubber outsole ●
- Lightly textured durable synthetic veneered leather upper ●
- Soft fabric shoe lining ●
- Cushioned removable comfort insole ●
- D'Lites light and flexible shock absorbing midsole ●
- Flexible rubber OSHA compliant slip resistant traction outsole ●
- Size: 6-10 (US) ●

Model: 777027-BRBK



Skechers Soft Stride - Canopy Relaxed Fit Safety Shoes (SS513)

- Composite safety toe front ●
- Shock absorbing, anti-porforation midsole ●
- SS513 Tested ●
- Electrical hazard (EH) safe design ●
- OSHA compliant rubber slip resistant outsole ●
- Lightly textured durable leather upper ●
- Soft fabric shoe lining ●
- Relaxed fit design for a roomier comfortable fit ●
- Memory foam cushioned comfort insole ●
- Size: 7-12 (US) ●

Skechers Soft Stride - Grinnell Comp Safety Shoes (SS513 Tested)

Model: 77013 NVGY

- Composite safety toe rated
- Electrical hazard (EH) safe design
- Oiled suede upper
- Slip resistant sole
- SS513 certified
- Relaxed fit design for a roomier comfortable fit
- Memory foam topped cushioned removable comfort insole
- Shock absorbing supportive sporty midsole
- Size: 7-12



Skechers Soft Stride - Grinnell Comp Safety Shoes (SS513 Tested)

Model: 77013 BRBK

- Composite safety toe rated
- Electrical hazard (EH) safe design
- Oiled suede upper
- Slip resistant sole
- SS513 certified
- Relaxed fit design for a roomier comfortable fit
- Memory foam topped cushioned removable comfort insole
- Shock absorbing supportive sporty midsole
- Size: 7-12



Skechers Workshire Relaxed Fit Safety Boots (SS513 Tested)

Model: 77009BLK

- Steel safety toe
- SS513 certified
- Electrical hazard (EH) safe design
- Smooth leather or nubuck leather upper
- Relaxed fit design for a roomy comfortable fit
- Gel infused memory foam cushioned removable comfort insole
- Shock absorbing midsole
- Oil resistant, lug traction durable rubber outsole
- Size: 7-12 (US)



Skechers Workshire Relaxed Fit Safety Boots (SS513 Tested)

Model: 77009WTN

- Steel safety toe
- SS513 certified
- Electrical hazard (EH) safe design
- Smooth leather or nubuck leather upper
- Relaxed fit design for a roomy comfortable fit
- Gel infused memory foam cushioned removable comfort insole
- Shock absorbing midsole
- Oil resistant, lug traction durable rubber outsole
- Size: 7-12 (US)



Model: 77009CDB

Skechers Workshire Relaxed Fit Safety Boots (SS513 Tested)



- Steel safety toe ●
- SS513 certified ●
- Electrical hazard (EH) safe design ●
- Smooth leather or nubuck leather upper ●
- Relaxed fit design for a roomy comfortable fit ●
- Gel infused memory foam cushioned removable comfort insole ●
- Shock absorbing midsole ●
- Oil resistant, lug traction durable rubber outsole ●
- Size: 7-12 (US) ●

Foot Protection



FALL PROTECTION

Everything you need to safely work at heights.



Model: ALG-38

AL-Gard Suspension Trauma Relief Strap (Hook and Loop Harness)

AL-Gard



- Allows for pressure relief from being suspended
- Can be attached to most harness brands
- Lightweight, compact design stays out of the worker's way until needed
- Deployment and operation are fool-proof simply unzip and hook straps together
- Continuous loop design allows for either one or two foot suspension relief without any pinching

Fail Protection

Model: HB-6N

Haru HB-6N Vertical Retractable Webbing Lifeline (EN360)

HARU



- 20mm wide webbing lifeline
- Poly propylene Case
- Self retracting cable on drum with centrifugal brake
- 6m in length
- K300 Karabiner is CE EN361 certified
- S-2146 anchor point is CE EN361 certified
- >1600kg webbing breaking point

Model: HE-15

Haru HE-15 Vertical Retractable Lifeline (EN360)

HARU



- 4mm diameter zinc galvanised steel lifeline
- Self retracting cable on drum with centrifugal brake
- 15m in length
- K300 karabiner is CE EN361 certified
- S-2146 is CE EN361 certified
- Fall indicator
- Working load of 20 to 150kg
- >1250kg wire breaking point
- Maximum stop distance 1.5m

Model: HE-20

Haru HE-20 Vertical Retractable Lifeline (EN360)

HARU



- 4mm diameter zinc galvanised steel lifeline
- Self retracting cable on drum with centrifugal brake
- 20m in length
- K300 karabiner is CE EN361 certified
- S-2146 is CE EN361 certified
- Fall indicator
- Working load of 20 to 150kg
- >2000kg wire breaking point
- Maximum stop distance 1.5m

Haru HE-30 Vertical Retractable Lifeline (EN360)

Model: HE-30

- 4mm diameter zinc galvanised steel lifeline
- Self retracting cable on drum with centrifugal brake
- 30m in length
- K300 karabiner is CE EN361 certified
- S-2146 is CE EN361 certified
- Working load of 20 to 150kg
- >2000kg wire breaking point
- Maximum stop distance 1.5m



Haru HE-6 Vertical Retractable Lifeline (EN360)

Model: HE-6

- 4mm diameter zinc galvanised steel lifeline
- Self retracting cable on drum with centrifugal brake
- 6m in length
- K300 karabiner is CE EN361 certified
- S-2146 is CE EN361 certified
- Working load of 20 to 150kg
- >1250kg wire breaking point
- Maximum stop distance 1.5m



Haru HE-10 Vertical Retractable Lifeline (EN360)

Model: HE-10

- 4mm diameter zinc galvanised steel lifeline
- Self retracting cable on drum with centrifugal brake
- K300 Karabiner is CE EN361 certified
- S-2146 is CE EN361 certified
- Fall indicator
- 10m in length
- Working load of 20 to 150kg
- >1250kg wire breaking point
- Maximum stop distance 1.5m



Haru HC-16F Safety Belt

Model: HC-16F

- HC-16F Japanese type safety belt with retractable safety line & big snap hook
- 50Mm adjustable belt length up to 1.15M
- Maximum length of retractable webbing lanyard up to 1.3M
- Large aluminium snap hook
- Built-in shock absorber to reduce impact
- Quick release belt



Model: HE-2A-T

Twin Connected Haru HE-2A Vertical Retractable Lifelines

HARU



- K300 karabiner is CE EN361 certified
- S-2239 Anchor connector is CE EN361 certified
- Clip to hold lifelines in place on karabiner during use
- Twin-leg 100% tie-off design
- Built-in connector for twin-leg SRL direct attachment to harness
- (2.0m) twin-leg lifelines with (19mm) Dyneema fiber and polyester webbing
- Aluminum self-locking rebar hook on each lifeline
- Extremely compact, lightweight and impact resistant aluminum design
- Swiveling anchorage loops
- Quick acting brake systems

Fail Protection

Model: HE-2A

Haru HE-2A Vertical Retractable Lifeline (EN360)

HARU



- K300 karabiner is CE EN361 certified
- S-2239 Anchor connector is CE EN361 certified
- Twin-leg 100% tie-off design
- Built-in connector for twin-leg SRL direct attachment to harness
- (2.0m) twin-leg lifelines with (19mm) Dyneema fiber and polyester webbing
- Aluminum self-locking rebar hook on each lifeline
- Extremely compact, lightweight design
- Light and impact resistant aluminum housing
- Swiveling anchorage loops
- Quick acting brake systems

Model: HE-35D

Haru HE-35D 3.5M Vertical Self Retractable Lifeline (EN360)

HARU



- Karabiner is CE EN361 certified
- S-2239 Anchor connector is CE EN361 certified
- Twin-leg 100% tie-off design
- Built-in connector for SRL direct attachment to harness
- (3.5m) twin-leg lifelines with (19mm) Dyneema fiber and polyester webbing
- Aluminum self-locking rebar hook on each lifeline
- Extremely compact, lightweight design
- Light and impact resistant aluminum housing
- Swiveling anchorage loops
- Quick acting brake systems

Model: HD-240-20

Haru HD-240 Confined Space and Rescue Tripod (EN795, EN1496)

HARU



- 20m wire rope and winch is included
- Adjustable Height Telescopic Legs
- Anchorage point on the tripod head which allows to set a retractable lifeline
- Additional anchorage point come with a manual hand winch
- For manholes with a maximum diameter of 1.5m
- Tripod : EN 795:1996 Class B
- Winch : EN 1496:2006 Class A

Master Double Rope Lanyard

Model: NST PE-828G

- Double rope lanyard with shock absorber
- PSB Approved SS402



Orex Value-X Safety Harness and Dual Webbing-Type Lanyard

Model: O01-06-PFAS08R

- Double tool hangars can hold up to 5kg
- D-Ring attachment on the back for fall arrest systems
- Connection buckles for adjustable leg straps
- SS528:2006 certified self locking karabiner
- Shock absorber allows the fall arrest force up to 6kN
- Snap hook is SS528:2006 certified
- SS528 certification provided



P+P Full Body Harness (#90034SPL/MK2)

Model: 90099MK2

- Two point, fall arrest harness, with 3 bar slide and rectangular link, leg and chest connections
- Adjustable length shoulder straps with a 3 bar buckle
- Full chest strap going all the way around the chest for a secure configuration that increases the distribution of load
- Material: polyester webbing with carbon steel, heat treated and zinc plated metal fittings
- Attachment points: rear fall arrest dorsal "D" ring and front sternum fall arrest "D" ring
- EN361:2002 certified
- Aize : Small (SM) Large (LG) and Extra Large (XL)



P+P Tubular Aluminium Tripod (75780/AB)

Model: 75780/AB

- P+P tubular aluminium tripod with multi attachment point head
- A range of brackets, recovery blocks and winches are available to fit
- Material: aluminium
- Safe working Load : 250kg, 6:1 Safety Ratio
- 6 attachment points, 3 overhead pulleys and 3 eye bolts
- 2 person rated
- Weight: 20kg
- EN795 Certified



Model: 76070MK2/ADJ

P+P 90305 Scaffolders Sling



Lanyard suitable for restraint, work positioning or as a component in a fall protection system

- Material: 32mm polyester webbing
- Steel captive screwgate karabiners at each end
- Size / length : 2m
- EN354:2002, EN358:2000 certified

Fail Protection

Model: 76070MK2/ADJ

P+P 76070MK2/ADJ Webbing RL200W



Lanyard suitable for restraint, work positioning or as a component in a fall protection system

- Material: 32mm polyester webbing
- Steel captive screwgate karabiners at each end
- Size / Length: 2m
- EN354:2002, EN358:2000 certified

Model: 90004

P+P RB8 Belt (90004)



- Restraint belt
- Material: polyester webbing with carbon steel, heat treated and zinc plated metal fittings
- Central "D" ring attachment point
- Size / length: 60cm - 120cm
- EN358:1993 certified

Model: 90034MK2

P+P Full Body Harness C/W 2 D-ring Front and Back (90034MK2)



- Two point, fall arrest harness, with 3 bar slide and rectangular link, leg and chest connection
- Alloy rings to interconnect shoulder and chest straps
- Has adjustable length shoulder straps with a 3 bar buckle
- Material: polyester webbing with heat treated zinc plated carbon steel fittings and anodized black alloy rings.
- Rear fall arrest dorsal "D" ring and front sternum fall arrest "D" ring attachment points
- EN361-2002 certified

P+P RB8L Belt (90048ADJ)

Model: 90048ADJ

- Restraint belt with integral 1.4M adjustable restraint lanyard
- Material: polyester webbing with carbon steel, heat treated and zinc plated metal fittings
- Central "D" ring with lanyard attached fitted with steel captive screwgate karabiner
- EN358:1993 certified



P+P Auto Reel MK2 (90091MK2)

Model: 90091MK2

- A small light weight, retractable type fall arrester housed in a plastic cover, with webbing lanyard
- Material: polyester webbing
- Bolted swivel eye complete with oval screwgate anchorage karabiner
- Small double action snap hook
- Size / length: 2.4m
- EN360:2002 certified



P+P Man-U-Just, Work Positioning System - 10m, 15m and 20m available (90092MK2)

Model: 90092MK2

- 16mm nylon hawser laid rope fitted with a rope adjuster and 1m detachable
- Chunkie lanyard, complete with a captive karabiner and separate 76031 karabiner
- Material: 16mm nylon hawser laid rope and 11mm kernmantle rope
- Steel captive screwgate karabiner on lanyard and loose karabiner on 16mm hawser rope
- Size / length: 10m, 15m, 20m
- EN358:2000 certified



P+P Kernmantle Rope Rat, Work Positioning Lanyard (90176/2M/90204)

Model: 90176/2M/90204

- Lanyard suitable for restraint or work positioning
- Material: 11mm Kernmantle rope
- Attachment points
- Steel screwed oval link at one end and a small captive aluminium double action snaphook at the other
- Size / length: 2m
- EN358:2000 certified



Model: 90220MK2

P+P Breakaway Parking Point (90220MK2)



- Sacrificial attachment point for “parking” a lanyard when not in use
- Retro fits to any harness up to 45mm webbing
- Material: nylon
- To fit up to 45mm webbing

Fall Protection

Model: 90255

P+P 10m Rocker System (90255/10)



- Guided type fall arrester system using a kernmantle rope lifeline, P+P rocker device and connectors
- Material: 11mm semi-static kernmantle rope (EN1891 Class A), Anodised aluminium Rocker device
- Steel captive screwgate karabiner at the top of the rope and an aluminium auto-locking karabiner on the device
- Size / length: 10m
- EN353-2, EN358 certified

Model: 90270

P+P Twin Legged Lanyard (90270)



- Twin legged lanyard suitable for arresting potential falls
- The lanyard incorporates a “tear-web” energy absorbing packs
- Material: 11mm kernmantle rope, with a polyester tear-web energy absorber covered in a PVC shrink sleeve and a stainless steel ring inter-connection
- Steel captive screwgate karabiner on the energy absorber and a large aluminium double action snaphook on each leg
- Size / length: 1.5m
- EN355:2002 certified

Model: 90289

P+P Horizontal Lifeline (90289)



- P+P temporary webbing lifeline (additional end connections may be needed)
- Material: polyester webbing with powder coated steel ratch
- Sewn sleeved eyes at each end
- Size / length: 20m
- EN795 class C certified

P+P GOTCHA Rescue Kit, 50m. 100m and 150m Available (90293)

Model: 90293

- Enables rescuers to attach to and raise or lower a lanyard suspended casualty to safety
- Negates the need for rescuers to have direct access to the casualty, only the attachment point
- Comes with 3.5m 'capture pole'
- Material: 11mm Kernmantle rope
- Steel kwiklok karabiners and round anchorage sling attachment points
- Size / length: 50m, 100m or 150m rope, giving a maximum effective working length of 16m



P+P 90305 Scaffolders Sling Anchorage

Model: 90305

- P+P scaffolders' anchorage sling attachment point, to create a non-slip anchorage point on horizontal or vertical scaffold tube
- Material: polyester
- Sewn reinforced eye attachment points
- Size / length: 0.6m long
- EN795 class B certified



P+P 90407MK2/ADJ 15m Rigga Pulley Hoist Utility System

Model: 90407MK2/15

- Utility system for work positioning or rescue-capable of raising or lowering vertically system uses one way blocks to reduce effective load when lowering
- System mechanical advantage 4:1 SWL 250kg
- Complete with anchor strop and kit bag- total kit weight 7.7kg
- Material: 11mm polymide rope
- Kwiklock offset 'D' karabiners as standard
- Size / length: 15m
- BS:EN 1228 certified



P+P 90522 Twin Retractable Lanyard

Model: 90407MK2/15

- Twin legged retractable lanyard suitable for arresting potential falls
- The lanyard comprises dual retractable elements, which allow users to minimise free fall distances by careful selection of anchorage points
- Designed to connect to the rear harness fall arrest point via the screw link connector and locates on the harness via the velcro closings on the energy absorber pack
- Material: webbing
- Steel snap hook attachment points
- EN360:2002 certified



Model: RIGGA B

P+P RIGGA Bracket (For tripod 75780/AB and RIGGA 15R)



Bracket to fit RIGGA 15R inertial reel fall arrester/retriever to P+P tripod 75780/AB

Material: powder coated steel bracket bolted to steel clamp
Attachment points: clamps to P+P tripod leg



Fall Protection

Model: RIGGA 15R

P+P RIGGA Inertial Reel Fall Arrester\Recovery



Inertial Reel type fall arrester in a durable cast alloy housing with galvanised steel wire cable

Optional built in recovery mechanism, which can be engaged for rescue or to lift or lower a casualty and is operated by winding the handle

Material: 5mm galvanised cable

Swivel eye on housing and double action snap hook with fall indicator on wire cable

Size/length: 6m, 10m, 15m

EN360:2002 certified



Model: 90056

P+P Linemans Belt (90056)



Work positioning belt with large roller buckle (with back feed bar) 2 side work positioning "D" rings

Material: polyester webbing with carbon steel, heat treated and zinc plated metal fittings

Side work positioning "D" rings

EN383:1993 certified



Model: 90481

P+P 90481 12mm Reusable Ladder Anchor (Utility Anchor)



12Mm reusable ladder anchor that can be used in concrete, rock, brick or other suitable substrates

Material: stainless steel, aircraft grade cable, aluminium alloy, zinc plated spring steel

Attachment Points: Large plastic covered eyelet

Size / length: unit size 43mm x 227mm. Insertion depth 40 - 65mm

For restraint only, 2.2kN safe working load

Must be installed to manufacturer's instructions



PRO Safety LeadSafe LSO Pocket/Belt Clip

Model: LeadSafe LSO

- Shield-like shape single moulding curved to hug body
- 2x Belt hooks secure the unit firmly in place
- Brightly coloured for high visibility
- Cable hook supports & guides the cable ensuring it is in a safe position at all times
- Versatile clip can be used to hold on to different items such as gloves or helmets (See Photo)



SIR Forker Lanyard with Shock Absorber (EN355)

Model: 90293

- EN355 certified
- 44mm wide and 1m long webbing;
- Supplied with: energy absorber
- 1 standard karabiners
- 2 montblanc karabiners at the extremities



SIR Fall Arrest Stopper Device (7.5m and 15m lengths available) (EN360)

Model: 55211

- Ideal for vertical tasks in dangerous positions.
- User allowed weight up to 136 kg. Impact force: reduces fall arrest force to less than 6 kN
- Lanyard: in galvanized stainless steel, 4.5 mm
- Structure: impact resistant, steel-reinforced polymer
- Suitable for vertical tasks in dangerous work sites
- EN 360 certified
- Length: 7.5m, 15m



SIR Maxi Eagle Retractable Webbing Fall Arrester (EN360)

Model: 55329

- Telescopic, tubular aluminium structure with 3 ground standing points
- 20m winch for lifting or lowering a person and/or equipment up to a weight of 500Kg
- Wire-ending is fitted with a karabiner which shall be connected to harnesses with dorsal and sternal attachment points
- Ideal for the maintenance and inspections of wells, sewers, lifts, etc.
- Also allows for the rescue of workers who have fainted or who are injured



Model: 55329

SIR Tripod Work Positioning System (EN795)



- Telescopic, tubular aluminium structure with 3 ground standing points
- 20m winch for lifting or lowering a person and/or equipment up to a weight of 500Kg
- Wire-ending is fitted with a karabiner which shall be connected to harnesses with dorsal and sternal attachment points
- Ideal for the maintenance and inspections of wells, sewers, lifts, etc.
- Also allows for the rescue of workers who have fainted or who are injured

Fall Protection

Model: 55311

SIR Sokoi 1 Safety Harness (EN361)



- Material: polyester
- EN361 certified
- 1 dorsal D attachment for the fall arrest system
- Adjustable chest belt and leg loops
- Chest strap holding shoulder straps
- Wider comfortable straps for extended time use

Model: 55312

SIR Sokoi 2 Safety Harness (EN361)



- Material: polyester
- EN361 certified
- 2 chest D attachments and 1 dorsal D attachment for the fall arrest system
- Adjustable shoulder straps and leg loops
- Sliding frontal plate for strap adjustment
- Totally adjustable harness
- Sitting waistbelt designed for maximum comfort of the worker

Model: 55313

SIR Sokoi 3 Safety Harness (EN361)



- Material: polyester
- EN361 certified
- 2 chest D attachments and 1 dorsal D attachment for the fall arrest system
- Adjustable shoulder straps and leg loops
- Sliding frontal plate for strap adjustment
- Totally adjustable harness
- Sitting waistbelt designed for maximum comfort of the worker

SIR Sokoi 4 Safety Harness (EN361)

Model: 55314

- Material: polyester
- EN361 certified
- 2 textile chest attachments and 1 dorsal D attachment for the fall arrest system
- 2 lateral D-rings for work positioning
- Adjustable shoulder straps, leg loops and waistbelt
- Rear clasps and rings for carrying tools
- Totally adjustable harness
- Sitting waistbelt designed for maximum comfort of the worker





SKIN PROTECTION

Protection against harmful UV rays, bacteria, dirt and grime.



PRO ProBloc SPF50 Sunscreen

Model: SS1-50

- SPF 50+ with aloe vera & vitamin E
- Filters up to 98% of UV rays
- Broad spectrum protection from both UVA & UVB
- 4 Hours water resistant
- Nanoparticle free
- Approved to AS/NZS 2604:2012
- Made In Australia for extreme conditions
- Pump pack bottle (2.5L, 1L) or Tube (125ml)



Deb InstantFOAM Hand Sanitiser

Model: IFS47ML

- Highly effective, perfume & dye-free alcohol-based foam hand sanitiser
- Kills 99.999% of many common germs in just 15 seconds
- No water rinsing required
- Conforms to EN1500, prEN12054, EN1276, EN1275 and EN1040



Deb Swargega Orange

Model: SOR4LMP

- Micro-polymer granules help remove stubborn soilage without damaging skin
- Wheat germ extracts moisturises the hands
- Rinses off easily and leaves no greasy feeling
- Solvent-free formula helps prevent skin from drying out



Deb Suprega Plus

Model: 5000

- Specially developed cleaning agents remove a variety of soilage, grease, crude oil and paints
- Lanolin derivatives prevent skin dryness, chapping and cracking
- Non-abrasive polybeads help remove stubborn soilage without damaging skin
- Neutral PH to help reduce drying of skin
- Citrus fragrance
- Available in 5L packs that discharge through a wall mounted dispenser
- Dispenser sold separately



Model: RESTORE1

Deb Restore After Work Cream



- Protects against grease, solvents, oil, detergents, paints and resins. ●
- Prevents skin dryness with added glycerine - a highly effective humectant ●
- Oilment based cream quickly absorbs into the skin without leaving a greasy after- feel ●
- Neutral PH reduces the risk of possible irritation ●
- Available in 1L cartridge for dispensing, 500ml hand pump bottle and 200ml tubes ●

Skin Protection

Model: INSTANTFOAM

Deb Instantfoam Hand Sanitiser



- Kills 99.999% of many common germs in just 15 seconds ●
- Dermatologically test shows the product to be non-irritant ●
- Meets the requirements of European Cosmetics Regulation ●
- Built-in conditioners leave hands feeling soft and smooth ●
- Foams and easily rubs across the hands with no drips and splashes ●
- Available in 1L cartridges that discharge through a wall mounted dispensers ●
- Dispenser is sold separately ●



SPILL PROTECTION

Quickly and safely contain any spills and protect against pollution.

AL-Gard **3M**


 **JUSTRITE**

 Kappler

 Complete
Environmental
Products, Inc.
CEP.SORBENTS.com

Model: CEP-UP100-Y-FF-1719

CEP UQ100-FF-1719 Grey Universal Bonded Sorbent Pads



Dimensions: 15" x 17" ●
Quantity: 100/cs ●
24 Gallon absorbency ●
36 Per skid ●

Ideal for wiping up chemical spills. ●
Can be used as a HazMat Rag! ●

These pads and rolls will absorb all liquids from water based fluids to ●
aggressive acids ●

Bonded for tensile strength. ●


Absorb up to 25 times their weight in liquids ●

HazMat Green color stands out as a potentially harmful liquid that spilled ●

Spill Protection

Model: CEP-UP100-Y-FF-1719

CEP UP100-Y-FF-1719 Yellow Universal Fine Fibre Absorbent Pads



Two layers of fine fiber polypropylene ultrasonically bonded around a ●
high-loft meltblown core ●

Dimensions: 15" x 17" ●

Quantity: 100/cs ●

24 gallon absorbency ●

Absorb up to 25 times their weight in liquids ●

Made in USA ●

36 per skid ●

Model: CEP-Q100-FF-1719

CEP Q100-FF-1719 Oil Only Fine Fibre Absorbent Pads



Two layers of fine fiber polypropylene ultrasonically bonded around a ●
high-loft meltblown core ●

Dimensions: 15" x 17" ●

Quantity: 100/cs ●

24 gallon absorbency ●

36 per skid ●

Dimpled for faster absorption ●

Made in USA ●

Model: CEP-HAZSOC12-Y

CEP HAZSOC9-12-Y Yellow HazMat Socks



HazMat socks are great for soaking up aggressive acids, bases and ●
chemicals. ●

Dimensions: 3" X 48" ●

Quantity: 12/cs ●

24 gallon absorbency ●

35 per skid ●

Absorbs up to 25 times their weight in fluid ●

Made in USA ●

An absolute necessity for any haz mat spill or spill contingency plan ●
CEP Socks help surround spills offering easy containment and clean up ●

Tough skin deters tearing and offers maximum flexibility ●

Socks and booms come in a variety of sizes ●

CEP HAZPIL9-32-Y Yellow HazMat Pillows

Model: CEP-GPIL4

- Contain drips and leaks absorbing any liquid
- Absorbs up to 25 times their weight in fluid
- Dimensions: 9" X 9" X 2"
- Quantity: 32/cs
- 24 gallon absorbency
- 35 per skid
- Made in USA
- An absolute necessity for any haz mat spill or spill contingency plan
- Socks and booms come in a variety of sizes
- All products are colour coded in haz mat orange

Complete
Environmental
Products, Inc.
CEP SORBENTS.com



CEP GPIL4 Universal General Purpose Sorbent Pillows

Model: CEP-GPIL4

- Dimensions: 9" x 9" x 2"
- Quantity: 32/cs
- 24 gallon absorbency
- 35 per skid
- Pillow absorbs oils, water coolants and solvents
- Made in USA
- Perfect moldable application for continuous maintenance leaks
- The recycled fibre fillers are BTU rich for multiple disposal options

Complete
Environmental
Products, Inc.
CEP SORBENTS.com



CEP GS4 Universal general Purpose Sorbent Socks

Model: CEP-GS4

- Dimensions: 3" x 4'
- Quantity: 40/cs
- Sock absorbs oils, water, coolants and solvents
- Perfect moldable application for continuous maintenance leaks
- Made in USA

Complete
Environmental
Products, Inc.
CEP SORBENTS.com



Kappler 99402YW ChemTape

Model: 99402YW

- Chemical-resistant tape
- Designed specifically for protective apparel and related applications
- Outstanding holdout against the entire ASTM F1001 test battery
- Can be used for taping gloves, boots, respirators and storm flaps
- Measures 60 yards length by 2" width (48mm X 55mm)

Kappler



Model: 09300

Justrite Red Oily Waste Cans

JUSTRITE



- Holds up to 10 gallons of oily waste
- Foot lever enables safe & hands-free disposal
- Heavy gauge steel construction, with powder coat paint finish
- Lid opens to 60° to protect contents from fire sources and automatically closes when foot lever is released
- Ventilated base safely disperses heat

Spill Protection

Model: ALG-P203

AL-Gard Pad 203 Universal Absorbent Pads

AL-Gard



- High performance universal absorbent pads
- Great for oil, organic solvent and water base liquids.
- Dimpled to soak up more liquids and reduce "wicking"
- Lint-free spun-bond fabric
- Mat keeps in shape even if saturated
- Size of pads : 40cm x 50cm
- Packing : 100 pads per case

Model: ALG-HP301

AL-Gard HazPad 301 Yellow Chemical Absorbent Pads

AL-Gard



- Made from 100% polypropylene
- Dimpled to soak up more liquids and reduce "wicking"
- Perforated in the centre to reduce wastages
- Bright yellow color for easy identification as caution around spill
- Suitable for aggressive chemicals such as acids, caustic and organic solvent
- Sizes : 40cm x 50cm / Pad
- Packing : 100 pads per case
- Absorbs 27 gallon per case

Model: C-SKFL5

3M Chemical Sorbent Spill Kit

3M



- Excellent solution for storage where space is limited
- Ideal for use in laboratory spills
- Allows the material to be used as a pillow, pad, roll or boom
- Included containment bag and tie
- Absorbs up to to 5 gallons of spill

3M Chemical Sorbent Pad (P-110)

Model: P-110

- Designed with quick and easy response in mind
- Convenient dispenser boxes, for storage in confined spaces
- Size 11" X 13"
- 50 pieces/box
- Absorbs approximately 4 gallons of spill



3M

3M Chemical Sorbent Folded (High Capacity)

Model: C-FL550DD

- Dispensed in the form of a 5 inch wide continuous roll
- Perforated every 16 inches
- Can be unfolded into pads or pillows
- Size 5 X 50 ft
- Absorbs up to 10 gallons of spill



3M

3M Chemical Sorbent Folded Spill Kit

Model: C-5KFL31

- Packaged in a 20 gallon drum
- Easily identified by the bright yellow colour
- Fast transport to a spill site
- Absorbs up to 31 gallons of spill
- Contains: 2 rolls of folded sorbent (each 5" X 50 ft)
- 30 Pads (each 17" X 19")
- 3 temporary disposal bags and ties



3M

3M Chemical Sorbent Mini-Boom

Model: P-200

- Encircles chemical leaks and spills to prevent them from spreading to adjacent areas
- Fast and effective containment and clean-up
- Suitable for use with most chemicals
- Promotes safety on the site
- Easy to dispose of
- 3 inches in diameter
- P200 - 4 ft in length (12 booms/ case)



3M

Model: P-300

3M P-300 Chemical Sorbent Pillow

3M



- Ideal for areas where greater absorbency capacity is required for chemical leaks and spills
- Pillows have a high absorbency capacity
- Suitable for use with most chemicals
- Promotes safety on the site
- Easy to dispose of

Spill Protection



TRAFFIC SAFETY

Stay visible and safe while working on the road and around heavy vehicles and machinery



AL-Gard



Model: ALG-A27-002R

Al-Gard Cone Mountable Retractable barrier

AL-Gard



- Bright yellow design for improved night visibility ●
- 9m barrier ribbon ●
- Yellow and Black striped barrier ribbon for good day and night time visibility ●
- Mountable on most traffic cones ●

Traffic Protection

Model: ALG-HV1

Al-Gard Adjustable High Visibility Jacket / Vest

AL-Gard



- Fully adjustable with hook & loop straps to suit torsos of different lengths & waist sizes ●
- Single buckle design for easy donning and removal ●
- Lightweight & non movement restrictive design ●
- Bright fluorescent green and fully reflective design allows for good visibility in the day & night times ●
- Unisex ●
- Strap width: 5cm ●
- Waist circumference: 80-120cm ●

Model: ALG-LEDV1

Al-Gard Adjustable High Visibility Jacket / Vest with LED Lights

AL-Gard



- Adjustable with hook & loop straps to suit torsos of different lengths & waist sizes ●
- Single hook & loop closure design for easy donning and removal ●
- Lightweight & non movement restrictive design ●
- Bright fluorescent green and fully reflective design allows for good visibility in the day & night times ●
- 16 LED lights with 3 settings powered by 2 AA batteries ●
- Lightweight green mesh ●
- Unisex ●

Model: ALG-HV2

Al-Gard Elastic High Visibility Safety Vest / Jacket with Reflective Straps

AL-Gard



- Fully adjustable with hook & loop straps to suit torsos of different lengths & waist sizes ●
- Single buckle design for easy donning and removal ●
- Lightweight & non movement restrictive design ●
- Bright fluorescent green and fully reflective design allows for good visibility in the day & night times ●
- Unisex ●
- Strap width: 5cm ●
- Waist circumference: 80-120cm ●

MCR Luminator WCCL2LFR Class 2 Yellow Mesh High Visibility Vest

Model: WCCL2LFR

- ANSI/ISEA 107-2015 Class 2, Type R compliant
- Dielectric / non-conductive zipper front closure
- 4.5" orange/silver reflective stripes for ample contrast
- 2 inner pockets
- Sizes available: M, L, XL

*Limited Flammability, NOT intended for use as protection against ARC Flash or Flash Fire

**This garment is not flame resistant as defined by ANSI/ISEA 107-2015 Section 10.5.



MCR Surveyor's Class 2 Orange High Visibility Vest

Model: SURVCL2PO

- Fluorescent orange polyester tricot fabric with reinforced zipper front closure
- 2" Wide silver reflective materials with 3" florescent orange contrasting colour striping
- Two lower exterior pockets with heavy metal chrome snaps
- Top right pocket with pen holder and mic tab
- Top left radio/utility pocket with clear badge holder
- Two inside patch pockets back plan pocket the width of the entire back of vest.
- 2Nd back pocket with hook and loop access
- Sizes available: M, L, XL



Star Plastic 6-in-1 LED Traffic Baton

Model: ST-211AA


- 2 Light Settings: LED torch and SOS flashing lights with 9 red LEDs
- Powered by 2 AA batteries (not included)
- Emergency cutting knife (For seatbelts)
- Lifesaving hammer (to break glass)
- Magnetic base
- Waterproof
- Battery lifetime: 36 hours under continuous lights
- Visible up to 200 meters



Star Plastic Reflective LED Directional Signage

Model: AB-4685

- Directional flashing arrow
- Size: width:46cm length:85cm
- Mounted with 4 strong button magnets or through eyelets
- Weatherproof
- Powered with 3 AA batteries
- Battery life: more than 18h



Model: AB-5252

Star Plastic Reflective LED Traffic Warning Sign



- Size: width: 52cm length: 52cm ●
- Power: 3 AA batteries ●
- Battery life: more than 25 hours ●
- Mounting: 4 high strength button magnets or through eyelets ●
- Comes with a storage bag ●
- Weather resistant ●

Traffic Protection

Model: ORX-VEST-P

Orex High Visibility Vest Mesh (Yellow / Orange)



- Reflective bands ●
- Hook and Loop centre closure ●
- Free Size ●
- Available in bright yellow and orange ●

Model: ORX-VEST-P

Orex High Visibility Vest Mesh (Yellow) With Printing



- Reflective bands ●
- Hook and loop centre closure ●
- Free size ●
- Printed text on reflective or coated canvas material ●

Model: ORX-VEST-P

Orex High Visibility Vest Mesh (Orange) With Printing



- Reflective bands ●
- Hook and Loop centre closure ●
- Free size ●
- Printed text on reflective or coated canvas material ●

PROchoice Safety Fluorescent H-Back Vest for Day and Night Use

Model: VDNY



- With 'H' back reflective tape to meet
- Australian Standards - class D/N
- Available sizes: M, L, XL, 2XL
- Sold and packaged individually
- Available in high visibility yellow or orange





FIRE PROTECTION

Quickly and safely contain any spills and protect against pollution.

AL-Gard **3M**

 JUSTAIRTE®

 Kappler

 Complete
Environmental
Products, Inc.
CEP SORBENTS.com

Oxinforce Fireman / Firefighting Hood

Model: JW-HD01

- Fully covers head, neck, shoulders and upper back with full face opening
- Long front covers collarbone and provides protection across the chest
- Double layered rib knit made from Pyrotex-5
- Sewing thread: 100% Kevlar
- Non-flammable, non-melting, infrared rays non-reflective, non-heat conductive, lightweight, highest LOI of all FR hoods with excellent TPP, stretch and recovery
- Universal size
- EN13911:2004 Certified



Lakeland Firefighting Suit (CEOSOSX1000)

Model: CEOSX1000

- Includes coat and bil pants
- EN469-2005 certified
- Triple layered: Out shell, moisture and insulating layer and liner for comfort
- Outer shell: Rip-stop fabric, 75% Metal-aramid / 25% Para-aramid / 2% Antistatic, 203g /m²
- Moisture and heat insulating layer, 12% Waterproof breathable membrane on Meta-aramid / 88% Para-aramid felted thermal barrier, 170g /m²
- Liner: 50% FR Modacrylic / 50% Lenzing fabric, soft an comfortable with excellent FR resistance 120g /m²



Oxinforce Fireman / Firefighting Suit

Model: JW-P03

- Comprises of a flame-resistant outer layer, a moisture barrier, a thermal layer and an anti-wicking layer
- Every layer of the whole outfit uses the same material which comprises
- OPF, para-aramid (1414) and meta-aramid (1313)
- Fitted with 3m Scotchlite reflective strips
- Dark blue in colour
- EN469:2005 certified, Grade: Xd2 Xr2 Y2 Z2



Harvik 9687L Fireman Boots

Model: 9687

- Outer shell is flame resistant an high heat protective rubber
- High visibility with black and yellow contrast
- Flame retardant rubber outsole
- Cotton/wool blends canvas as liner for comfort
- Steel Midsole and steel toe cap against penetration and impact
- 18KV Electric Shock Resistance (ESR) protection
- Hypalon lacquer coating for weather protection
- CE 96 EN345 Certified



Model LT

Bullard LT Fireman Helmet

Bullard



- M-PACT shell with SmartRidge design ●
- High-heat thermoplastic outer shell ●
- Comfortable Sure-Lock ratch headband ●
- Balanced 4-point nylon crown straps and crown pad ●
- Nomex chinstrap with quick-release buckle and postman's slide fastener ●
- Rip-stop Nomex ear/neck protector ●
- Removable fire-resistant, absorbent cotton brow pad ●
- Quick-Attach faceshield or goggle system ●
- 12 comfort settings ●
- Scotchlite reflective markings ●
- Certified to NFPA 1971-2013 standard ●

Traffic Protection

Model: JW-GL08

Oxinfence Fireman / Firefighting Gloves



- 4 layer fire protection ●
- Fireproof leather and fabric outer layer made from a OPF and Kevlar blend ●
- Outer layer is fire-retardant, heat resistant, resistant to solvents, cut and wear ●
- Membrane barrier layer made with Porelle and PU is waterproof and breathable ●
- Thermal barrier layer made from OPF and Kevlar provides additional heat resistance ●
- Kevlar inner lining and all thread used is 100% Kevlar ●
- Available Sizes: S, M, L, XL, 2XL ●

Model: ALG-FG

AL-Gard Firemen Gloves

AL-Gard



- Feature All Leather construction fire gloves provides exceptional slash and puncture resistance ●
- Roomy gunn-cut design with wing thumb and seamless index finger allow extra comfort durability and dexterity ●
- Full sock type SEF flame resistant liner offer great protection ●
- Wristlet is a 2 layer kelvar with extra long pull patch ●

Model: PASLITE

Dräger PAS Lite SCBA

Dräger



- High quality pneumatics as found in professional firefighter breathing apparatus ●
- Ultra lightweight, durable high strength carbon composite space-frame ●
- Impact, heat and chemical resistance ●
- Efficient load distribution ●
- Integrated hoses - air supply and gauge hoses are mounted into the space-frame ●
- Easy to maintain and services ●



DISPOSABLE PROTECTION

Provide protection for cleanrooms, central kitchens and/or visitors

Model: ALG-PPSC

Disposable Non-Skid Polypropylene Shoe Covers



- Non-skid pattern on shoe bottom
- Elasticated ankle
- Made of polypropylene non woven fabric
- Fits most shoes up to size 10
- Sold in bags of 100 pieces

Disposable Product

Model: ALG-18711

3 Ply Disposable Cleanroom Mask



- Packed in sealed bags of 50 pieces and suitable for cleanroom use
- Blue colour on the outside of the mask for easy identification
- Non-shedding polyurethane earloops reduce particulation
- Includes polyethylene clip so the mask can be worn around the ears or behind the head
- 3-Ply, low lint polypropylene construction

Model: ALG-DPFM

Disposable Surgical Face Mask (Double or Triple Ply)



- 100 Pieces per box (double ply)
- 50 Pieces per box (triple ply)
- Hypoallergenic
- Glass fibre free

Model: ALG-NWBM

Non-Woven Beard Mask



- Spun polypropylene
- Elasticated edge
- Elasticated head loop
- Comes in a box of 100

Mop Cap

Model: ALG-DMC

- PP disposable mop cap
- Pack of 100 pieces



Bouffant Cap

Model: ALG-DBC

- PP disposable bouffant cap / hair net
- Pack of 100 pieces



Lakeland MicroMAX NS AMN905 Boot Cover

Model: AMN905

- Vinyl sole
- Elastic ankles
- Sold in packs of 200 pairs



Ultitec Protection DD305 Disposable Boot Cover

Model: DD-305

- Elasticated opening
- SF63E-HAS-WH/WH fabric and neoprene rubber elastic
- Bottom length - 38cm
- Total height - 38cm
- Maximum calf opening - 24cm





OTHER

Other useful tools and equipment outside of the usual PPE



AL-Gard Multi Purpose Tool Belt

Model: ALG-TB

- Durable canvas material with hoop and loop size adjustment (24" to 46" Waists)
- Quick release buckle for easy removal and donning of belt
- Includes a multipurpose hand tool pouch, a large tool pouch and a water bottle holder (Bottle not included)
- Available with: 3 in 1 tool pouches or a fire extinguish pouch



AL-Gard Leather Card / Pass Holder / Wallet for Camp or Office Access Leather Card

Model: ALG-CH

- Great for use for holding camp or office passes
- Metal clip for lanyard
- Quick to open (velcro)
- Sturdy leather construction



Checkpoint Safety Checkpoint Wheelnut Indicator

Model: CPDOG24

- Provides a clear visual indication of nut movement
- Provides an indication of wheel overheating which is otherwise difficult to detect
- Provides a clear visual commitment to roadworthiness
- Made in UK
- Suitable for 24mm wheel nuts
- Comes in olive grey (not pictured)



Checkpoint Safety Checklink Wheelnut Indicator / Retainer

Model: CLDOG32

- Provides a clear visual indication of nut movement
- Provides a wheel nut retaining function to reduce wheel nut loosening
- Provides an indication of wheel overheating which is otherwise difficult to detect
- Provides a clear visual commitment to roadworthiness
- Made in UK
- Suitable for 32mm wheel nuts
- Comes in olive grey (not pictured)



Model: DTLRDOG3



Checkpoint Safety Dustlite Long Reach (LR) Wheelnut Indicator

- Provides a clear visual indication of nut movement
- Provides an indication of wheel overheating which is otherwise difficult to detect
- Provides a clear visual commitment to roadworthiness
- Prolongs the service life of studs & nuts, through protection from corrosion
- Made in UK
- Suitable for 32mm wheel nuts
- Comes in olive grey

Other Protection

Model: DDOG32



Checkpoint Safety Dustlite Wheelnut Indicator

- Provide a clear visual indication of nut movement
- Provide an indication of wheel overheating which is otherwise difficult to detect
- Provide a clear visual commitment to roadworthiness and professionalism
- Prolong the service life of studs & nuts, through protection from corrosion
- Made in UK
- Suitable for 32mm wheel nuts
- Comes in olive grey

Model: ALG-DUFBY



Large Yellow Duffel Bag With Separate Shoe Compartment

- Approximately 73 X 33 X 33 cm
- Canvas construction with hard base
- Separate shoe compartment accessible from the side
- Buckles on the top of bag for extra security
- Comes with a shoulder strap

Model: FOX-CMG



Fox 40 Classic CMG Whistle

- Cushioned Mouth Grip (CMG)[™] provides superior grip and protection for teeth
- No moving parts to freeze, jam or deteriorate
- Chambers are designed to self-clear when submerged in water
- Sound will be heard up to a mile away
- Comes with a lanyard
- Design: 3-chamber pealess with added CMG
- Sound power: 115 dB
- Available in black, red, orange, fluorescent green, green, yellow and blue



Marco Air Horn

Model: MAH

- Aerosol 200ml R134a canister - non flammable gas, non electrical sparks
- 19cm trumpet
- 100% Ozone free
- Contains HFC134A Gas -same as used in car air conditioners
- If held down constantly, you will get approx 2 minutes of noise
- Made in Italy



PRO KPSS Proflex Knee Pads

Model: KPSS

- Non-slip, non marking soft shell
- Soft shell flexes with knee, allowing greater mobility of joint
- Suitable for use on all interior floors
- Two adjustable hook n loop straps for easy on/off



OUR BRANDS



Safety Solutions - The most convenient and reliable way to protect yourself with PPE in Singapore. Shop online now!



www.SafetySolutions.com.sg

Quantum Safety Network Pte Ltd
998 Toa Payoh North
#03-14/15
Singapore 318993
Email: sales@safetysolutions.com.sg
Phone: 6352 2422

Scan this:



Copyright © 2017, Safety Solutions Singapore