



EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.


Certificate N° 0075/008/161/09/20/2303 EXT 07/10/20

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer : MILLE S.A.S. (Gaston MILLE)
69 rue Marcel Valérien - Parc d'Activités de la Grange Blanche -
84350 COURTHEZON
France

Description

PPE Type : *a safety footwear*
Product reference : MARS
Article code : MABN3
Construction and material of outsole : PU/TPU
Pictures :



Reference standard : EN ISO 20345 : 2011

Classification : I

Size range : 39-48

Toecap nature : Metallic

Category : S3 HI CI

Slip resistance : SRA

Insert nature : Non Metallic

At the date of certificate the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from OCTOBER 2020

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by

Didier GUISSADO

Certification and Quality Manager

Date of first issue : 15 October 2020

End of validity date : 15 October 2025



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.



Accreditation n° 5-0594
Scope available on:
www.cofrac.fr

www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

MILLE S.A.S. (Gaston MILLE)

MANUFACTURER'S TECHNICAL FILE

Reference of the product : MARS

Article code : MABN3

Technical file index : 01

Last update : OCTOBER 2020

IDENTIFICATION

Reference of the product : MARS
Article Code : MABN3
Major variant of model : PLUTON (PLBE1)
Technical file index : 01
Last update : OCTOBER 2020

Manufacturer :

MILLE S.A.S. (Gaston MILLE)

69 rue Marcel Valérian - Parc d'Activités de la Grange Blanche - 84350 COURTHEZON

France

tel : 33490704040

fax : 33490704041

Factory :

MILLE S.A.S. (Gaston MILLE)

69 rue Marcel Valérian - Parc d'Activités de la Grange Blanche - 84350 COURTHEZON

France

Tel : 33490704040

Fax : 33490704041

FOOTWEAR DESCRIPTION

Footwear description:

The classification of this footwear is: I : Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear

The design of this footwear is: A : low shoe

Visual description:

General view :



Outsole view :



Reference of the mould : Casual Grip (CAG)

Range of sizes :

39-48

Construction and material of outsole :

PU/TPU

Field of use

INDUSTRY / LOGISTIC / SECOND WORK

Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)				
		Applicable	Covered by	
§1	Requirements defined in the Annex II §1 are applicable to all PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§1.4	Manufacturer's instructions and information is available	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input type="checkbox"/>	Marking
§2.2	PPE is designed and manufactured in a way that perspiration resulting from use is minimised. Otherwise it must be equipped with means of absorbing perspiration.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input type="checkbox"/>	Marking
§2.4	If it is known that the design performance of new PPE may be significantly affected by ageing, the month and year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and unambiguously marked on each item of PPE placed on the market and on its packaging.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Standard
			<input type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§2.6	PPE is intended for use in potentially explosive atmospheres	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§2.9	PPE incorporating components which can be adjusted or removed by the user	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input type="checkbox"/>	Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§2.14	Multi-risk PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.1.1	The PPE is intended to protect against impact caused by falling or ejected objects and collisions of parts of the body with an obstacle	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.1.2.1	The PPE is intended to protect against falls due to slipping	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.2	The PPE is intended to protect against static compression of a part of the body	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.3	The PPE is intended to protect against mechanical injuries	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.6	Protection against heat and/or fire	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.7	Protection against cold	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking

FOOTWEAR CONSTITUTION

	Ref	Material	Color
UPPER	DMIDN2	MICROFIBER DIAMOND	BLACK
	QM3BBN (=QM3BBB)	ARTICO HYDROFUGADO + ON MICRO BASE + TPU	black + black
COLLAR	TCPONO	POLAR RUBBERIZED FLEECE	BLACK
	FUNNOR	textile (eyelet lining)	BLACK
TONGUE	TCONO3	TEXTILE COOLMAX	BLACK
VAMP LINING	TOINGR	NON WOVEN CANVAS	GREY
QUARTER LINING	TCONO3	textile	black
	AGLIGF	HEEL GRIP TEXTILE	DARK GREY
INSOCK	PRPBAS	Perforated PU covered with textile	BLACK
OUTSOLE	STPUBO (=STPUBB)	TPU WEAR LAYER	orange/black
	CGRCNO	polyurethane confort layer	black
INSOLE	PRMAPF6	textile	white/black
TOE CAP	BALCAS	aluminum	aluminium
INSERT	PRMAPF6	textile	white/black
DECORATIVE ELEMENTS		RUBBER LOGO	

PROTECTION SCOPE

Basic requirements :

This product has been designed to be a safety footwear.

The technical rules are :

European Standard EN ISO 20344 : 2011 Personal protective equipment - test methods for footwear

European Standard EN ISO 20345 : 2011 : Personal protective equipment - Safety footwear

It is a category II product

Requirement of the standard EN ISO 20345 : 2011 concerning the value of the coefficient of friction of ceramic tiles floor with detergent solution (SRA)

Requirement of the paragraph 5.8.1. Design of the standard EN ISO 20345 : 2011 concerning cleated outsole.

At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (n° 1907/2006 and revisions)


Additional requirements :

The additional requirements are :

- Closed seat region
- Antistatic footwear
- Energy absorption of seat region
- Fuel oil resistance
- Upper : Water penetration and water absorption
- Penetration resistance
- Heat insulation
- Cold insulation

MARKING - PACKAGING

Information printed on the footwear :

- * Logo of the Manufacturer
- * Logo 
- * Manufacturer's type designation
- * Postal address of manufacturer
- * Footwear's reference MARS
- * Article code MABN3
- * Size
- * Year of manufacture and at least quarter
- * The number and year of the Standard used
- * The symbol(s) of the additional requirements

Marking example :



The location of marking is : Tongue lining and outsole

Method of marking on the footwear :

White normative label stitched on the tongue lining + engravings on the outsole

Packaging :

1 pair per cardboardbox + dessicant pouch + IFU

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	References	Laboratory	References
INESCOP	C-18084465	CTC	L190101875_1
INESCOP	C-19097778	CTC	L190101876_1
INESCOP	C-20029094	CTC	L190202278_1
CTC	L170100403_1	CTC	L190202282_1
CTC	L170100406_1	CTC	L190202323_1
CTC	L171121063_1	CTC	L190203906_1
CTC	L181225108_1	CTC	L190305021_1
CTC	L181225198_1	CTC	L190305775_1
CTC	L181225203_1	CTC	L190406542_1
CTC	L181225204_1	CTC	L191122641_1
CTC	L190100192_1	CTC	L191122648_1
CTC	L190100281_1	CTC	L200506061_1
CTC	L190100485_1	CTC	L200506607_1
CTC	L190100488_1	CTC	L200608867_2
CTC	L190100588_1		

MEANS OF CONTROL

Please see additional documents about quality control plan (PCG Indice A) and annexes (FOR0005, FOR0022, FOR0029, FOR0030, INS0017_FINITION) + ISO 9001:2015 CERTIFICATE



Lloyd's Register

Certificat en cours : 6 Décembre 2019
Date d'expiration : 5 Décembre 2022
Numéro de certificat : 10236257

Première(s) approbation(s) : ISO 9001 - 6 Décembre 2019

Certificat d'Approbation

Nous certifions que le Système de Management de la société :

MILLE SAS

69 RUE MARCEL VALERIAN, PARC D'ACTIVITE DE LA GRANGE BLANCHE, 84350 COURTHEZON, France

a été approuvé par la société Lloyd's Register selon les normes suivantes :

ISO 9001:2015

Numéro(s) d'approbation : ISO 9001 – 00023122

Le Système de Management concerne :

Conception, fabrication, vente et commercialisation de chaussures de sécurité, d'accessoires et dispositifs de protection du pied

Daniel Oliva

Daniel Oliva Marcilio de Souza
Area Operations Manager - South Europe
Emis par : LRQA France SAS



Lloyd's Register Group Limited, its affiliates and subsidiaries, including Lloyd's Register Quality Assurance Limited (LRQA), and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.
Emis par : LRQA France SAS, Tour Swiss Life, 1 Boulevard Marius Vivier Merle, Cedex 03, 69443 Lyon, France

Page 1 of 1

PPE subject to ageing :

Peremption period : 6 years when stored in appropriate conditions (humidity, temperature, clean , ventilated, light). Before use, the footwear shall be visually controlled, in case of deterioration the footwear must be scrapped (abrasion, cut, tear, ...).

Declaration of conformity :

Available on : www.gastonmille.com