



# EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

**Certificate N° 0075/008/161/07/20/2091 EXT 01/10/20**

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

**Manufacturer :** **MILLE S.A.S.**  
69 rue Marcel Valérien Parc d'Activité de la Grange Blanche  
84350 COURTHEZON  
France

### Description

**PPE Type :** *a safety footwear*  
**Product reference :** **STORM**  
**Article code :** **GPIS3**  
**Construction and material of outsole :** **Injected polyurethane midsole / red nitrile outsole**

### Pictures :



**Reference standard :** **EN ISO 20345 : 2011**

**Classification :** **I** **Category :** **SB P WRU HRO E FO**

**Size range :** **39-47** **Slip resistance :** **SRC**

**Toecap nature :** **Non Metallic** **Insert nature :** **Non Metallic**

At the date of certificate the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from October 2020

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

**Issued in Lyon by**

**Date of first issue :** 27 October 2020

Maxence DREVET

**End of validity date :** 27 October 2025

Project Certification Manager



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.



Accreditation n° 5-0594  
Scope available on:  
www.cofrac.fr

[www.ctcgroupe.com](http://www.ctcgroupe.com)

[cemarking@ctcgroupe.com](mailto:cemarking@ctcgroupe.com)

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France  
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - [ctclyon@ctcgroupe.com](mailto:ctclyon@ctcgroupe.com)

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie  
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

**MILLE S.A.S.**

## **MANUFACTURER'S TECHNICAL FILE**

**Reference of the product :** STORM

**Article code :** GPIS3

**Technical file index :** 01

**Last update :** October 2020

# IDENTIFICATION

Reference of the product : STORM  
Article Code : GPIS3  
Major variant of model : THUNDERSTORM (MSTL3)  
Technical file index : 01  
Last update : October 2020

## Manufacturer :

MILLE S.A.S.

69 rue Marcel Valérian Parc d'Activité de la Grange Blanche 84350 COURTHEZON

France

Tel : 33490704040

Fax : 33490704041

## Factory :

MILLE S.A.S.

69 rue Marcel Valérian Parc d'Activité de la Grange Blanche 84350 COURTHEZON

France

Tel : 33490704040

Fax : 33490704041

# FOOTWEAR DESCRIPTION

## Footwear description :

The classification of this footwear is: I : Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear

The design of this footwear is: A : low shoe

## Visual description :

General view :



Outsole view :



Reference of the mould : Master Compo Homme (MCH)

## Range of sizes :

39-47

## Construction and material of outsole :

Injected polyurethane midsole / red nitrile outsole

## Field of use :

Construction/Heavy Industry

Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)				
		Applicable	Covered by	
§1	Requirements defined in the Annex II §1 are applicable to all PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§1.4	Manufacturer's instructions and information is available	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input type="checkbox"/>	Marking
§2.2	PPE is designed and manufactured in a way that perspiration resulting from use is minimised. Otherwise it must be equipped with means of absorbing perspiration.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input type="checkbox"/>	Marking
§2.4	If it is known that the design performance of new PPE may be significantly affected by ageing, the month and year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and unambiguously marked on each item of PPE placed on the market and on its packaging.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§2.6	PPE is intended for use in potentially explosive atmospheres	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§2.9	PPE incorporating components which can be adjusted or removed by the user	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input type="checkbox"/>	Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§2.14	Multi-risk PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.1.1	The PPE is intended to protect against impact caused by falling or ejected objects and collisions of parts of the body with an obstacle	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.1.2.1	The PPE is intended to protect against falls due to slipping	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.2	The PPE is intended to protect against static compression of a part of the body	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.3	The PPE is intended to protect against mechanical injuries	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.6	Protection against heat and/or fire	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking

# FOOTWEAR CONSTITUTION

	Ref	Material	Color
UPPER	NUGNOI	Greased nubuck 20-22	Black
	DMIPN2	Microfiber grain pampa	Black
	PARINO	Plastic "Top Light®" eyestay	Black
	RIPLNO	Plastic "Top Light®" rivets back plate	Black
COLLAR	TOARGR	Artico canvas	Grey
TONGUE	TOIENO	Coated canvas	Black
VAMP LINING	TOINGR	Non woven canvas	Grey
QUARTER LINING	TOSNO3	Textile	Black
	AGLIGF	Heel grip textile	Dark grey
INSOCK	PRPHOM	Textile Men 39/48	Black
OUTSOLE	MCHCNO	PU MCH Confort Men	Black
	SHRORI (=SHROOR)	Nitrile insulating HRO outsole	Red
INSOLE	PRMAPI	Antiperforation textile (=Moron Protector-Z Azul)	Blue
TOE CAP	BCOXXL	Composite fiberglass	Light grey
INSERT	PRMAPI	Antiperforation textile (=Moron Protector-Z Azul)	Blue
DECORATIVE ELEMENTS	TRRG15	reflective textile (upper and tongue)	Grey
	DRAPGM	Plastic GM flag	Orange/White/Black
	LGOVGR	Oval rubber GM logo	Orange/White/Black

# PROTECTION SCOPE

## Basic requirements :

This product has been designed to be a safety footwear.

The technical rules are :

European Standard EN ISO 20344 : 2011 Personal protective equipment - test methods for footwear

European Standard EN ISO 20345 : 2011 : Personal protective equipment - Safety footwear

It is a category II product

Requirement of the standard EN ISO 20345 : 2011 concerning the value of the coefficient of friction of ceramic tiles floor with detergent solution and steel floor with glycerol (SRC)

Requirement of the paragraph 5.8.1. Design of the standard EN ISO 20345 : 2011 concerning cleated outsole.

At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (n° 1907/2006 and revisions)


## Additional requirements :

The additional requirements are :

- Closed seat region
- Energy absorption of seat region
- Fuel oil resistance
- Upper : Water penetration and water absorption
- Penetration resistance
- Outsole :Resistance to hot contact

# MARKING - PACKAGING

## Information printed on the footwear :

- \* Logo of the Manufacturer
- \* Logo 
- \* Manufacturer's type designation
- \* Postal address of manufacturer
- \* Footwear's reference STORM
- \* Article code GPIS3
- \* Size
- \* Year of manufacture and at least quarter
- \* The number and year of the Standard used
- \* The symbol(s) of the additional requirements

## Marking example :



The location of marking is : Tongue lining and outsole

## Method of marking on the footwear :

White normative label stitched on the tongue lining + engravings on the outsole

## Packaging :

1 pair per cardboardbox + dessicant pouch + IFU

## References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	Reference	Laboratory	Reference
INSCOP	C-20029073	CTC	L190202266_1
INSCOP	C-20049615	CTC	L190202278_1
INTERTEK	DEL20004623-REV1	CTC	L190202282_1
CTCP	BA-2902/2020	CTC	L190203695_1
CTCR	SE-04139	CTC	L190203705_1
CTC	L170714353_1	CTC	L190203707_1
CTC	L181021473_1	CTC	L190305771_1
CTC	L181225192_1	CTC	L191121813_1
CTC	L181225203_1	CTC	L200405913_1
CTC	L181225204_1	CTC	L200405914_1
CTC	L190101922_1	CTC	L200711660_1
CTC	L190101923_1		

# MEANS OF CONTROL

Please see additional documents about quality control plan (PCG Indice A) and annexes (FOR0005, FOR0022, FOR0029, FOR0030, INS0017\_FINITION) + ISO 9001:2015 certificate



**Lloyd's Register**

Certificat en cours : 6 Décembre 2019  
Date d'expiration : 5 Décembre 2022  
Numéro de certificat : 10230257

Première(s) approbation(s) : ISO 9001 - 6 Décembre 2019

## Certificat d'Approbation

Nous certifions que le Système de Management de la société :

**MILLE SAS**

69 RUE MARCEL VALERIAN, PARC D'ACTIVITE DE LA GRANGE BLANCHE, 84350 COURTHEZON, France

a été approuvé par la société Lloyd's Register selon les normes suivantes :

**ISO 9001:2015**

Numéro(s) d'approbation : ISO 9001 - 00023122

**Le Système de Management concerne :**

Conception, fabrication, vente et commercialisation de chaussures de sécurité, d'accessoires et dispositifs de protection du pied

*Daniel Oliva*

**Daniel Oliva Marcilio de Souza**  
Area Operations Manager - South Europe  
Emis par : LRQA France SAS

**cofrac**  
CERTIFICATION  
DE SYSTÈMES  
DE MANAGEMENT  
ISO 9001  
ISO 14001  
ISO 45001  
www.cofrac.fr

Lloyd's Register Group Limited, its affiliates and subsidiaries, including Lloyd's Register Quality Assurance Limited (LRQA), and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or otherwise provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.  
Emis par : LRQA France SAS, Tour Swiss Life, 1 Boulevard Marquis Voyer d'Argenson, Cedex 03, 69453 Lyon, France

Page 1 of 1

## **PPE subject to ageing :**

Peremption period : 6 years when stored in appropriate conditions (humidity, temperature, clean , ventilated, light). Before use, the footwear shall be visually controlled, in case of deterioration the footwear must be scrapped (abrasion, cut, tear, ...).

## **Declaration of conformity :**

Available on : [www.gastonmille.com](http://www.gastonmille.com)