



# EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

**Certificate N°** 0075/008/161/06/20/1704 EXT 04/09/20

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

**Manufacturer :** MILLE S.A.S. (Gaston MILLE)  
69 rue Marcel Valérian - Parc d'Activités de la Grange Blanche -  
84350 COURTHEZON  
France

## Description

**PPE Type :** *a safety footwear*  
**Product reference :** UNITAN  
**Article code :** RUTG3  
**Construction and material of outsole :** Injected PU confort layer / PU wear layer (outsole)

**Pictures :**



**Reference standard :** EN ISO 20345 : 2011

**Classification :** I **Category :** S3 HI CI

**Size range :** 39-48 **Slip resistance :** SRC

**Toecap nature :** Non Metallic **Insert nature :** Metallic

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from September 2020

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

**Issued in Lyon by**

**Date of first issue :** 22 September 2020

Maxence DREVET

**End of validity date :** 22 September 2025

Project Certification Manager



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.



Accreditation n° 5-0594  
Scope available on:  
www.cofrac.fr

[www.ctcgroupe.com](http://www.ctcgroupe.com)

[cemarking@ctcgroupe.com](mailto:cemarking@ctcgroupe.com)

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France  
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - [ctclyon@ctcgroupe.com](mailto:ctclyon@ctcgroupe.com)

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie  
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

**MILLE S.A.S. (Gaston MILLE)**

## **MANUFACTURER'S TECHNICAL FILE**

**Reference of the product :** UNITAN

**Article code :** RUTG3

**Technical file index :** 01

**Last update :** September 2020

# IDENTIFICATION

Reference of the product : UNITAN  
Article Code : RUTG3  
Major variant of model : MASTER NOIR TT (MTAA3)  
Technical file index : 01  
Last update : September 2020

## Manufacturer :

MILLE S.A.S. (Gaston MILLE)

69 rue Marcel Valérian - Parc d'Activités de la Grange Blanche - 84350 COURTHEZON

France

Tel : 33490704040

Fax : 33490704041

## Factory :

MILLE S.A.S. (Gaston MILLE)

69 rue Marcel Valérian - Parc d'Activités de la Grange Blanche - 84350 COURTHEZON

France

Tel : 33490704040

Fax : 33490704041

# FOOTWEAR DESCRIPTION

## Footwear description:

The classification of this footwear is: I : Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear

The design of this footwear is: C : half-knee boot

## Visual description:

General view :



Outsole view :



Reference of the mould : NEW TRAIL COMPO

## Range of sizes :

39-48

## Construction and material of outsole :

Injected PU confort layer / PU wear layer (outsole)

## Field of use

CONSTRUCTION / HEAVY INDUSTRY/ ALL TERRAIN

Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)				
		Applicable	Covered by	
§1	Requirements defined in the Annex II §1 are applicable to all PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§1.4	Manufacturer's instructions and information is available	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input type="checkbox"/>	Marking
§2.2	PPE is designed and manufactured in a way that perspiration resulting from use is minimised. Otherwise it must be equipped with means of absorbing perspiration.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input type="checkbox"/>	Marking
§2.4	If it is known that the design performance of new PPE may be significantly affected by ageing, the month and year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and unambiguously marked on each item of PPE placed on the market and on its packaging.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§2.6	PPE is intended for use in potentially explosive atmospheres	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§2.9	PPE incorporating components which can be adjusted or removed by the user	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input type="checkbox"/>	Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§2.14	Multi-risk PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.1.1	The PPE is intended to protect against impact caused by falling or ejected objects and collisions of parts of the body with an obstacle	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.1.2.1	The PPE is intended to protect against falls due to slipping	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.2	The PPE is intended to protect against static compression of a part of the body	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.3	The PPE is intended to protect against mechanical injuries	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.6	Protection against heat and/or fire	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.7	Protection against cold	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking

# FOOTWEAR CONSTITUTION

	Ref	Material	Color
UPPER	VACRAZ	Cow full grain leather 20/22 (2mm/2,2mm)	Brown
COLLAR	DMINN2	Microfiber	Black
	FUNNOR	Textile COAG FUN STRONG SM	Black
VAMP LINING	IBITHE	Non woven	White
QUARTER LINING	TOSNO3	Textile	Black
	AGLIGF	Heel grip textile	Dark grey
INSOCK	PRPHOM	Textile Men 39/48 (PRPHOM=PRPFEM)	Black
OUTSOLE	TRCCNO	PU TRAIL confort layer	Black
	TRCUGF	PU TRAIL wear layer (outsole)	Dark grey
INSOLE	PLMANT	Textile	Beige
TOE CAP	BCOXXL	Composite fiberglass	Light grey
INSERT	SEAM60	Steel	Grey
DECORATIVE ELEMENTS	BONO18	Cotton PVC decorative edging on collar (18 mm)	Black
	DRAPGM	Plastic GM flag	Black/Orange/White

# PROTECTION SCOPE

## Basic requirements :

This product has been designed to be a safety footwear.

The technical rules are :

European Standard EN ISO 20344 : 2011 Personal protective equipment - test methods for footwear

European Standard EN ISO 20345 : 2011 : Personal protective equipment - Safety footwear

It is a category II product

Requirement of the standard EN ISO 20345 : 2011 concerning the value of the coefficient of friction of ceramic tiles floor with detergent solution and steel floor with glycerol (SRC)

Requirement of the paragraph 5.8.1. Design of the standard EN ISO 20345 : 2011 concerning cleated outsole.

At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (n° 1907/2006 and revisions)


## Additional requirements :

The additional requirements are :

- Closed seat region
- Antistatic footwear
- Energy absorption of seat region
- Fuel oil resistance
- Upper : Water penetration and water absorption
- Penetration resistance
- Heat insulation
- Cold insulation

# MARKING - PACKAGING

## Information printed on the footwear :

- \* Logo of the Manufacturer
- \* Logo 
- \* Manufacturer's type designation
- \* Postal address of manufacturer
- \* Footwear's reference UNITAN
- \* Article code RUTG3
- \* Size
- \* Year of manufacture and at least quarter
- \* The number and year of the Standard used
- \* The symbol(s) of the additional requirements

## Marking example :



The location of marking is : Quarter lining and outsole

## Method of marking on the footwear :

White normative label stitched on the quarter lining + injection moldings on the outsole

## Packaging :

1 pair per cardboardbox + dessicant pouch + IFU

## References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	Reference	Laboratory	Reference
PFI	1810566-01/03-00-01	CTC	L190202327_1
CTC	L170304133_1	CTC	L190203695_1
CTC	L170714353_1	CTC	L190203705_1
CTC	L181225145_1	CTC	L190203707_1
CTC	L181225203_1	CTC	L190204109_1
CTC	L181225204_1	CTC	L190305771_1
CTC	L190101881_1	CTC	L190509709_1
CTC	L190101920_1	CTC	L190612286_1
CTC	L190101921_1	CTC	L190816878_1
CTC	L190202316_1	CTC	L190918965_1
CTC	L190202323_1	CTC	L191123361_1
CTC	L190202325_1	CTC	L200203525_1

# MEANS OF CONTROL

please see additional documents about quality control plan (PCG Indice A) and annexes (FOR0005, FOR0022, FOR0029, FOR0030, INS0017\_FINITION + Plan de Contrôle Général + Plan Qualité GM) + ISO 9001:2015 certificate

**LR** Lloyd's Register

Certificat en cours : 6 Décembre 2019  
Date d'expiration : 5 Décembre 2022  
Numéro de certificat : 10238257

Première(s) approbation(s) : ISO 9001 - 6 Décembre 2019

## Certificat d'Approbation

Nous certifions que le Système de Management de la société :

**MILLE SAS**

69 RUE MARCEL VALERIAN, PARC D'ACTIVITE DE LA GRANGE BLANCHE, 84350 COURTHEZON, France

a été approuvé par la société Lloyd's Register selon les normes suivantes :

**ISO 9001:2015**

Numéro(s) d'approbation : ISO 9001 - 00023122

**Le Système de Management concerne :**

Conception, fabrication, vente et commercialisation de chaussures de sécurité, d'accessoires et dispositifs de protection du pied

*Daniel Oliva*

**Daniel Oliva Marcilio de Souza**  
Area Operations Manager - South Europe  
Emis par : LRQA France SAS

**cofrac**  
CERTIFICATION  
DE SYSTEMES  
DE MANAGEMENT  
ET  
DE PRODUITS  
ET DE SERVICES

Lloyd's Register Group Limited, its affiliates and subsidiaries, including Lloyd's Register Quality Assurance Limited (LRQA), and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.  
Emis par : LRQA France SAS, Tour Swiss Life, 1 Boulevard Marquis Vivier Merle, Cedex 03, 69443 Lyon, France

Page 1 of 1

## **PPE subject to ageing :**

Peremption period : 6 years when stored in appropriate conditions (humidity, temperature, clean , ventilated, light). Before use, the footwear shall be visually controlled, in case of deterioration the footwear must be scrapped (abrasion, cut, tear, ...).

## **Declaration of conformity :**

Available on : [www.gastonmille.com](http://www.gastonmille.com)