

Description: Unlined natural rubber gloves, 43 mil, rolled cuff

- Features & Benefits:
- \* Anatomically shaped to provide good fit
  - \* Beaded cuff to improve tear resistance during donning and removal and help prevent droplets from travelling beyond the glove length
  - \* Easy-on-easy-off
  - \* Excellent abrasion resistance
  - \* Extra long cuff to protect forearm
  - \* Extra thick for added protection
  - \* Low in soluble proteins
  - \* Manufactured under a stringent quality management system
  - \* Natural Rubber, No filter , No flock

Applications: Agriculture, Chemical Industry, Fishing, Animal husbandary

Elastomer: Natural rubber

Thickness: 1.10 +/- 0.10 mm

Lining: Unlined chlorinated

Former: Plain, NIVP

Exterior: Chlorinated

Cuff Types: Bead rolled

Treatments: Chlorinated

Colours: Black D1



CE Certification: Conforms to PPE Regulation EU 2016/425 to(Complex Design) Personal Protective Equipment after assessment against standards EN 374-1:2016+A1:2018, EN 374-5:2016,EN 388:2016+A1:2018 and EN 420:2003+A1:2009

Conforms to: ASTM D4679 of 2002

Physical Dimensions:	Size	Palm	Wrist	Cuff	Length
	9	234	230	435	600
	10	262	250	449	600
	11	278	269	464	600

Circumference in mm, +/- 5 mm      Tol. +/- 10 mm

EN 374-4

Protection against Chemical hazards	Performance	Degradation %
-------------------------------------	-------------	---------------

EN ISO 374-1/TYPE A



AKLMNOPT

* Acetic acid 99% (N)	Level 5	20
* Ammonium hydroxide 25% (O)	Level 3	-8.1
* Formaldehyde 37% (T)	Level 6	-4.4
* Hydrogen peroxide 30% (P)	Level 6	32.1
* Methanol (A)	Level 6	0.4
* Nitric acid 65% (M)	Level 6	16.2
* Sodium hydroxide 40% (K)	Level 6	-10.2
* Sulphuric acid 96% (L)	Level 4	31.4

Protection against Mechanical hazards	Performance
---------------------------------------	-------------

EN 388



* Abrasion resistance	Level 4
* Blade cut resistance	Level 1
* Puncture resistance	Level 1
* TDM cut resistance	X
* Tear resistance	Level 2

Note: Printed copies are valid only on the date printed

Printed Date: 07-Aug-2020

Revision:2

Published Date: 14-Jan-2020

Protection against Micro-organisms risk		Performance
---	--	-------------

EN ISO 374-5



- \* Protection against bacteria and fungi
- \* Protection against viruses

Pass  
n/a

Protection against Thermal risks		Performance
----------------------------------	--	-------------

EN 407



- \* Burning behavior
- \* Contact heat
- \* Convective heat
- \* Large quantities of molten metal
- \* Radiant heat
- \* Small splashes of molten metal

X  
Level 2  
X  
X  
X  
X  
X