

EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/1520/162/01/20/0057

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer: **FLA EUROPE NV**

Lindestraat 58, B-9700 Oudenaarde

Belgium

Description

PPE Type: protective glove against mechanical risks

Product reference: ALLFLEX

Article code:

15G grey nylon/spandex liner palm dipped with black nitrile foam Glove description:

Available sizes: 789101112

Pictures:



FLA EUROPE NV Lindestraat 58 B-9700 Oudenaarde Belgium

Reference standard:

Levels of performance / class of protection

EN 420:2003+A1:2009

EN 388:2016

4131X

« X »indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file and the Instruction for Use index 01 dated from January 2020

NOTA: Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425.

Issued in Lyon by Maxence DREVET

Directive 89/686/EFC.

Project Certification Manager

In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related

to Personal Protective Equipment and repealing the

Date of first issue: 10 January 2020 End of validity date: 10 January 2025



MARKIN

Original CTC

www.ctcgroupe.com

cemarking@ctcgroupe.com

FLA EUROPE NV

MANUFACTURER'S TECHNICAL FILE TO THE PPE REGULATION 2016/425

Reference of the product : ALLFLEX

Article code : /

Technical file index : 01

Last update : January 2020

IDENTIFICATION

Reference of the product : : ALLFLEX

Article code : :

Basic Model

Technical file index: : 01

Last update: : January 2020

Manufacturer:

FLA EUROPE NV

Lindestraat 58, B-9700 Oudenaarde

Belgium

tel: +32 55 33 57 05

fax:

Factory:

SHANDONG XINGYU GLOVES CO.,LTD

MIDDLE YAOQIAN ROAD CHAOYANG DISTRICT GAOMI CITY SHANDONG PROVINCE

CHINA

tel: 0086-536-2587338 fax: 0086-536-2586328

GLOVE DESCRIPTION

General glove description:

15G grey nylon/spandex liner palm dipped with black nitrile foam type of coating finish: foam

Visual description (picture back and palm sides):



Field of use

mechanical protection for construction industry

Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)				
		Applicable	Covered by	
			✓ Standard	
§1	Requirements defined in the Annex II §1 are applicable to all PPE	√	✓ Instruction for use	
			✓ Marking	
§1.4	Manufacturer's instructions and information is available	>	Standard	
			✓ Instruction for use	
			Marking	
§2.5	PPE which may be caught up during use	7	Standard	
			✓ Instruction for use	
			Marking	
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	>	✓ Standard	
			✓ Instruction for use	
			✓ Marking	
§3.3	The PPE is intended to protect against mechanical injuries	<	✓ Standard	
			✓ Instruction for use	
			✓ Marking	

Available sizes:

Minimum length of glove (mm)	Sizes
230	7
240	8
250	9
260	10
270	11
280	12

Glove constitution:

	Reference	Color	Material	Surfacic mass	Gauges	Thickness
Palm		Black	Nitrile			0.3-0.5mm
		Grey	Nylon/Spandex	200g/m2	15	
Back		Grey	Nylon/Spandex	200g/m2	15	
Cuff		Grey and White	Nylon/Spandex/Elastic	400g/m2	15	
Binding		red / yellow / brown / black / blue / green	polyester			

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425. This glove is designed against mechanical risks.

It is a category II product.

GENERAL REQUIREMENTS

Standard EN 420: 2003 + A1: 2009

Dexterity: 5
Size: conform

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and

revisions)

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

Mechanical hazard EN 388: 2016

Protection offered	Performance levels
Abrasion resistance	4
Blade cut resistance	1
Tear strength resistance	3
Puncture resistance	1
Cut Resistance method (EN ISO 13997)	X
Impact Protection	-

The levels of performance have been measured on the palm

[«] X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

TEST REPORTS

Laboratory	CTC	Other
EN 420 + innocuousness	\$170506502_1 \$170607036_1 \$170709093_1 \$160302319_1 \$150906802_1 \$151210630_1 \$160302320_1 \$161112054_1 \$161112053_1 \$190100163_1(DMFu)	
EN 388	S170506502_1	

MARKING - PACKAGING

<u>Information printed on the glove:</u>

Logo of Manufacturer :

Logo (€

Glove's reference: ALLFLEX

Article Code :

Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Address of Manufacturer:

Date of Manufacture (month/year) and/or Serial number :

Marking example:



Method of marking on the glove:

printed on the back

Packaging:

1pair/bag/instruction,12pairs/bag,120pairs/carton

PPE subject to ageing:

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean, ventilated, light).

Declaration of conformity:

Available with product.

MEANS OF CONTROL

According to ISO 9001, we check every batch against the EN 388.



INSTRUCTION FOR USE

FLA EUROPE NV

Lindestraat 58, B-9700 Oudenaarde

Belgium

Glove reference: ALLFLEX

Article code: /
User notice index: 01

Last update: January 2020

Available sizes: 7 8 9 10 11 12



FLA EUROPE NV Lindestraat 58 B-9700 Oudenaarde Belgium



Glove description:

15G grey nylon/spandex liner palm dipped with black nitrile foam

THIS GLOVE IS A PERSONAL PROTECTIVE EQUIPMENT BELONGING TO THE CATEGORY II.

It meets the requirements of the PPE Regulation 2016/425 applicable from April 21th, 2018: innocuousness, comfort, solidity.

It has been subject to a UE-type Examination performed by :

C.T.C. (OO75) 4, rue Hermann Frenkel 69367 LYON Cedex 07 FRANCE

Applicable standards:

The glove meets the requirements of the standard EN 420 : 2003 + A1 : 2009 « General requirements for work glove ». Dexterity : 5 Moreover, this glove has been designed for the following applications :

<u>Application</u> : Mechanical hazard - EN 388 : 2016



Abrasion resistance	4	(on 4 maxi)
Blade cut resistance	1	(on 5 maxi)
Tear resistance	3	(on 4 maxi)
Puncture resistance	1	(on 4 maxi)
Cut Resistance method (EN ISO 13997)	X	(A to F)
Impact Protection		

[«] X »indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

Protection limit:

Users should be warned that gloves should not be worn when there is a risk of entanglement by moving parts of machines.

This model does not contain any substances at levels that are known to, or suspected to, adversely affect user hygiene or health.

The protection against risks or hazards which are not mentioned in this document is not warranted.

The levels of performance mentioned are only valid for the palm of the glove.

The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated.

These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.

This glove shall not be in contact with fire

Before use, the glove shall be visually controlled, in case of deterioration the gloves must be scrapped (abrasion, cut, tear, ...).

For gloves with different layers of material, the performance levels are warranted only for the whole glove.

For gloves with two or more layers the overall classification does not necessarily reflect the performance of the outermost layer.

Storage and cleaning notice

Keep in its original packaging, under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.

PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean, ventilated, light).

Declaration of conformity:

Available with product.