



Texture Sprayers

Graco's Complete Line of Professional Texture Sprayers



PROVEN QUALITY. LEADING TECHNOLOGY.

There is nothing like a Graco® sprayer.

Quality. Performance.
Durability. Productivity.

Graco TexSpray™ family of products deliver on all counts and provide substantial benefits to the professional texture contractor. Each TexSpray model boasts plenty of user-friendly features and broad performance capabilities. Graco has a TexSpray model for spraying nearly every application! When you choose Graco, you know that you are choosing the highest quality product in the industry. You can take pride in the fact that Graco products are designed, manufactured, and assembled right here in the USA with global components and imported Honda® engines. *We do!*



MADE IN THE USA WITH GLOBAL COMPONENTS



MADE IN THE USA WITH IMPORTED HONDA® ENGINES

G4 DIFFERENCE

What is the G4 Difference? Simply put, it's Graco's commitment to provide you with the very best texture sprayers, backed by a solid reputation for proven quality, maximum performance, reliable warranty coverage and unmatched on-the-job productivity. Graco sprayers are designed to exceed the professional contractor's standards for quality and performance. Graco is the name to turn to today and as your business grows.

PROVEN QUALITY

100% factory-tested and field-proven design, coupled with cutting-edge technology, keep Graco sprayers performing reliably on the job for years.

MAXIMUM PERFORMANCE

Higher output with superior control ensures the highest quality finish for every job.


INDUSTRY-LEADING WARRANTY

Every Graco texture sprayer is backed by our full warranty coverage and more than 80 years of proven commitment to the professional contractor.

UNMATCHED PRODUCTIVITY

Exclusive Endurance™ pumps deliver long life and reliable performance, while the Endurance Advantage Program eliminates downtime by enabling you to always have a spare pump on hand or quick job site change-out.

For patent information see www.graco.com/patents.




Graco TexSpray: The Leader in Texture Sprayers

As a world leader in fluid handling technology, Graco has been building the very best, most reliable industry-leading texture sprayers for over 25 years. No matter your texture spraying requirements—air-driven, gas mechanical, electric airless, gas airless, or gas hydraulic—Graco has your **Total Job Solution** for you.

Table of Contents

Texture Application Guide	3
FastFinish™	5
RTX™ Texture Sprayers.....	7
HTX™ Gas Mechanical Texture Sprayers	11
Air-Powered Texture Sprayers	13
Choose the Right Model and Series of Airless Sprayer	15
Mark Electric Airless Sprayers.....	17
HD Gas-Powered Airless Sprayers.....	27
DutyMax™ Hydraulic Airless Sprayers	35
Endurance Advantage Program	41
Warranty	41
Accessories	42
Specifications	45



Texture Application Guide

Get the Interior and Exterior Finish You Want!

With the widest selection of texture models to choose from and a host of performance enhancing accessories, there is a TexSpray texture sprayer to help you complete your projects—no matter what finish you desire.

INTERIOR TEXTURE

Simulated Acoustic (Popcorn)



Orange Peel, Fine Splatter



Splatter



COMMONLY USED MATERIALS

- | | | |
|---|---|---|
| <ul style="list-style-type: none"> • Ceiling Spray Textures Containing Polystyrene or Vermiculite Aggregate (Fine, Medium, Coarse) | <ul style="list-style-type: none"> • All-Purpose Joint Compounds • Lightweight Joint Compounds • Wall and Ceiling Spray Textures | <ul style="list-style-type: none"> • All-Purpose Joint Compounds • Lightweight Joint Compounds • Wall and Ceiling Spray Textures |
|---|---|---|

SPRAYER RECOMMENDATIONS

Gravity-Fed Hopper Gun
FastFinish Hopper Gun
RTX™ 1400si
RTX 2000Pi
RTX 5000Pi
GTX 2000ex
HTX™ 2030
10:1 President



PRODUCTIVITY

Min Max

Gravity-Fed Hopper Gun
FastFinish Hopper Gun
RTX 1400si
RTX 2000Pi
RTX 5000Pi
GTX 2000ex
Mark IV™
Mark V™
Mark X 240 Volt™
5900 HD*
7900 HD*
HTX 2030
DutyMax GH 2300x*
DutyMax GH 3000x*



Gravity-Fed Hopper Gun
FastFinish Hopper Gun
RTX 1400si
RTX 2000Pi
RTX 5000Pi
GTX 2000ex
Mark IV*
Mark V*
Mark X 240 Volt*
5900 HD*
7900 HD*
HTX 2030
DutyMax GH 2300x*
DutyMax GH 3000x*



G
H
H
I
F
F
G
Mar
Mar
Mark X
DutyMax
DutyMax

TEXTURE ACCESSORIES

WideTex™ Kit (Part #245142)
Use with RTX 1500, GTX 2000ex

Siphon Kit (Part #248112)
Use with GTX 2000ex

Air Line Kit (Part #248117)
Use with GTX 2000ex

WideTex Kit (Part #245142)
Use with RTX 1500, GTX 2000ex

Siphon Kit (Part #248112)
Use with GTX 2000ex

Air Line Kit (Part #248117)
Use with GTX 2000ex

WideTex Kit (Part #245142)
Use with RTX 1500, GTX 2000ex

Siphon Kit (Part #248112)
Use with GTX 2000ex

Air Line Kit (Part #248117)
Use with GTX 2000ex

Air Atomizer Kit (Part #244223)
Use with Mark IV, Mark V, 5900 HD, 7900 HD

25 Gallon Hopper (Part #287987)
Use with Mark IV, Mark V, Mark X 240 Volt, 5900 HD, 7900 HD, HTX 2030

55 Gallon Siphon Set (Part #289669)
Use with Mark X 240 Volt, 7900 HD

Air Atomizer Kit (Part #244223)
Use with Mark IV, Mark V, 5900 HD

25 Gallon Hopper (Part #287987)
Use with Mark IV, Mark V, Mark X 240 Volt, 5900 HD, 7900 HD, HTX 2030

55 Gallon Siphon Set (Part #289669)
Use with Mark X 240 Volt, 7900 HD

Air Line Kit (Part #248117)
Use with GTX 2000ex, DutyMax GH 2300x*, DutyMax GH 3000x*

*User supplied air compressor and Air Atomizer Kit (Part # 244223) required for this application.

EXTERIOR TEXTURE

Knockdown

Smooth, Level 5 and Skim Coat

Textured Acrylics and Elastomerics

EIFS and Synthetic Stucco Finish Coats

Deck Coatings



COMMONLY USED MATERIALS

- All-Purpose Joint Compounds
- Lightweight Joint Compounds
- Wall and Ceiling Spray Textures

- All-Purpose Joint Compounds
- Lightweight Joint Compounds
- Wall and Ceiling Spray Textures
- Skim Coat Materials
- Wall Surfacing Materials

- Textured Acrylic Materials
- Textured Elastomeric Materials

- Textured Acrylic Materials Used as the Final Coat in a Multi-layered Wall System

- Decorative and Anti-Skid Deck Coatings

SPRAYER RECOMMENDATIONS

- Gravity-Fed Hopper Gun
- FastFinish Hopper Gun
- RTX 1400s
- RTX 2000_h
- RTX 5000_h
- TX 2000_{ex}
- Mark IV*
- Mark V*
- 240 Volt*
- 5900 HD*
- 7900 HD*
- HTX 2030
- GH 230_{ex}*
- GH 300_{ex}*

- Mark IV
- Mark V
- Mark X 240 Volt
- 5900 HD
- 7900 HD
- HTX 2030
- DutyMax GH 230_{ex}*
- DutyMax GH 300_{ex}*

- Gravity-Fed Hopper Gun
 - FastFinish Hopper Gun
 - RTX 5000_{px}
 - RTX 5500_{px}
 - GTX 2000_{ex}
 - HTX 2030
 - 10:1 President
- Use with aggregates up to 3 mm
- Use with aggregates up to 2 mm
- Use with aggregates up to 2.5 mm
- Use with aggregates up to 2.5 mm

- Gravity-Fed Hopper Gun
 - FastFinish Hopper Gun
 - RTX 5000_{px}
 - RTX 5500_{px}*
 - GTX 2000_{ex}
 - HTX 2030
 - 10:1 President
- Use with aggregates up to 3 mm
- Use with aggregates up to 2 mm
- Use with aggregates up to 2.5 mm
- Use with aggregates up to 2.5 mm

- Gravity-Fed Hopper Gun
 - FastFinish Hopper Gun
 - RTX 5000_{px}
 - RTX 5500_{px}*
- Use with aggregates up to 3 mm

PRODUCTIVITY

Min Max

TEXTURE ACCESSORIES

Air Atomizer Kit (Part #244223)
Use with Mark IV, Mark V, 5900 HD

25 Gallon Hopper (Part #287987)
Use with Mark IV, Mark V, Mark X 240 Volt, 5900 HD, 7900 HD, HTX 2030, DutyMax GH 230_{ex}*, DutyMax GH 300_{ex}*

55 Gallon Siphon Set (Part #289669)
Use with Mark X 240 Volt, 7900 HD, HTX 2030, DutyMax GH 230_{ex}*, DutyMax GH 300_{ex}*

25 Gallon Hopper (Part #287987)
Use with Mark IV, Mark V, Mark X 240 Volt, 5900 HD, 7900 HD, DutyMax GH 230_{ex}*, DutyMax GH 300_{ex}*

55 Gallon Siphon Set (Part #289669)
Use with Mark X 240 Volt, 7900 HD, DutyMax GH 230_{ex}*, DutyMax GH 300_{ex}*

High Pressure Pump Kit (Part #248140)
Use with HTX 2030

WideTex Kit (Part #245143)
Use with RTX 1500, GTX 2000_{ex}

External Air Kit (Part #287328)
Use with RTX 5500_{px},

WideTex Kit (Part #245143)
Use with RTX 1500, GTX 2000_{ex}

External Air Kit (Part #287328)
Use with RTX 1500

WideTex Kit (Part #245143)
Use with RTX 1500, GTX 2000_{ex}

External Air Kit (Part #287328)
Use with RTX 1500



WHAT'S NEW? INTRODUCING **TEXSPRAY** FASTFINISH

SPRAYS IT ALL!

- ▶ Acoustics
- ▶ Drywall Mud
 - Knockdown
 - Splatter
 - Orange-peel
- ▶ Fine concrete overlays
- ▶ Deck coatings
- ▶ Fireproofing
- ▶ Waterproofing
- ▶ Much more



FINISH 6X FASTER WITH PRESSURE BOOST TECHNOLOGY

Innovative system uses air to boost performance and deliver a superior spray finish

**THE POWER OF A LARGE SPRAY
RIG IN THE PALM OF YOUR HAND!**

HOW IT WORKS

1. Air enters gun
2. Adjustable Flow Control sends air to hopper
3. Air pushes down on material
4. Pressurized material and air mix, creating a texture finish



TEXSPRAY FASTFINISH PRO TEXTURE SPRAY SYSTEM

Includes:

FastFinish CF9 Air Compressor

- 120V, 15 amp
- 9 cfm @ 40 psi
- Oil-less design
- Tank-less, continuous flow design

FastFinish Pressure-Boosted Hopper Gun

- 4mm, 6mm, 8mm Nozzles
- WideTex Fan Spray Kit

3/8 in x 50 ft Premium non-marking air hose



BOOST PRODUCTIVITY AND FINISH 6X FASTER!

Introducing breakthrough texture spray technology, the TexSpray FastFinish System is engineered to deliver exceptional texture finishes **6X FASTER** than traditional gravity-feed hoppers so you can finish fast with less fatigue. Small and portable, FastFinish maximizes material and air flow with a high-output, continuous flow air compressor and pressurized spray gun—making it the ideal solution for smaller texture jobs.

FASTEST WAY TO FINISH SMALL TEXTURE JOBS

FINISH FAST WITH LESS FATIGUE

FastFinish delivers a professional finish at breakthrough speed—**DRAMATICALLY REDUCING THE TIME REQUIRED TO HOLD A FULL 20 LB HOPPER OVERHEAD.** The ultimate high performance small job solution for acoustics, drywall mud, fireproofing, deck coatings, and much more.

ROOM REMODEL

700 sq. ft. knockdown application
14 Gallons Material

GRAVITY-FED HOPPER GUN

VS

FASTFINISH TEXTURE SPRAY SYSTEM

6X FASTER!

1 HOUR

10 MIN

WOULD YOU RATHER HOLD 20 LBS OVER YOUR HEAD FOR ONE HOUR, OR JUST 10 MINUTES? THE CHOICE IS CLEAR — FASTFINISH!

DESCRIPTION	INCLUDES	PART #
FastFinish Pro Texture Spray System	FastFinish Pressure-Boosted Gun, CF9 Compressor, 3/8 in X 50 ft Air Hose	25D492
FastFinish Standard Texture Spray System	G-TEX Gravity Gun, CF9 Compressor, 3/8 in X 50 ft Air Hose	25D494
FastFinish CF9 Air Compressor	CF9 Air Compressor Only	25D490
FastFinish Pressure-Boosted Hopper Gun	FastFinish Pressure-Boosted Gun, 1.5 Gallon Hopper, 3 Nozzles	25D496
G-TEX Gravity-Feed Hopper Gun	G-TEX Gravity-Feed Gun, 2 Gallon Hopper, 3 Nozzles	25D497

Choose the RIGHT SERIES. A sprayer for every job.

Graco texture sprayers are built to make your work easier, faster, and more productive. Whether you're looking for the everyday reliability of our **RTX Standard Interior Series**, the increased speed and productivity of the **RTX Pro Interior Series**, or the compact, yet powerful **RTX Pro Exterior Series**, Graco offers the ideal sprayer designed from the ground-up to meet your needs.

INTERIOR

If you're a Residential and Remodel Contractor:

- ▶ You apply texture periodically
- ▶ Your jobs are often smaller
- ▶ You need everyday reliability
- ▶ You don't need extra features

EVERYDAY RELIABILITY

If you're a Large Residential and Commercial Interior Contractor:

- ▶ You apply texture every day
- ▶ You tackle medium to large jobs
- ▶ You move frequently from job to job
- ▶ You need time-saving features to get on to the next job

WORK SMARTER, FINISH MORE JOBS

You need a **Standard Interior Series** sprayer.



STANDARD
INTERIOR SERIES

You need a **Pro Interior Series** sprayer.



PRO INTERIOR
SERIES

You need a **Pro Exterior Series** sprayer.



PRO EXTERIOR
SERIES

If you're a Large Residential and Commercial Exterior Contractor:

- ▶ You apply exterior texture finishes often
- ▶ You complete small, medium and large jobs
- ▶ You need a powerful yet compact sprayer for a wide range of materials

FOR THE TOUGHEST JOBS

EXTERIOR

Choose the RIGHT SPRAYER.

NEW FOR 2018



STANDARD
INTERIOR SERIES

PRO INTERIOR
SERIES

PRO INTERIOR
SERIES

PRO INTERIOR
SERIES

PRO EXTERIOR
SERIES

PRO EXTERIOR
SERIES

RTX 1400Si
Material Flow 1.4 GPM (5.3)
Air Flow 6.1 CFM (.17)

RTX 2000Pi
Material Flow 2.0 GPM (7.6)
Air Flow 6.1 CFM (.17)

RTX 2500Pi
Material Flow 2.5 GPM (9.5)
Air Flow 6.1 CFM (.17)

RTX 5000Pi
Material Flow 5.0 GPM (19)
Air Flow 8.6 CFM (.24)

RTX 5000Px
Material Flow 5.0 GPM (19)
Air Flow 8.6 CFM (.24)

RTX 5500Px
Material Flow 5.5 GPM (21)
Air Flow 9.1 CFM (.26)

INTERIOR JOBS

EXTERIOR JOBS

PRODUCTIVITY

Material Flow
Air Flow

RTX Texture

TexSpray RTX 1400si

DESCRIPTION	PART #
TEXSPRAY RTX 1400si	17H572

SPECIFICATIONS

MAX GPM (LPM):	1.4 (5.3)
MAX PSI (BAR):	70 (4.8)
CFM (CM) @ 20 PSI:	6.1 (.17)
HOPPER GAL (L):	10 (38)
MOTOR TYPE:	AC
MOTOR HP:	1.7
VOLTAGE:	120V
MAX HOSE FT (M):	25 (7.5)

INCLUDES

- 3/4 in x 25 ft Material Hose
- 3/8 in x 25 ft Air Hose
- Lightweight Texture Gun
- 3mm, 4mm, 6mm, 8mm, Round Nozzles

The **RTX Standard Interior Series** is the everyday finishing solution designed for the residential and repaint contractor looking for everyday reliability. The features you want with the finish you need.

STANDARD INTERIOR SERIES



FEATURES:

RotoFlex™ II Pump

- ▶ Features an innovative braided sling that provides extra support to the RotoFlex pump tube
- ▶ 1.4 gpm output to get the job done quickly – job site proven!

High-Output 6.1 cfm Air Compressor

- ▶ High-output design delivers 33% more air for demanding finishes
- ▶ Maintenance-free design
- ▶ Projects materials farther

120v AC High-Output Electric Motor

- ▶ Optimized design offers improved power and performance
- ▶ Single-motor design operates both the air compressor and the RotoFlex pump

Skip-Bond Material/Air Hose

- ▶ Both hoses are permanently bonded together for easy handling
- ▶ Offers improved flexibility

FlexChange™ Pump Section

- ▶ No-Tools pump replacement system – now easier than ever!
- ▶ Swap out a spare RotoFlex pump in seconds!
- ▶ Eliminate costly job site downtime

Adjustable Material Flow Control

- ▶ Dial up to spray thicker materials; Dial down for less flow and maximum control
- ▶ Easy-to-read gauge

Lightweight Spray Gun

- ▶ Durable, corrosion-resistant design
- ▶ Easy-to-use air & trigger adjustment
- ▶ Ergonomically styled for comfortable spraying

Equipped with the job site proven RotoFlex II Pump.



On-board Toolbox conveniently stores all your accessory items.



RTX Texture

TexSpray RTX 2000PI/2500PI/ 5000PI

DESCRIPTION PART #
TEXSPRAY RTX 2000PI 17H573

SPECIFICATIONS

MAX GPM (LPM): 2.0 (7.6)
MAX PSI (BAR): 70 (4.8)
CFM (CM) @ 20 PSI: 6.1 (.17)
HOPPER GAL (L): 13 (49)
MOTOR TYPE: AC
MOTOR HP: 1.7
VOLTAGE: 120V
MAX HOSE FT (M): 50 (15.4)

DESCRIPTION PART #
TEXSPRAY RTX 2500PI 17U219

SPECIFICATIONS

MAX GPM (LPM): 2.5 (9.5)
MAX PSI (BAR): 100 (6.9)
CFM (CM) @ 20 PSI: 6.1 (.17)
HOPPER GAL (L): 15 (57)
MOTOR TYPE: AC
MOTOR HP: 1.7
VOLTAGE: 120V
MAX HOSE FT (M): 75 (23)

2000PI & 2500PI INCLUDES

- 1 in x 25 ft Material Hose
- 3/8 in x 25 ft Air Hose
- Heavy-Duty Texture Gun
- 3mm, 4mm, 6mm, 8mm, 10mm, 12mm Round Nozzles
- WideTex Adapter with 4mm, 6mm, 8mm, 10mm, 12mm, XL W Tips

DESCRIPTION PART #
TEXSPRAY RTX 5000PI 17H575

SPECIFICATIONS

MAX GPM (LPM): 5.0 (19)
MAX PSI (BAR): 100 (6.9)
CFM (CM) @ 20 PSI: 8.6 (.24)
HOPPER GAL (L): 15 (57)
MOTOR TYPE: DC Brushless
MOTOR HP: 2.0
VOLTAGE: 120V
MAX HOSE FT (M): 100 (30)

INCLUDES

- 1 in x 25 ft Material Hose
- 3/8 in x 25 ft Air Hose
- Heavy-Duty Texture Gun
- 3mm, 4mm, 6mm, 8mm, 10mm, 12mm Round Nozzles
- WideTex Adapter with 4mm, 6mm, 8mm, 10mm, 12mm, XL W Tips



The **RTX Pro Interior Series** delivers an optimized texture system perfect for tradesmen and contractors seeking the time-saving features required for medium-to-large jobs. This professional solution is designed for increased productivity to get you on and off the job site faster.

PRO INTERIOR SERIES



RTX 5000PI

- ▶ Extra Large 15-Gallon Capacity Hopper
- ▶ 120v MaxPower™ Brushless DC Motor with 15/20 amp switch
- ▶ 100 PSI Material Pressure



RTX 2000PI

- ▶ Large 13-Gallon Capacity Hopper
- ▶ 120V AC Electric Motor
- ▶ 70 PSI Material Pressure



NEW FOR 2018 RTX 2500PI

- ▶ Large 15-Gallon Capacity Hopper
- ▶ 120V AC Electric Motor
- ▶ 100 PSI Material Pressure

Features Include:

- RotoFlex Pump**
- High-Output Air Compressor**
- FlexChange Pump Section**

PLUS

SmartStart™ System

- ▶ Innovative system automatically starts pump and compressor when gun trigger is pulled, and shuts them off when released
- ▶ Provides a soft-start to eliminate material blast that can impact finish quality
- ▶ Reduces noise and vibration
- ▶ Extends pump and compressor life

Twin-Cylinder Air Compressor (5000PI only)

- ▶ High-output design delivers more air for demanding finishes
- ▶ Maintenance-free design
- ▶ Runs at lower RPM for longer life

WideTex Tips & Adapter

- ▶ Allows spraying in a uniform fan pattern
- ▶ Spray repeatable patterns with less material and pressure adjustment
- ▶ Increases productivity by more than 20%

Heavy-Duty Aluminum Trigger Gun with Integrated Prime Selector

- ▶ Durable aluminum design
- ▶ Oversized fluid/air passages
- ▶ Allows unit to be put in prime mode right at the gun!

1 in Skip-Bond Material/Air Hose

- ▶ Both hoses permanently bonded for easy handling
- ▶ Offers more Flexibility than ever before!

"The RTX 5000PI is very fast, powerful, and easy to set up. I really like SmartStart and its consistent finish, being able to run longer hose lengths, and the 15/20 amp switch. I like everything about the machine!" - Adan Rodriguez Elite Drywall Specialties, West Covina, CA

PRO EXTERIOR SERIES

The **RTX Pro Exterior Series** is configured to tackle exterior jobs of all sizes. Ideal for the large residential and commercial contractor needing a compact yet powerful texture sprayer capable of handling a wide variety of materials, such as synthetic stuccos, deck coatings, stone paints and more.



- ▶ Large 15-Gallon Capacity Hopper
- ▶ **240V MaxPower** Brushless DC Motor with 10/16 amp switch
- ▶ Narrow frame design



- ▶ Large 15-Gallon Capacity Hopper
- ▶ **120V MaxPower** Brushless DC Motor with 15/20 amp switch
- ▶ Narrow frame design

Features Include:

RotoFlex HD Pump

Bonded Heavy-Duty Material/Air Hose

FlexChange Pump Section

PLUS

SmartStart System

- ▶ Innovative system automatically starts pump and compressor when gun trigger is pulled, and shuts them off when released
- ▶ Provides a soft-start to eliminate material blast that can impact finish quality
- ▶ Reduces noise and vibration
- ▶ Extends pump and compressor life

Twin-Cylinder Air Compressor

- ▶ High-output design delivers more air for demanding finishes
- ▶ Maintenance-free design
- ▶ Runs at lower RPM for longer life

External Air Input

- ▶ Allows external air to be used for demanding finishes

WideTex with Hardened Tips & Adapter

- ▶ Allows spraying in a uniform fan pattern
- ▶ Spray repeatable patterns with less material and pressure adjustment
- ▶ Increases productivity by more than 20%
- ▶ 2X harder than Standard WideTex tips!

Heavy-Duty Aluminum Trigger Gun with Integrated Prime Selector

- ▶ Durable aluminum design
- ▶ Oversized fluid/air passages
- ▶ Allows unit to be put in prime mode right at the gun!

RTX Texture

TexSpray RTX 5000PX

DESCRIPTION	PART #
TEXSPRAY RTX 5000px	17H579

SPECIFICATIONS

MAX GPM (LPM):	5.0 (19)
MAX PSI (BAR):	100 (6.9)
CFM (CM) @ 20 PSI:	8.6 (.24)
HOPPER GAL (L):	15 (57)
MOTOR TYPE:	DC Brushless
MOTOR HP:	2.0
VOLTAGE:	120V
MAX HOSE FT (M):	100 (30)

INCLUDES

- 1-1/4 in x 25 ft Material Hose
- 3/8 in x 25 ft Air Hose
- Heavy Duty Texture Gun
3mm, 4mm, 6mm, 8mm, 10mm,
12mm, Round Nozzles
- WideTex Adapter with Hardened 4mm,
6mm, 8mm, 10mm, 12mm, XL W Tips

TexSpray RTX 5500PX

DESCRIPTION	PART #
TEXSPRAY RTX 5500px	17H581

SPECIFICATIONS

MAX GPM (LPM):	5.5 (21)
MAX PSI (BAR):	100 (6.9)
CFM (CM) @ 20 PSI:	9.1 (.26)
HOPPER GAL (L):	15 (57)
MOTOR TYPE:	DC Brushless
MOTOR HP:	2.0
VOLTAGE:	240V
MAX HOSE FT (M):	100 (30)

INCLUDES

- 1-1/4 in x 25 ft Material Hose
- 3/8 in x 25 ft Air Hose
- Heavy-Duty Texture Gun
3mm, 4mm, 6mm, 8mm, 10mm,
12mm, Round Nozzles
- WideTex Adapter with hardened 4mm,
6mm, 8mm, 10mm, 12mm, XL W Tips

Connects to standard 220-240 Volt LG-30 receptacle (3 wire) on most distribution boxes or generators.




HTX 2030 Gas Mechanical Texture Sprayer

When it comes to spraying the most demanding materials, nothing compares to the HTX 2030 gas mechanical sprayer. Specially equipped with features and technologies to spray nearly everything, the HTX 2030 does what no other sprayer can accomplish. Whether your job requires exterior smooth and aggregate coatings, elastomerics, acrylic coatings, or drywall mud finishes, the proven HTX 2030 is the sprayer of choice. Add the available high-pressure MaxLife® Endurance Pump, and you can also spray the entire range of paints and primers! From texture finishing to final topcoat, you can count on the proven HTX to get the *entire* job done.

High-Output Texture Pump


- ▶ Uniquely designed pump with extra large passages allows pumping aggregated materials up to 2.5 mm
- ▶ No-tools hose connections at pump and gun
- ▶ Innovative soft seal in the foot valve ensures consistent and optimal performance
- ▶ Produces delivery rates to 3.0 gpm at 1000 psi for time-saving production rates
- ▶ Easily sprays smooth and aggregate textures, elastomerics and acrylic materials



PowerFlo™ Control System

Innovative design remotely stops and starts material flow right at the pump, eliminating the need for a downstream valve.

- ▶ Offers a smooth, controlled material flow to prevent pack-out conditions
- ▶ Ensures a soft start, eliminating the material blast that can impact finish quality
- ▶ Full-range flow control from .6 to 3 gpm



StraightThru™ Fluid Path

- ▶ StraightThru design eliminates turns and corners from pump to gun
- ▶ Puts less stress on material to virtually eliminate pack-out conditions
- ▶ Enables the spraying of today's more demanding and aggressive aggregate materials

Wide Variety of Applicators

- ▶ **FreeFlo™ Inline Gun** offers oversized, unobstructed fluid passages to provide maximum flow
- ▶ **Trigger Gun Applicator** provides one-handed operation, has trigger shut-off to prevent material oozing, and is ideal for spraying EIFS and synthetic stucco finish coats
- ▶ Sprays air-assisted in either a round pattern or wide fan pattern for fast, consistent material coverage
- ▶ **3 ft Pole Gun*** offers extended reach to minimize repositioning of lifts and ladders (patent pending)
- ▶ **FlexHead™ Pole Gun*** offers greater control in tight areas, such as on scaffolding and around architectural detail
- ▶ Both new pole guns can spray in a wide fan pattern—*an industry first!*



*Sold Separately

Gas Powered Aggregate

TexSpray HTX 2030 Complete

DESCRIPTION	PART #
TEXSPRAY HTX 2030 COMPLETE WITH FREEFLO INLINE GUN	258740

TEXSPRAY HTX 2030 COMPLETE WITH TRIGGER GUN APPLICATOR	278677
--	--------

SPECIFICATIONS	
MAX TIP SIZE:	.071
MAX GPM (LPM):	3.0 (11)
MAX PSI (BAR):	1000 (70)
ENGINE CC (HP):	Honda 200 (6.5)

- INCLUDES**
- High-Output Piston Texture Pump
 - FreeFlo Inline Gun
 - RAC X 671 Airless Tip and Guard
 - 3/4 in x 50 ft (19 mm x 15 m) Hose
 - 55 Gallon Suction Set
 - Fine Finish Kit with 1/8 in, 1/4 in, 5/16 in and 3/8 in Nozzles
 - 4 mm, 6 mm, 8 mm, 10 mm Nozzles

TexSpray HTX 2030 Complete Plus+

DESCRIPTION	PART #
TEXSPRAY HTX 2030 COMPLETE PLUS+ WITH FREEFLO INLINE GUN	258741

TEXSPRAY HTX 2030 COMPLETE PLUS+ WITH TRIGGER GUN APPLICATOR	278678
--	--------

PLUS+ INCLUDES
All the parts of the HTX 2030 Complete

- PLUS**
- MaxLife Endurance High Pressure Airless Pump
 - Heavy-Duty Texture Gun
 - RAC X 643 Airless Tip and Guard
 - 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax™ II Airless Hose
 - 1/4 in x 3 ft (6.4 mm x .9 m) Whip Hose



TexSpray HTX 2030

Complete

Part #: 258740




Complete Plus+

Part #: 258741

TEXTURE APPLICATIONS: Get the interior and exterior texture finish you want with aggregate size up to 2.5 mm.



= TexSpray HTX 2030 Complete



= TexSpray HTX 2030 Complete Plus+

Exclusive Convert-A-Pump™ System (Included with HTX 2030 Complete Plus+)

- ▶ Innovative system allows user to convert unit to a high pressure airless sprayer for applying the wide range of heavier smooth coatings including skim coat in a Level 5 finish, primers and paints.
- ▶ System automatically recognizes installed pump and converts it to an airless sprayer.
- ▶ Allows you to upgrade your TexSpray HTX 2030 Complete to a TexSpray HTX 2030 Complete Plus+ at any time (with the MaxLife Endurance High-Pressure Pump Kit #24B140) to expand your job capabilities.



Air-Powered Texture Sprayers

High-performance solutions for heavy-duty jobs

Whether you need to apply a texture coating to a large interior surface, or an exterior aggregate finish on a large commercial job, these air-powered texture solutions get the job done fast! Powered by your external air compressor, these pumps offer unmatched performance, quiet operation and unique features found only on a Graco texture sprayer.

GTX 2000EX

Designed around Graco's proven Husky diaphragm pump, the GTX 2000EX is a highly portable texture system ideal for applying both smooth materials as well as those containing fine aggregates. Fitted with an oversized hopper and durable Graco Texture Gun, it's the ideal solution for drywall muds, deck coatings, and exterior aggregate acrylic and elastomeric finishes.



President 10:1

When you need to pump directly from the drum, look no further than the time-tested, proven President 10:1. Ideal for truck, trailer, or in-plant locations, it features a high-output piston pump and Even-Flo Valve for consistent spray delivery. It's ideal for everything from smooth to heavily aggregated materials containing silica sand, perlite, vermiculite, polystyrene, and other aggregated materials.



Even-Flo Valve convenient for balancing of air and fluid pressures to deliver a high quality finish.



Husky™ 1040 Double Diaphragm Pump

- ▶ Durable Geolast™ ball check valves
- ▶ High-output, 1-inch pump produces texture delivery rates to 4.0 gpm

Air Spray Heavy-Duty Trigger Gun

- ▶ Durable cast aluminum design
- ▶ Oversized fluid passages for pumping heavy mud mixes and larger aggregate sizes
- ▶ Extra-coarse gun head threads for quick nozzle changes

Largest 17-Gallon Capacity Hopper

- ▶ No-tools removal for easy clean up
- ▶ Steep sided to keep the thickest muds flowing to the pump

Separate Pump/Gun Air Controls

- ▶ One regulator controls pump pressure and output, another controls atomization air
- ▶ Enables you to produce precise, consistent and repeatable texture finishes

EvenFlow® Valve

- ▶ Provides smooth, even material flow for the most consistent finish quality
- ▶ Includes air regulators and pressure gauges for easy setup and operation

Relax-A-Valve (Carbon Steel Model Only)

- ▶ Ensures a soft start with easy trigger pull
- ▶ Eliminates the material blast that can impact finish quality

High-Output Piston Pump

- ▶ Submerged foot valve is placed low to the ground to ensure the pump is preloaded with material
- ▶ Available in both carbon steel and stainless steel
- ▶ High-output pump produces texture delivery rates to 3.0 gpm (11 lpm) at 1000 psi (69 bar) for time-saving production ratios

Bonded Material/Air Hose

- ▶ Both hoses are permanently bonded together for easy handling
- ▶ No-tools hose connection with oversized grip

On-Board Air Filtration

- ▶ Auto-drain design automatically removes moisture build-up
- ▶ Filters incoming air to keep your sprayer running at optimal performance

*User-supplied air compressor with minimum performance of 12 cu ft/min (.34 cu m/min) at 100 psi (6.9 bar) recommended.

Heavy-Duty Graco Air Motor

- ▶ Time-tested air motor delivers years of reliable, dependable operation
- ▶ Simple, maintenance-free design

Convenient Drum Mount Set-Up

- ▶ Mounts directly to your material container, saving space in your truck or on the job
- ▶ Carbon steel units can be used in open or closed head drums

Air-Power Texture

TexSpray GTX 2000EX

DESCRIPTION	PART #
TEXSPRAY GTX 2000EX	257030

SPECIFICATIONS

MAX GPM (LPM):	4.0 (15.1)
MAX PSI (BAR):	120 (8.3)
MAX HOSE FT (M):	100 (30)
HOPPER GAL (L):	17 (64.3)

INCLUDES

- Air Spray Trigger Gun
- 3 mm, 4 mm, 6 mm, 8 mm, 10 mm, 12 mm Nozzles
- 1 in x 25 ft (25.4 mm x 7.5 m) Bonded Air/Material Hose

President 10:1

DESCRIPTION	PART #
10:1 CARBON STEEL COMPLETE	225886

SPECIFICATIONS

MAX GPM (LPM):	3.0 (11)
MAX PSI (BAR):	1000 (70)
MAX HOSE FT (M):	200 (61)

INCLUDES

- Heavy-Duty Air Spray Gun
- 6 mm Nozzle
- 3/8 in x 25 ft (9.5 mm x 7.5 m) Air Hose
- 3/4 in x 25 ft (19 mm x 7.5 m) Air Hose
- 3/4 in x 25 ft (19 mm x 7.5 m) High Pressure Material Hose

DESCRIPTION	PART #
10:1 CARBON STEEL COMPLETE	225877

10:1 SST COMPLETE	987429
-------------------	--------

SPECIFICATIONS

MAX GPM (LPM):	3.0 (11)
MAX PSI (BAR):	1000 (70)
MAX HOSE FT (M):	200 (61)

INCLUDES

- Heavy-Duty Air Spray Gun
- 6 mm Nozzle
- 3/8 in x 100 ft (9.5 mm x 30 m) Air Hose
- 3/4 in x 25 ft (19 mm x 7.5 m) Air Hose
- 3/4 in x 50 ft (19 mm x 15 m) High Pressure Material Hose
- 1 in x 50 ft (25 mm x 15 m) High Pressure Material Hose

DESCRIPTION	PART #
10:1 SST BARE	954088

SPECIFICATIONS

MAX GPM (LPM):	3.0 (11)
MAX PSI (BAR):	1000 (70)
MAX HOSE FT (M):	200 (61)

Choose the RIGHT SPRAYER

Different jobs require different equipment, and the TexSpray family of airless texture sprayers gives you what you need—options. Optimized specifically for medium- to high-viscosity coatings, ALL TexSpray airless sprayers feature technologies that no other airless sprayer can offer. From the standard direct immersion pump to the filterless guns with extra large fluid passages, Graco TexSpray airless sprayers are designed to deliver maximum production. No matter the size of the job, there is a Graco texture sprayer that will deliver the flow you want, to achieve the production rate you *need!*

Mark


The electric-powered Mark sprayers are ideal for the contractor who typically applies interior finishes and coatings. Ideal for Level 5, textured finishes with drywall mud, fire-stop, fireproofing, vapor barrier, duct sealant, and other coatings including the full range of primers and paints.

HD

The gas-powered HD sprayers are the sprayer of choice for the contractor who typically applies exterior coatings. Ideal for spraying elastomerics, waterproofing, vapor barriers, roof coatings and other heavy exterior coatings, they also easily spray the full range of paints and primers. The efficient direct-drive HD offers unmatched fuel economy and a lifetime drive train warranty.

DutyMax

The gas-powered, hydraulic DutyMax sprayers are the ideal choice for the contractor who typically applies exterior coatings on the biggest jobs. With models that convert to electric power, they are also versatile enough to be used on interior jobs. Ideal for spraying elastomerics, drywall mud, waterproofing, vapor barriers, roof coatings and other heavy coatings—and it can spray the full range of paints and primers!



Choose the **RIGHT SERIES** for all your texture applications.



m.graco.com/cedseriesvid

Graco texture sprayers come with features designed to make your work easier, faster, and more productive. Whether you need the everyday reliability of our **Standard Series**, the increased speed and productivity of the **ProContractor Series**, or extreme ruggedness of the **IronMan Series**, Graco offers the perfect sprayer that's designed from the ground-up to meet your needs.

If You're a **Small Residential and Light Commercial Contractor**

- ▶ You're spraying multiple days a week
- ▶ Your jobs are typically on the smaller side
- ▶ You demand everyday reliability
- ▶ You don't need a lot of extra features



You need a **Standard Series** sprayer.

EVERYDAY RELIABILITY

If You're a **Large Residential and Commercial Contractor**

- ▶ You're spraying every day
- ▶ You tackle medium to large projects
- ▶ You're moving frequently from job to job
- ▶ You need features that save you time and get you in, out, and on to the next job site



You need a **ProContractor Series** sprayer.

WORK SMARTER, FINISH MORE JOBS

If You're a **Large Commercial and Industrial Contractor**

- ▶ You're spraying continuously in less-than-ideal conditions
- ▶ You handle large, long-duration projects that require large volumes of material
- ▶ You keep your equipment on-site in material
- ▶ You require extreme durability and reliability



You need an **IronMan Series** sprayer.

BEYOND JOBSITE TOUGH

SMALL RESIDENTIAL AND LIGHT COMMERCIAL

Mark Standard Series

EVERYDAY RELIABILITY

When you're tackling texture projects multiple days a week, you demand reliability. Graco's Standard Series sprayers of the Mark texture sprayers deliver durability and performance time after time. They handle the widest range of tip sizes, longer hose lengths and heavier coatings with ease.

No matter what Standard Series sprayer you need, they all come equipped with many exclusive features found "Only On A Graco"



MaxPower Motor Graco's compact and powerful MaxPower brushless DC motors are designed to produce the most power possible for all painting applications.

- ▶ Higher torque = More work done
- ▶ Totally enclosed, fan-cooled design protects the internal components of the motor from dirt, dust and overspray
- ▶ Brushless design means that you will never need to replace brushes
- ▶ Lifetime warranty

SmartControl™ 3.0 Graco's advanced SmartControl 3.0 offers precision pressure control that delivers a consistent spray fan without pressure fluctuations.

- ▶ Spray thicker coatings and run longer hoses
- ▶ ProGuard™ Sprayer Protection System guards against bad or extreme jobsite power conditions



Rugged, Durable Cart Design With a Graco sprayer, it's not just the mechanical parts that are built to last. Our carts are built to deliver years of performance.

- ▶ Thick chrome over steel withstands rugged environments
- ▶ Full pneumatic wheels absorb impacts and vibrations
- ▶ Retractable handle doubles as coiled hose storage
- ▶ Hi-Boy TiltBack™ kickstand cart design holds the inlet clear of the paint bucket for easy one-person bucket changes



**STANDARD
SERIES**

Easy Out™ Pump Filter

The Easy Out pump filter is designed to filter from the inside out so filters won't get stuck or collapse when filled with dirt or debris.

- ▶ Large 22.3 square inch filtering area reduces tip clogs and ensures a quality finish
- ▶ Vertical filter removes with the cap for less mess



Advantage Drive™ The drive is the critical link between the motor and the pump. Graco doesn't leave the manufacturing of our Advantage Drive System to others; rather, we design and manufacture them at our world-class manufacturing facility in the United States.

- ▶ Hardened steel gears run extremely quiet
- ▶ The most durable, longest lasting drive in the industry
- ▶ Lifetime warranty



Endurance Pump with Max Flo™+ Graco's Endurance Pump is the most rugged and reliable long pump on the market today. Oversized clearances ensure minimal pressure drop and surge-free performance. The pump's specially designed, submerged foot valve efficiently loads thick, heavy material while protecting against pack-out and clogging.

- ▶ Foot valve is positioned low to the ground where it stays submerged in the material bucket
- ▶ New Max Flo+ with Packout Protection provides oversized fluid passages to deliver maximum flow of even the heaviest materials while virtually eliminating pump pack-out
- ▶ Long-life ceramic and stainless steel balls included for maximum versatility no matter what you're spraying



Ready To Work Everything you need to get spraying—RAC X™ SwitchTip™, HD Blue Texture gun and 50 feet of BlueMax II hose is included.

Heavy-Duty Prime Valve Maintenance-free design withstands high-pressure dumping.

LARGE RESIDENTIAL AND COMMERCIAL

Mark ProContractor Series

WORK SMARTER, FINISH MORE JOBS

When it comes to getting the most work done in a day, it's all about speed and high performance. And that's where Graco delivers. With features that enable you to work more efficiently, the ProContractor series of the Mark family of texture sprayers help you get in, out, and on to the next job site faster, saving you time and money.

ProContractor Series sprayers have all the features of the Standard Series, *Plus much more!*

SmartControl 3.0 with LED Display Graco's advanced SmartControl 3.0 delivers a consistent spray fan without pressure fluctuations at all spraying pressures.

- ▶ Bright, easy-to-read LED display shows pressure read-out, job/lifetime/gallon counter and self-diagnostics
- ▶ ProGuard Sprayer Protection System guards against bad or extreme jobsite power conditions



WatchDog™ The WatchDog Pump Protection System automatically shuts down the pump when material runs out or if the hose is damaged.

- ▶ Prevents dry pumping damage



FastFlush™ This high flow cleaning system runs faster and dramatically decreases cleaning time.

- ▶ Motor runs at super high speed
- ▶ Results in high flow and faster cleaning—up to 4X faster using only half the water!

FastFlush.



QuikReel™ With the integrated QuikReel you can deploy and rewind the hose in seconds, letting you put the sprayer where you want it and the gun where you need it.

- ▶ Hose guide eliminates twisting, kinking, and coiling for one-person operation
- ▶ Hose is always connected and weight balanced to not tip over
- ▶ Use only the hose you need—the rest stays on the reel
- ▶ Hand crank folds away for storage and one man loading



Ready To Spray Everything you need—texture gun, SwitchTips and 100 feet of Blue Max II hose is already assembled and ready to use right out of the box, getting you working that much faster.

ProConnect™ 2

This next-generation pinless design of Graco's ProConnect Pump Removal and Installation System makes it easier and faster than ever to replace the pump in seconds.



- ▶ Eliminates costly jobsite downtime
- ▶ Quickly and easily swap out the pump for a spare
- ▶ Pinless design needs no tools



On-Board Toolbox Convenient storage container keeps tools, tips, filters and accessories where you need them most.

LARGE COMMERCIAL AND INDUSTRIAL

Mark IronMan Series

BEYOND JOBSITE TOUGH

Power, Durability and Capability is what makes an IronMan. From its MaxLife pump to its rugged roll cage frame, the IronMan series of Mark airless sprayers are built for the serious contractor who routinely handles large commercial and industrial jobs.

IronMan Series sprayers have all the features of the Standard Series, *Plus much, much more!*

SmartControl 3.0 with LED Display Graco's advanced SmartControl 3.0 delivers a consistent spray fan without pressure fluctuations at all spraying pressures.

- ▶ Bright, easy-to-read LED display shows pressure read-out, job/lifetime/gallon counter and self-diagnostics
- ▶ ProGuard Sprayer Protection System guards against bad or extreme jobsite power conditions



WatchDog™ The WatchDog Pump Protection System automatically shuts down the pump when material runs out or if the hose is damaged.

- ▶ Prevents dry pumping damage



FastFlush™ This high flow cleaning system runs faster and dramatically decreases cleaning time.

- ▶ Motor runs at super high speed
- ▶ Results in high flow and faster cleaning—up to **4X faster** using only half the water!



FastFlush.



Extreme-Duty MaxLife Pump Built for the most demanding jobs, Graco's Extreme-Duty MaxLife Pump delivers unmatched durability and life.

- ▶ Exclusive MaxLife sleeve and Chromex rod
- ▶ Lasts longer between repacks
- ▶ Oversized fluid passages deliver maximum flow of even the heaviest materials while virtually eliminating pump pack-out
- ▶ Both long-life ceramic and stainless steel ball sets included for maximum versatility no matter what you're spraying



PRO CONNECT 2

ProConnect 2 This next-generation pinless design of Graco's ProConnect Pump Removal and Installation System makes it easier and faster than ever to replace the pump in seconds.

- ▶ Eliminates costly jobsite downtime
- ▶ Quickly and easily swap out the pump for a spare
- ▶ Pinless design needs no tools

Roll Cage Frame Design

All IronMan sprayers are built for the most brutal and demanding jobsites.

- ▶ Heavy-duty roll cage frame withstands the most extreme abuse from industrial job sites
- ▶ Crush-proof intake screen stands up to harsh impacts



Heavy-Duty Hose and Gun

100 feet of high-performance BlueMax II airless hose and a Heavy-Duty Blue Texture gun that can handle spraying heavier materials are included with every IronMan sprayer.

Flat-Proof Tires These tires can't be punctured by nails, screws or other sharp debris. They will never go flat, leaving the sprayer stranded on a job site.



Electric Airless

TexSpray Mark IV

SERIES	PART #
STANDARD	16W897
PROCONTRACTOR	16W898

SPECIFICATIONS

MAX TIP SIZE:	.033
MAX GPM (LPM):	1.10 (4.1)
MAX PSI (BAR):	3300 (227)
MOTOR:	2.2 hp Brushless DC

INCLUDES

STANDARD SERIES UNIT:

- Flex Plus Gun
- LTX425 SwitchTip and Guard
- 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose
- 1/4 in x 3 ft (6.4 mm x 0.9 m) Whip Hose

PROCONTRACTOR SERIES UNIT:

- Flex Plus Gun
- LTX425 SwitchTip and Guard
- (2x) 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose

Texture spraying is all about high productivity, and that's where the **Mark IV** sprayer really delivers. Designed to save time and money by enabling you to spray more square footage in a day, this unit offers valuable, must-have features for the serious professional contractor. Whether you need to spray skim coat in a Level 5 finish, drywall mud in an orange peel, splatter or knockdown finish or even the wide range of primers and paint, this sprayer can do it all!



"We use Graco because they get the productivity we need. Everything in this industry is about productivity."

Joey Vukelich, General Foreman
Performance Contracting, Inc.

Electric Airless

TexSpray Mark V

SERIES	PART #
STANDARD	16W905
PROCONTRACTOR	16W906
IRONMAN	16X947

SPECIFICATIONS	
MAX TIP SIZE:	.039
MAX GPM (LPM):	1.35 (5.1)
MAX PSI (BAR):	3300 (227)
MOTOR:	2.8 hp Brushless DC

INCLUDES

STANDARD SERIES UNIT:

- Heavy-Duty Texture Gun
- LTX425 SwitchTip and Guard
- 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose
- 1/4 in x 3 ft (6.4 mm x 0.9 m) Whip Hose

PROCONTRACTOR AND IRONMAN SERIES UNIT:

- Heavy-Duty Texture Gun
- LTX425 SwitchTip and Guard
- (2x) 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose

The Graco **TexSpray Mark V** is built to deliver a higher flow rate that lets you get the job done faster. It features 20 percent more productivity than the Mark IV and comes with an upgraded Heavy-Duty Texture Gun. It can accommodate a larger tip size, and has the power to spray skim coat in a Level 5 finish, drywall mud in an orange peel, splatter or knockdown finish or even the wide range of primers and paint.



Electric Airless

TexSpray Mark X 240 Volt

SERIES	PART #
STANDARD	16W908
PROCONTRACTOR	16X099
SPECIFICATIONS	
MAX TIP SIZE:	.045
MAX GPM (LPM):	2.10 (8.0)
MAX PSI (BAR):	3300 (227)
MOTOR:	4.0 hp Brushless DC

INCLUDES

STANDARD SERIES UNIT:

- Heavy-Duty Inline Gun
- RAC X 531, 541 SwitchTips and Guard
- 1/2 in x 50 ft (13 mm x 15 m) BlueMax II Airless Hose
- 1/4 in x 3 ft (6.4 mm x 0.9 m) Whip Hose

PROCONTRACTOR SERIES UNIT:

- Heavy-Duty Inline Gun
- RAC X 531, 541 SwitchTips and Guard
- 1/2 in x 100 ft (13 mm x 30 m) BlueMax II Airless Hose
- 1/4 in x 3 ft (6.4 mm x 0.9 m) Whip Hose

Connects to standard 220-240 Volt L6-30 receptacle (3 wire) on most distribution boxes or generators.



The Most Powerful Electric Airless Texture Sprayer—Period!

The TexSpray Mark X 240 Volt is our most productive electric airless/texture unit. With nearly double the output of the Mark V, it is the sprayer of choice for serious professional contractors who take advantage of the 240 volt power available at a construction site or with a generator. A true powerhouse, it can easily spray skim coat in a Level 5 finish and drywall mud in an orange peel, splatter or knockdown finish. It can even apply the whole range of primers and paints.



STANDARD
SERIES



PRO
Contractor
SERIES



"The reason I use the Mark sprayer is because of the productivity and how much footage we get everyday."

Ron Fuller, General Foreman
Anning-Johnson



SMALL RESIDENTIAL AND LIGHT COMMERCIAL

HD Standard Series

EVERYDAY RELIABILITY

When you're tackling texture projects multiple days a week, you demand reliability. Graco's Standard Series of HD gas-powered sprayers deliver durability and performance time after time. They handle the widest range of tip sizes, longer hose lengths and heavier coatings with ease.

No matter what Standard Series sprayer you need, they all come equipped with many exclusive features found "Only On A Graco"

Honda® Engine This contractor-preferred, compact, and lightweight Honda engine is reliable, technologically advanced and easy to start

- ▶ Oil Alert shuts down engine if oil level drops too low, preventing damage

SmartControl 3.0 Graco's advanced SmartControl 3.0 offers precision pressure control that delivers a consistent spray fan without pressure fluctuations.

- ▶ Spray thicker coatings and run longer hoses



Rugged, Durable Cart Design With a Graco sprayer, it's not just the mechanical parts that are built to last. Our carts are built to deliver years of performance.

- ▶ Thick chrome over steel withstands rugged environments
- ▶ Full pneumatic wheels absorb impacts and vibrations
- ▶ Retractable handle doubles as coiled hose storage
- ▶ Hi-Boy TiltBack™ kickstand cart design holds the inlet clear of the paint bucket for easy one-person bucket changes

POWERED BY **HONDA**



**STANDARD
SERIES**

Easy Out™ Pump Filter The Easy Out pump filter is designed to filter from the inside out so filters won't get stuck or collapse when filled with dirt or debris.

- ▶ Large 22.3 square inch filtering area reduces tip clogs and ensures a quality finish
- ▶ Vertical filter removes with the cap for less mess



Advantage Drive™ The drive is the critical link between the engine and the pump. Graco doesn't leave the manufacturing of our Advantage Drive System to others; rather, we design and manufacture them at our world-class manufacturing facility in the United States.

- ▶ Hardened steel gears run extremely quiet
- ▶ The most durable, longest lasting drive in the industry
- ▶ Lifetime warranty



Endurance Pump with Max Flo+ Graco's Endurance Pump is the most rugged and reliable long pump on the market today. Oversized clearances ensure minimal pressure drop and surge-free performance. The pump's specially designed, submerged foot valve efficiently loads thick, heavy material while protecting against pack-out and clogging.

- ▶ Foot valve is positioned low to the ground where it stays submerged in the material bucket
- ▶ New Max Flo+ with Packout Protection provides oversized fluid passages to deliver maximum flow of even the heaviest materials while virtually eliminating pump pack-out
- ▶ Long-life ceramic and stainless steel balls included for maximum versatility no matter what you're spraying

Ready To Work Everything you need to get spraying—RAC X SwitchTip, HD Blue Texture gun and 50 feet of BlueMax II hose is included.

Heavy-Duty Prime Valve

Maintenance-free design withstands high-pressure dumping.



LARGE RESIDENTIAL AND COMMERCIAL

HD ProContractor Series

WORK SMARTER, FINISH MORE JOBS

When it comes to getting the most work done in a day, it's all about speed and high performance. And that's where Graco delivers. With features that enable you to work more efficiently, the ProContractor series of HD texture sprayers help you get in, out, and on to the next job site faster, saving you time and money.

ProContractor Series sprayers have all the features of the Standard Series, **Plus** much more!



SmartControl 3.0 with LED Display Graco's advanced SmartControl 3.0 delivers a consistent spray fan without pressure fluctuations at all spraying pressures.

- ▶ Bright, easy-to-read LED display shows pressure read-out, job/lifetime/gallon counter and self-diagnostics



WatchDog™ The WatchDog Pump Protection System automatically shuts down the pump when material runs out or if the hose is damaged.

- ▶ Prevents dry pumping damage



QuikReel™ With the integrated QuikReel you can deploy and rewind the hose in seconds, letting you put the sprayer where you want it and the gun where you need it.

- ▶ Hose guide eliminates twisting, kinking, and coiling for one-person operation
- ▶ Hose is always connected and weight balanced to not tip over
- ▶ Use only the hose you need—the rest stays on the reel
- ▶ Hand crank folds away for storage and one man loading



Ready To Spray Everything you need—texture gun, SwitchTips and 100 feet of Blue Max II hose is already assembled and ready to use right out of the box, getting you working that much faster.



ProConnect™ 2 This next-generation pinless design of Graco's ProConnect Pump Removal and Installation System makes it easier and faster than ever to replace the pump in seconds.

- ▶ Eliminates costly jobsite downtime
- ▶ Quickly and easily swap out the pump for a spare
- ▶ Pinless design needs no tools



On-Board Toolbox Convenient storage container keeps tools, tips, filters and accessories where you need them most.

LARGE COMMERCIAL AND INDUSTRIAL

HD IronMan Series

BEYOND JOBSITE TOUGH

Power, Durability and Capability is what makes an IronMan. From its MaxLife pump to its rugged roll cage frame, the IronMan series of HD gas-powered airless sprayers are built for the serious contractor who routinely handles large commercial and industrial jobs.

IronMan Series sprayers have all the features of the Standard Series, **Plus much, much more!**



SmartControl 3.0 with LED Display

Graco's advanced SmartControl 3.0 delivers a consistent spray fan without pressure fluctuations at all spraying pressures.

- ▶ Bright, easy-to-read LED display shows pressure read-out, job/lifetime/gallon counter and self-diagnostics



WatchDog The WatchDog Pump Protection System automatically shuts down the pump when paint runs out or if the hose is damaged.

- ▶ Prevents dry pumping damage

Heavy-Duty Hose and Gun

100 feet of high-performance BlueMax II airless hose and a Heavy-Duty Blue Texture gun that can handle spraying heavier materials are included with every IronMan sprayer.



Extreme-Duty MaxLife Pump Built for the most demanding jobs, Graco's Extreme-Duty MaxLife Pump delivers unmatched durability and life.

- ▶ Exclusive MaxLife sleeve and Chromex™ rod
- ▶ Lasts longer between repacks
- ▶ Oversized fluid passages deliver maximum flow of even the heaviest materials while virtually eliminating pump pack-out



- ▶ Both long-life ceramic and stainless steel ball sets included for maximum versatility no matter what you're spraying



ProConnect 2 This next-generation pinless design of Graco's ProConnect Pump Removal and Installation System makes it easier and faster than ever to replace the pump in seconds.

- ▶ Eliminates costly jobsite downtime
- ▶ Quickly and easily swap out the pump for a spare
- ▶ Pinless design needs no tools



Roll Cage Frame Design

All IronMan sprayers are built for the most brutal and demanding jobsites.

- ▶ Heavy-duty roll cage frame withstands the most extreme abuse from industrial job sites
- ▶ Crush-proof intake screen stands up to harsh impacts



Flat-Proof Tires These tires can't be punctured by nails, screws or other sharp debris. They will **never** go flat, leaving the sprayer stranded on a job site.

Gas Airless

TexSpray 5900 HD

SERIES	PART #
STANDARD	16W889
PROCONTRACTOR	16W882

SPECIFICATIONS	
MAX TIP SIZE:	0.043
MAX GPM (LPM):	1.6 (6.0)
MAX PSI (BAR):	3300 (227)
ENGINE CC (HP):	Honda 160 (5.5)

INCLUDES

STANDARD SERIES UNIT:

- Heavy-Duty Texture Gun
- LTX531, LTX427 SwitchTips and Guard
- 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose
- 1/4 in x 3 ft (6.4 mm x 0.9 m) Whip Hose

PROCONTRACTOR SERIES UNIT:

- Heavy-Duty Texture Gun
- LTX531, LTX427 SwitchTips and Guard
- 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose
- AND
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless Hose

Welcome to a new world of versatile gas-powered airless/texture spraying with the **TexSpray 5900 HD**. Built with must-have features that are designed to save you time and money, the TexSpray 5900 HD delivers top-notch performance and versatility. Whether you need to spray skim coat in a Level 5 finish, drywall mud in an orange peel, splatter or knockdown finish or even the wide range of primers, paints and other heavy coatings, this sprayer can handle just about any task you need it to. Doing the job just got easier with Graco!



"We like to train with Graco equipment because we know that's what the guys are using in the field."

Tom Nesbitt
Drywall Apprenticeship Coordinator
Southern CA District Council 36



Gas Airless

TexSpray 7900 HD

SERIES	PART #
STANDARD	16W890
PROCONTRACTOR	16W888
IRONMAN	16X949
SPECIFICATIONS	
MAX TIP SIZE:	0.048
MAX GPM (LPM):	2.2 (8.3)
MAX PSI (BAR):	3300 (227)
ENGINE CC (HP):	Honda 200 (6.5)

INCLUDES

STANDARD SERIES UNIT:

- Heavy-Duty Texture Gun
- LTX531, LTX427 SwitchTips and Guard
- 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose
- 1/4 in x 3 ft (6.4 mm x 0.9 m) Whip Hose

PROCONTRACTOR AND IRONMAN SERIES UNIT:

- Heavy-Duty Texture Gun
- LTX531, LTX427 SwitchTips and Guard
- 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose
- AND
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless Hose

When you need the highest performance for the biggest jobs, look no further than the **7900 HD**.

Designed from pump to gun for maximum flow and extreme durability, every 7900 HD comes equipped with the Extreme-Duty MaxLife Endurance Pump—Graco's toughest pump. Whether you need to spray skim coat in a Level 5 finish, drywall mud in an orange peel, splatter or knockdown finish or even the wide range of primers, paints and other heavy coatings, this sprayer can do it all!

EVERY TexSpray 7900 HD IS

MAXLIFE™
EQUIPPED



**PRO
Contractor
SERIES**



**IRONMAN
SERIES**



SMALL RESIDENTIAL AND LIGHT COMMERCIAL

DutyMax Standard Series

EVERYDAY RELIABILITY

When you're tackling painting projects multiple days a week, you demand reliability. Graco's Standard Series of DutyMax hydraulic direct-immersion sprayers deliver durability and performance time after time. They handle the widest range of tip sizes, longer hose lengths and heavier coatings with ease.

All Standard Series sprayers come with these "Only On A Graco" features:

Heavy-Duty Prime Valve Maintenance-free design withstands high-pressure dumping.



Honda® Engine Compact, lightweight, and powerful, Honda engines are reliable, technologically advanced, and easy to start.

- ▶ Oil Alert shuts down engine if oil level drops too low, preventing damage
- ▶ Contractor preferred



POWERED by
HONDA

High-Capacity Cooling System A hydraulic pump is only as good as its cooling system, and Graco's innovative design allows the pump to run cooler and more efficiently.

- ▶ Innovative hydraulic reservoir is tapered on the bottom, allowing easier and more thorough fluid changes
- ▶ Cooling fins on reservoir deflect heat away from sprayer
- ▶ No special hydraulic fluid needed



Rugged, Durable Cart Design

With a Graco sprayer, it's not just the mechanical parts that are built to last. Our carts are built to deliver years of performance.

- ▶ Thick chrome over welded steel withstands rugged environments
- ▶ Full pneumatic wheels absorb impacts and vibrations
- ▶ Retractable handle doubles as coiled hose storage

**STANDARD
SERIES**

Endurance Pump with Max Flo+ Graco's Endurance Pump is the most rugged and reliable long pump on the market today. Oversized clearances ensure minimal pressure drop and surge-free performance. The pump's specially designed, submerged foot valve efficiently loads thick, heavy material while protecting against pack-out and clogging.

- ▶ Foot valve is positioned low to the ground where it stays submerged in the material bucket
- ▶ New Max Flo+ with Packout Protection provides oversized fluid passages to deliver maximum flow of even the heaviest materials while virtually eliminating pump pack-out
- ▶ Long-life ceramic and stainless steel balls included for maximum versatility no matter what you're spraying



High-Efficiency Hydraulic Motor

Graco's hydraulic motor delivers rock-solid performance time after time and keeps you up and running.

- ▶ Faster, more responsive changeover
- ▶ 100% O-ring sealed fittings prevent leaks
- ▶ Fewer moving parts mean less maintenance and longer life



Easy Out Pump Filter

The Easy Out pump filter is designed to filter from the inside out so filters won't get stuck or collapse when filled with dirt or debris.

- ▶ Large 19.5 square inch filtering area reduces tip clogs and ensures a quality finish
- ▶ Vertical filter removes with the cap for less mess

Ready To Work Everything you need to get spraying—RAC X SwitchTip, HD Blue Texture gun and 50 feet of BlueMax II hose is included.

Indoor and Outdoor Use Quickly swap the gas engine for an electric motor in seconds—without tools! (Available on DutyMax GH 230 Convertible.)




LARGE RESIDENTIAL AND COMMERCIAL

DutyMax ProContractor Series

WORK SMARTER, FINISH MORE JOBS

When it comes to getting the most work done in a day, it's all about speed and high performance. And that's where Graco delivers. With features that enable you to work more efficiently, the ProContractor series of DutyMax hydraulic airless sprayers help you get in, out, and on to the next job site faster, saving you time and money.

ProContractor Series sprayers have all the features of the Standard Series, *Plus* much more!



Ready To Spray Everything you need—RAC X SwitchTips, Heavy-Duty Texture gun and 100 feet of BlueMax II hose is already assembled and ready to use right out of the box, getting you working that much faster.

PRO
Contractor
SERIES



Extreme-Duty MaxLife Pump

Built for the most demanding jobs, Graco's Extreme-Duty MaxLife Pump delivers unmatched durability and life.

- ▶ Lasts **6X longer** between repacks
- ▶ Exclusive MaxLife sleeve and rod
- ▶ Oversized clearances ensure minimal pressure drop and increased performance
- ▶ Both long-life ceramic and stainless steel ball sets included for maximum versatility no matter what you're spraying



QuikReel With the integrated QuikReel you can deploy and rewind up to 300 feet of hose in seconds, letting you put the sprayer where you want it and the gun where you need it.

- ▶ Hose guide eliminates twisting, kinking, and coiling for one-person operation
- ▶ Hose is always connected and weight balanced to not tip over
- ▶ Use only the hose you need—the rest stays on the reel
- ▶ Hand crank folds away for storage and one man loading



ProConnect™ Graco's ProConnect Pump Removal and Installation System makes it easy and fast to replace the pump.

- ▶ Eliminates costly job site downtime
- ▶ Quickly and easily swap out the pump for a spare
- ▶ Pinless design needs no tools

Heavy-Duty Rock Catcher

Stands up to harsh impacts.



Hydraulic Airless

TexSpray DutyMax GH 230DI Convertible

SERIES PART #
STANDARD 24W943

STANDARD with
Electric Motor Kit
(non CSA) 24W944

STANDARD with
Electric Motor Kit
(CSA) 24W945

PROCONTRACTOR 24W962

PROCONTRACTOR
with Electric Motor
Kit (non CSA) 24W963

PROCONTRACTOR
with Electric Motor
Kit (CSA) 24W964

SPECIFICATIONS (with Gas Engine)

MAX TIP SIZE: 0.053
MAX GPM (LPM): 2.35 (8.9)
MAX PSI (BAR): 3300 (227)
ENGINE CC (HP): 200 (6.5)

SPECIFICATIONS (with Electric Motor)

MAX TIP SIZE: 0.031
MAX GPM (LPM): 1.10 (4.2)

INCLUDES

STANDARD SERIES UNITS:

- Heavy-Duty Texture Gun
- LTX427, LTX531 SwitchTips and Guard
- 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose
- 1/4 in x 3 ft (6.4 mm x 0.9 m) Whip Hose

PROCONTRACTOR SERIES UNIT:

- Heavy-Duty Texture Gun
- LTX427, LTX531 SwitchTips and Guard
- 3/8 in x 100 ft (9.5 mm x 30 m) BlueMax II Airless Hose
- 1/4 in x 3 ft (6.4 mm x 0.9 m) Whip Hose

When your job requires maximum productivity and versatility, turn to the all new **DutyMax GH 230DI** sprayer to get the job done—*fast!* Equipped with a long stroke, direct immersion pump, this hydraulic workhorse is built for the biggest, most demanding jobs and materials. Built for you in both Standard and ProContractor Series.



The ability to convert from gas to electric in seconds without any tools!



Check out the full line of Gas and Electric Hydraulic sprayers in the Gas Sprayer

Hydraulic Airless

TexSpray DutyMax GH 300DI

When you need maximum performance, turn to the all new **DutyMax GH 300DI** sprayer to get the job done—*fast!*

Equipped with a long stroke, direct immersion pump, this hydraulic workhorse is built for the biggest, most demanding jobs and materials. Built for you in both Standard and ProContractor Series.



SERIES	PART #
STANDARD	24W967
PROCONTRACTOR	24W968
SPECIFICATIONS	
MAX TIP SIZE:	0.057
MAX GPM (LPM):	3.0 (11.4)
MAX PSI (BAR):	3300 (227)
ENGINE CC (HP):	270 (9.0)

INCLUDES

STANDARD SERIES UNITS:

- Heavy-Duty Inline Gun
- LTX643, WR1239 SwitchTips and Guard
- 1/2 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose
- 3/8 in x 10 ft (9.5 mm x 0.9 m) Whip Hose

PROCONTRACTOR SERIES UNIT:

- Heavy-Duty Inline Gun
- LTX643, WR1239 SwitchTips and Guard
- 1/2 in x 100 ft (9.5 mm x 30 m) BlueMax II Airless Hose
- 3/8 in x 10 ft (9.5 mm x 0.9 m) Whip Hose



New for 2018 DutyMax GH 675DI

6750 PSI. See GH Big Rig Brochure for more details. PN 250223

brochure (Part #337554), or go online at graco.com today to see the complete offering.

ENDURANCE ADVANTAGE PROGRAM

A SOLUTION TO KEEP YOU SPRAYING

Graco knows the last thing you can afford is costly downtime. And with the Endurance Advantage Program, you'll never need to worry about it. When you buy any new Graco sprayer, you can purchase an additional Endurance Pump for **up to 80% OFF** the list price—keep a spare on hand to save yourself time and money on every job. Or if you'd rather repack your own pump, we'll let you choose a **FREE Repair Kit** instead. No matter what your choice, Graco ensures you'll always be up and spraying! Simply follow the registration instructions included with your sprayer.



m.graco.com/proconnect2vid



ProConnect No-Tools Pump Removal System makes swapping out the Endurance Pump fast and easy.

WARRANTY SPRAY PROTECTION

We stand behind every piece of equipment we manufacture with the industry's strongest warranty. Spray with the confidence that you will probably never need to use Graco's warranty, but if you do... *we will be there.*

LIFETIME MOTOR WARRANTY

If the motor fails from normal use, we'll replace it under warranty for the original owner for the life of the sprayer (Mark IV, Mark V and Mark X 240 Volt).

LIFETIME DRIVE TRAIN WARRANTY

If the drive train fails from normal use, we'll replace it under warranty for the original owner for the life of the sprayer (Mark IV, Mark V, Mark X 240 Volt, 5900 HD and 7900 HD).

3-YEAR WARRANTY*

Coverage against defects in materials and workmanship on the entire sprayer.

DOWNTIME ELIMINATOR PROGRAM*

Part needed for a warranty repair not in stock at your distributor? Get **FREE** next business day air freight delivery when distributor orders the part by 2 p.m. CST.

CONVENIENT SERVICE

Graco offers more than 5,500 authorized distributor locations in North America and over 700 locations to administer warranty repair.

*NORTH AMERICA ONLY. See your local Graco distributors for country specifics.

Nobody Else Builds Sprayers Like This.



Accessories

TEXTURE AIRLESS SPRAYERS

In addition to the industry's best sprayers, Graco makes the accessories that enable you to work faster and more productively. From rugged guns and tips to hoses and hoppers, Graco's accessories let you customize your sprayer for the maximum performance that best suits your work.



25-Gallon (95 Liter) Texture Hopper This versatile large-capacity hopper connects directly to the Mark IV, Mark V, Mark X 240 Volt, 5900 HD and 7900 HD. It boosts your productivity by minimizing material refills, and it's easy to attach and maneuver throughout the job site. Part #287987



Air Atomizer Kit Why limit what you can spray? The air atomizer kit attaches to the Heavy-Duty Texture Gun and the Flex Gun, allowing you to attach an air compressor to create decorative texture finishes such as orange peel, splatter and knock down. Part #244223 (no hose)

For TexSpray RTX and GTX Sprayers

- 288629 RTX 650, RTX 1400_{SI} Air Spray Trigger Gun
- 288628 RTX 900/1250 Air Spray Trigger Gun
- 24S134 RTX 1500, 2000_{PI} & 5000_{PI} Air Spray Trigger Gun with Threaded Connection
- 24S135 RTX 5000_{PX} & 5500_{PX} Air Spray Trigger Gun with Threaded Connection
- 248093 Air Spray Trigger Gun with threaded hose connection Replacement gun for Compact HP and GTX 2000_{EX} series sprayers.
- 287328 RTX 1500, 5000 & 5500 External Air Kit Connect a separate air compressor for increased atomization energy.
- 238807 3 ft (1 m) Pole Gun with Threaded Hose Connection (Not for use with RTX model sprayers.)
- 238080 Flex Head Gun with Threaded Hose Connection (Not for use with RTX model sprayers.)
- 287314 RotoFlex HD Pump Hose: For use with RTX 1500, RTX 5000_{PI}, RTX 5000_{PX}, RTX 5500_{PX}
- 288623 RotoFlex II Pump Hose: For use with RTX 650, RTX 900, RTX 1250, RTX 1400_{SI}, RTX 2000_{PI}



NOZZLES

For use on Pole Guns and FlexHead Guns

- | | | | |
|--------|-----------------------|--------|------------------------|
| 190943 | 3/16 in (5 mm) Nozzle | 190945 | 5/16 in (8 mm) Nozzle |
| 190944 | 1/4 in (6 mm) Nozzle | 190946 | 3/8 in (9.5 mm) Nozzle |

For use on RTX 650, 900, 1250 and Hopper Guns

- 234153 Spray Nozzle Kit
 ▶ Includes 1 each of 4 mm, 6 mm, 8 mm and 12 mm nozzles.

For use on RTX Heavy-Duty Texture Gun and GTX 2000 Series Guns

- | | | | |
|--------|-------------|--------|--------------|
| 15C883 | 3 mm Nozzle | 15C886 | 8 mm Nozzle |
| 15C884 | 4 mm Nozzle | 15C887 | 10 mm Nozzle |
| 15C885 | 6 mm Nozzle | 15C888 | 12 mm Nozzle |



For use on RTX Heavy-Duty Texture Gun and GTX Heavy-Duty Texture Gun

- | | | | |
|--------|-----------------------------------|--------|------------------------------------|
| 24S142 | WideTex Accessory Kit | 24S138 | WideTex Tip, Hardened, w8, 6-Pack |
| 24S143 | WideTex Accessory Kit, Hardened | 24S139 | WideTex Tip, Hardened, w10, 6-Pack |
| 24S136 | WideTex Tip, Hardened, w4, 6-Pack | 24S140 | WideTex Tip, Hardened, w12, 6-Pack |
| 24S137 | WideTex Tip, Hardened, w6, 6-Pack | 24S141 | WideTex Tip, Hardened, wXL, 6-Pack |



For TexSpray Sprayers: RTX and GTX Sprayers *CONT'D*

HOSE KITS

- 288622 RTX 650 Hose Clear Braided Hose Kit: 3/4 in x 20 ft (19 mm x 6 m) Fluid Hose
 17J454 RTX 900, 1250 and 1400SI Braided Hose Kit: 3/4 in x 25 ft (19 mm x 7.5 m) Fluid Hose and 3/8 in x 25 ft (9.5 mm x 7.5 m) Air Hose

RTX STANDARD REPLACEMENT HOSE

- 17J454 Blue Translucent Hose Kit: 3/4 in x 25 ft (19 mm x 7.5 m)
 17J420 Blue Translucent Hose Kit: 1 in x 25 ft (25.4 mm x 7.5 m)
 17L001 Blue Translucent Hose Kit: 1 in x 35 ft (25.4 mm x 10.7 m)
 17J421 Blue Translucent Hose Kit: 1 in x 50 ft (25.4 mm x 15 m)
 17L004 Blue Translucent Hose Kit: 1-1/4 in x 25 ft (31.7 mm x 7.5 m)
 17L006 Blue Translucent Hose Kit: 1-1/4 in x 35 ft (31.7 mm x 10.7 m)
 17L008 Blue Translucent Hose Kit: 1-1/4 in x 50 ft (31.7 mm x 15 m)



HEAVY-DUTY HOSE

- 17L010 Blue Solid Heavy-Duty Hose Kit: 1 in x 10 ft (25.4 mm x 3 m) Whip
 17L000 Blue Solid Heavy-Duty Hose Kit: 1 in x 25 ft (25.4 mm x 7.5 m)
 17L002 Blue Solid Heavy-Duty Hose Kit: 1 in x 35 ft (25.4 mm x 10.7 m)
 17L003 Blue Solid Heavy-Duty Hose Kit: 1 in x 50 ft (25.4 mm x 15 m)
 17L005 Blue Solid Heavy-Duty Hose Kit: 1-1/4 in x 25 ft (31.7 mm x 7.5 m)
 17L007 Blue Solid Heavy-Duty Hose Kit: 1-1/4 in x 35 ft (31.7 mm x 10.7 m)
 17L009 Blue Solid Heavy-Duty Hose Kit: 1-1/4 in x 50 ft (31.7 mm x 15 m)

ADDITIONAL ACCESSORIES

- 248112 GTX 2000 Series Siphon Kit: For pumping directly from your mix container.
 248117 GTX 2000 Series Air Line Kit: For remote operation of the GTX 2000ex air compressor.
 248515 Sponge Ball Clean-Out Kit: For 1 in (25 mm) ID Hose Qty 5
 15T647 50 ft (15m) 240V Extension Cord for RTX 5500px

For TexSpray Sprayers: Mark IV, Mark V, Mark X 240 Volt, 5900 HD, 7900 HD, DutyMax GH 230ci Convertible, DutyMax GH 300ci,

GUNS

- 246468 Flex Plus Gun
 241705 Heavy-Duty Blue Texture Gun
 245820 Inline Heavy-Duty Texture Gun



GUN HOSE KITS

- 241338 Heavy-Duty Blue Texture Gun Hose Kit with 531 RAC X SwitchTip
 3/8 in x 50 ft (9.5 mm x 15 m) 3300 psi Hose, 1/4 in x 3 ft (25 mm x 0.9 m)
 3300 psi Whip Hose, Couplers and additional 427 RAC X SwitchTip
 289585 Inline Heavy-Duty Texture Gun Hose Kit with LTX643 SwitchTip
 1/2 in x 50 ft (13 mm x 15 m) 4000 psi Hose, 3/8 in x 12 ft
 (9.5 mm x 3.6 m) Whip Hose, Swivel and Fittings



HOPPER

- 287987 25 Gallon (95 Liter) Texture Hopper Directly connects to Mark IV, Mark V, Mark X 240 Volt, 5900 HD, 5900 Convertible, 7900 HD, DutyMax GH 230ci Convertible, DutyMax GH 300ci.
 243380 Cam-Lock Hose Adapter Connects the texture hopper to the GMAX II 7900, 1030 FC units or HTX 2030 sprayers.

ADDITIONAL ACCESSORIES

- 244052 Heavy-Duty Texture Gun Air Atomizer Kit with Air Hose
 Minimum air compressor rating of 15 cfm at 90 psi.
 244223 Heavy-Duty Texture Gun Air Atomizer Kit without Air Hose
 Minimum air compressor rating of 15 cfm at 90 psi
 289669 55-Gallon Siphon Kit for Mark X 240 Volt, 7900 HD, DutyMax GH 230ci Convertible, DutyMax GH 300ci
 15T647 50 ft (15 m) Extension Cord for Mark X 240 Volt



For TexSpray Sprayers: HTX 2030 Complete, HTX 2030 Complete Plus+ GUNS

- 24B327 FreeFlo Inline Gun with 4, 6, 8, 10 mm Nozzles, 18 and 30 Mesh Filters, RAC X 671 Tip and Guard
 24B944 Pole Gun 3 ft (1 m) with 6, 8, 9.5, 11, 13 mm Nozzles, Cap, Fine Finish Adapter
 24B945 Flex Head Gun with 6, 8, 9.5, 11, 13 mm Nozzles, Cap, Fine Finish Adapter
 241705 Heavy-Duty Blue Texture Gun
 24R054 HTX 2030 Trigger Gun Applicator

NOZZLE SELECTION GUIDE*

Nozzle Size	Exterior Aggregate Material
3 mm	up to 1.0 mm (maximum)
4 mm	up to 1.25 mm (maximum)
5 mm	up to 1.5 mm (maximum)
6 mm	up to 2.0 mm (maximum)
8 mm	up to 2.5 mm (maximum)
9.5 mm	up to 2.5 mm (maximum)
10 mm	up to 2.5 mm (maximum)
11 mm	up to 2.5 mm (maximum)
13 mm	up to 2.5 mm (maximum)
14 mm	up to 2.5 mm (maximum)

Nozzle Size	Interior Smooth Material
3 mm	Fine Finish Orange Peel/Fog
4 mm	Fine Finish Orange Peel/Fog
5 mm	Orange Peel, Small Splatter
6 mm	Orange Peel, Small Splatter
8 mm	Splatter, Small to Medium Knockdown
9.5 mm	Acoustics/Popcorn, Splatter, Medium Knockdown
10 mm	Acoustics/Popcorn, Large Knockdown
11 mm	Acoustics/Popcorn, Large Knockdown
13 mm	Acoustics/Popcorn, Large Knockdown
14 mm	Acoustics/Popcorn, Large Knockdown

*Nozzle size requirement could vary based on material viscosity, desired finish, production rate and air settings.

FREEFLO INLINE GUN

287227	Fine Finish Kit		
	► Includes 3 mm, 6 mm, 8 mm, 9.5 mm Spray Discs, Retaining Nut and Adapter.		
248888	3 mm Nozzle	248526	8 mm Nozzle
248524	4 mm Nozzle	248527	10 mm Nozzle
248525	6 mm Nozzle		

POLE AND FLEX HEAD POLE GUNS

16A443	5 mm Nozzle	16A448	13 mm Nozzle
16A444	6 mm Nozzle	16A449	14 mm Nozzle
16A445	8 mm Nozzle	16A405	Cap, Nozzle – Medium
16A446	9.5 mm Nozzle	16A421	Cap, Nozzle – Hard
16A447	11 mm Nozzle	16A246	Fine Finish Adapter

HOSE KITS

24B300	3/4 in x 50 ft (1.9 m x 15 m) Fluid Hose with Remote On/Off Switch
17S244	3/4 in x 100 ft (1.9 m x 30 m) Fluid Hose with Remote On/Off Switch

CONVERT-A-PUMP KIT

24B140	MaxLife Endurance High Pressure Pump Kit
	Includes: High Pressure Lower, Heavy-Duty Texture Gun, 3/8 in x 50 ft Hose (9.5 mm x 15 m), 1/4 in x 3 ft (25 mm x 0.9 m) 3300 psi Whip Hose and RAC X 643 SwitchTip.

ADDITIONAL ACCESSORIES

287987	25 Gallon (95 Liter) Texture Hopper
243380	Cam-Lock Hose Adapter Connects Texture Hopper to the HTX 2030 High-Output Texture Pump.
24C414	Ball Valve Material Shutoff Kit

For Sprayers: President **10:1, 1030 FC**

GUN AND GUN HOSE KIT

235490	10:1 President Air Spray Gun
235737	1030 FC Hose Kit 3/4 in x 50 ft (19 mm x 15 m) Fluid Hose, 1/2 in x 50 ft (13 mm x 15 m) Air Hose.

TexSpray FastFinish

25D496	FastFinish Pressure-Boosted Gun
25D497	G-TEX Gravity-Fed Gun
245924	Plastic Hopper Gun
17V692	WideTex (Fits FastFinish and G-Tex Gun (Includes adaptor, 4mm, 6mm, 8mm tips)
17V694	Nozzle Kit (4mm, 6mm, 8mm)
17U302	3/8 in x 50 ft Non Marking Air Hose



Texture Sprayer Specifications



		TexSpray RTX 1400si	TexSpray RTX 2000pi	TexSpray RTX 2500pi	TexSpray RTX 5000pi	TexSpray RTX 5000px	TexSpray RTX 5500px 240 Volt	TexSpray GTX 2000ex	TexSpray FasFinish™
PERFORMANCE	Max psi (bar)	70 (4.8)	70 (4.8)	100 (6.9)	100 (6.9)	100 (6.9)	100 (6.9)	120 (8.3)	N/A
	Max gpm (lpm)	1.4 (5.3)	2.0 (7.6)	2.5 (9.5)	5.0 (19)	5.0 (19)	5.5 (21)	4.0 (15.1)	N/A
	Motor	1.7 hp	1.7 hp	1.7 hp	2.0 hp	2.0 hp	2.0 hp	N/A	2.0 hp
COMPRESSOR	Compressor Air Output	6.1 cfm at 20 psi .17 m ³ /min	6.1 cfm at 20 psi .17 m ³ /min	6.1 cfm at 20 psi .17 m ³ /min	8.6 cfm at 20 psi .24 m ³ /min	8.6 cfm at 20 psi .24 m ³ /min	9.1 cfm at 20 psi .26 m ³ /min	User Supplied Air Compressor Required Minimum Requirements: 12 cfm at 100 psi,.33 m ³ /min	9.0 cfm at 40 psi .25 m ³ /min
INCLUDES	Gun	Lightweight Air Spray Trigger	Heavy-Duty Air Spray Trigger	Heavy-Duty Air Spray Trigger	Heavy-Duty Air Spray Trigger	Heavy-Duty Air Spray Trigger	Heavy-Duty Air Spray Trigger	Heavy-Duty Air Spray Trigger	FastFinish Pressure Boosted (Pro Model) G-TEX Gravity-Fed (Standard Model)
	Hose	3/4 in x 25 ft (19 mm x 7.5 m)	1 in x 25 ft (25.4 mm x 7.5 m)	1 in x 25 ft (25.4 mm x 7.5 m)	1 in x 25 ft (25.4 mm x 7.5 m)	1-1/4 in x 25 ft HD (32 mm x 7.5 m)	1-1/4 in x 25 ft HD (32 mm x 7.5 m)	1 in x 25 ft (25.4 mm x 7.5 m)	3/8 in x 50 ft Non Marking Air Hose (Standard and Pro Models)
	Max Hose Length	25 ft (7.5 m)	50 ft (15.4 m)	75 ft (22.9)	100 ft (30 m)	100 ft (30 m)	100 ft (30 m)	100 ft (30 m)	150 ft (46 m)
	Tips	3 mm, 4 mm, 6 mm, 8 mm round nozzles	3 mm, 4 mm, 6 mm, 8 mm, 10 mm, 12 mm round nozzles WideTex Adapter with 4 mm, 6 mm, 8 mm, 10 mm, 12 mm XL W tips	3 mm, 4 mm, 6 mm, 8 mm, 10 mm, 12 mm round nozzles WideTex Adapter with 4 mm, 6 mm, 8 mm, 10 mm, 12 mm XL W tips	3 mm, 4 mm, 6 mm, 8 mm, 10 mm, 12 mm round nozzles WideTex Adapter with 4 mm, 6 mm, 8 mm, 10 mm WS tips, 12 mm XL W tips	3 mm, 4 mm, 6 mm, 8 mm, 10 mm, 12 mm round nozzles WideTex Adapter with Hardened 4 mm 6 mm, 8 mm, 10 mm, 12 mm XL W tips	3 mm, 4 mm, 6 mm, 8 mm, 10 mm, 12 mm round nozzles WideTex Adapter with Hardened 4 mm 6 mm, 8 mm, 10 mm, 12 mm XL W tips	3 mm, 4 mm, 6 mm, 8 mm, 10 mm, 12 mm nozzles	4mm, 6mm, 8mm Nozzles WideTex Adapter with 4mm, 6mm, 8mm tips
DIMENSIONS	Weight lb (kg)	63 (28.5)	70 (31.7)	72 (32.6)	159 (72.1)	163 (73.9)	163 (73.9)	95 (43)	Air Compressor: 68 lbs (27) FastFinish Gun: 4.8 (2.2) G-TEX Gun: 4.1 (1.9)
	Dimensions	20 W x 24 L x 41 H in (51 W x 61 L x 104 H cm)	22 W x 24 L x 41 H in (46 W x 56 L x 104 H cm)	22 W x 24 L x 41 H in (46 W x 56 L x 104 H cm)	23 W x 30 L x 41 H in (58 W x 76 L x 104 H cm)	23 W x 30 L x 41 H in (58 W x 76 L x 104 H cm)	23 W x 30 L x 41 H in (58 W x 76 L x 104 H cm)	26 W x 27 L x 40 H in (66 W x 68 L x 102 H cm)	15 W x 22 L x 37 H in (38 W x 56 L x 94 H cm)
	Hopper gal (liter)	10 (38)	13 (49)	15 (56)	15 (57)	15 (57)	15 (57)	17 (64)	FastFinish 1.5 gal G-TEX 2.0 gal
MANUALS	Operation	3A3258	3A3258	3A3258	3A3265	3A3265	3A3265	313384	3A5542
	Repair	3A3258	3A3258	3A3258	3A3265	3A3265	3A3265	313385	3A5542
TYPICAL APPLICATIONS	Materials Sprayed	Simulated acoustic and drywall mud	Simulated acoustic and drywall mud	Simulated acoustic and drywall mud	Simulated acoustic and drywall mud	Simulated acoustic, drywall mud, elastomers, deck coatings and some cement-based materials	Simulated acoustic, drywall mud, elastomers, deck coatings and some cement-based materials	Simulated acoustic, drywall mud, elastomers, deck coatings and some cement-based materials	Acoustics, Acrylics, Drywall Mud, Elastomeric, Deck Coatings, Fireproofing, Waterproofing, Cement based materials
	Surfaces	Residential and light commercial interiors	Residential and light commercial interiors	Residential and light commercial interiors	Residential and light commercial interiors	Residential and commercial exteriors	Residential and commercial exteriors	Residential and commercial exteriors	Residential and commercial interiors and exteriors
MODEL	Part Number	17H572	17H573	17U219	17H575	17H579	17H581	257030	FastFinish Pro: Complete System 25D492 FastFinish Standard: Complete System 25D494 FastFinish CF9 Air Compressor Only: 25D490 FastFinish Pressure- Boosted Gun Only: 25D496 G-TEX Gravity-Fed Gun Only: 25D497



10:1 President



TexSpray HTX 2030 Complete



TexSpray HTX 2030 Complete Plus+

		10:1 President
PERFORMANCE	Max psi (bar)	1000 (70)
	Max gpm (lpm)	3.0 (11)
	Motor	President Air
COMPRESSOR	Compressor Air Output	User Supplied Minimum Air Compressor Rating: 80 cfm at 90 psi for best results
INCLUDES	Gun	Heavy-Duty Air Spray
	Max Hose Length	200 ft (60.7 m)
	Nozzle	6 mm
DIMENSIONS	Weight lbs (kg)	43 (20) Pump Only
	Dimensions	7 w x 57 l x 18 w in (18 w x 145 l cm)
MANUALS	CS Models	306402
	SST Models	309489
TYPICAL APPLICATIONS	Materials Sprayed	Smooth to heavily aggregated textures with silica sand, perlite, vermiculite and polystyrene, smooth, medium, coarse and extra coarse grade
	Surfaces	Heavy-duty residential and commercial interiors and exteriors
MODEL	Part Number	Carbon Steel Complete-225886 Carbon Steel Complete-225877 SST Bare-954088 SST Complete-987429

	TexSpray HTX 2030 Complete	TexSpray HTX 2030 Complete Plus+	
Part Number	258740	258741	
For Spraying	For exterior aggregate and smooth finishes as well as common interior texture finishes such as orange peel, splatter, knockdown and simulated acoustic	For exterior aggregate and smooth finishes as well as common interior texture finishes. Can also airlessly apply the wide range of heavier smooth coatings, Level 5, primers and paints	
INCLUDES:			
High-Output Piston Texture Pump	✓	✓	
FreeFlo Inline Gun	✓	✓	
3/4 in x 50 ft (19 mm x 15 m) Hose	✓	✓	
55-Gallon Suction Set	✓	✓	
Fine Finish Kit with 1/8 in, 1/4 in, 5/16 in and 3/8 in Nozzles	✓	✓	
4, 6, 8, 10 mm Nozzles	✓	✓	
RAC X 671 Airless Tip	✓	✓	
MaxLife Endurance High Pressure Airless Pump	Optional (Pump Kit 24B140)	✓	
Heavy-Duty Texture Gun	N/A	✓	
3/8 in x 50 ft (9.5 mm x 15 m) Blue Max II Hose & 3 ft (1 m) Whip Hose	N/A	✓	
RAC X 643 Airless Tip	N/A	✓	
	High-Output Texture Pump	With High-Output Texture Pump	With MaxLife Endurance High Pressure Pump
Maximum Tip Size	0.071	0.071	0.048
Maximum gpm (lpm)	3.0 (11)	3.0 (11)	2.2 (8.3)
Maximum psi (bar)	1000 (70)	1000 (70)	3300 (227)
Honda Engine cc (hp at 3600 rpm)	200 (6.5)	200 (6.5)	
Compressor	User supplied air compressor required for some texture finishes. Minimum air compressor rating 25 cfm at 90 psi (708 lpm at 6.2 bar) for best results	User supplied air compressor required for some texture finishes. Minimum air compressor rating 25 cfm at 90 psi (708 lpm at 6.2 bar) for best results	
Weight lbs (kg)	155 (70)	155 (70)	150 (68)
PUMP:			
Intake	QuikAccess	QuikAccess	QuikAccess
Rod	Hard Chrome	Hard Chrome	Chromex
Steeve	Hard Chrome	Hard Chrome	MaxLife
Packings	HD Poly	HD Poly	V-Max Blue

		TexSpray Mark IV	TexSpray Mark V
SPECIFICATIONS	Maximum Tip Size	0.033	0.039
	Maximum psi (bar)	3300 (227)	3300 (227)
	Maximum gpm (lpm)	1.10 (4.1)	1.35 (5.1)
	Motor/Engine	MaxPower 2.2 hp Brushless DC	MaxPower 2.8 hp Brushless DC
	Control	SmartControl 3.0	SmartControl 3.0
	Weight lb (kg)	108 (49)	135 (61)
	Compressor Air Output	Compressor and Air Atomizer Kit required for some texture finishes	Compressor and Air Atomizer Kit required for some texture finishes



SERIES TYPE		STANDARD	PROCONTRACTOR	STANDARD	PROCONTRACTOR	IRONMAN
MODEL	Part Number	16W897	16W898	16W905	16W906	16X947
	Gun	FlexPlus	FlexPlus	Heavy-Duty Texture	Heavy-Duty Texture	Heavy-Duty Texture
INCLUDES	Hose	3/8 in x 50 ft (9.5 mm x 15 m)	3/8 in x 100 ft (9.5 mm x 30 m)	3/8 in x 50 ft (9.5 mm x 15 m)	3/8 in x 100 ft (9.5 mm x 30 m)	3/8 in x 100 ft (9.5 mm x 30 m)
	Tip(s)	RAC X 425	RAC X 425	RAC X 427 and 531	RAC X 427 and 531	RAC X 427 and 531
	Filter	60 Mesh Easy Out	60 Mesh Easy Out	60 Mesh Easy Out	60 Mesh Easy Out	60 Mesh Easy Out
	PUMP	Type	QuikChange System	ProConnect 2	QuikChange System	ProConnect 2
	Rod	Chromex	Chromex	Chromex	Chromex	Chromex
	Sleeve	Hardened SST	Hardened SST	Hardened SST	Hardened SST	MaxLife Extreme Duty
ADDITIONAL SERIES FEATURES		-	QuikReel	-	QuikReel	Roll Cage Frame
		-	FastFlush	-	FastFlush	LED Display
		-	LED Display	-	LED Display	WatchDog
		-	WatchDog	-	WatchDog	Flat-Proof Tires
		-	On-Board Toolbox	-	On-Board Toolbox	FastFlush
MANUAL	Operation	332916	332916	332916	332916	332916
	Parts	332918	332918	332918	332918	332918
TYPICAL APPLICATIONS	Materials Sprayed	Oil-based coatings, enamels, latex, block-fillers, elastomerics, epoxies, drywall mud and other high-build materials	Oil-based coatings, enamels, latex, block-fillers, elastomerics, epoxies, drywall mud and other high-build materials	Oil-based coatings, enamels, latex, block-fillers, elastomerics, epoxies, drywall mud and other high-build materials	Oil-based coatings, enamels, latex, block-fillers, elastomerics, epoxies, drywall mud and other high-build materials	Oil-based coatings, enamels, latex, block-fillers, elastomerics, epoxies, drywall mud and other high-build materials
	Surfaces	Medium to large residential and commercial interiors and exteriors	Medium to large residential and commercial interiors and exteriors	Medium to large residential and commercial interiors and exteriors	Medium to large residential and commercial interiors and exteriors	Large commercial and industrial interiors and exteriors

TexSpray Mark X 240 Volt

SPECIFICATIONS	Maximum Tip Size	0.045
	Maximum psi (bar)	3300 (227)
	Maximum gpm (lpm)	2.10 (7.9)
	Motor/Engine	MaxPower 4.0 hp Brushless DC
	Control	SmartControl 3.0
	Weight lb (kg)	142 (64)
	Compressor Air Output	Compressor and Air Atomizer Kit required for some texture finishes



SERIES TYPE		STANDARD	PROCONTRACTOR
MODEL	Part Number	16W908	16X099
INCLUDES	Gun	Heavy-Duty Inline Texture	Heavy-Duty Inline Texture
	Hose	1/2 in x 50 ft (13 mm x 15 m)	1/2 in x 100 ft (13 mm x 30 m)
	Tip(s)	LTX531 and LTX541	LTX531 and LTX541
	Filter	60 Mesh Easy Out	60 Mesh Easy Out
PUMP	Type	QuikChange System	ProConnect 2
	Rod	Chromex	Chromex
	Sleeve	Hardened SST	Hardened SST
ADDITIONAL SERIES FEATURES		-	QuikReel
		-	-
		-	LED Display
		-	WatchDog
		-	On-Board Toolbox
MANUAL	Operation	332916	332916
	Parts	332918	332918
TYPICAL APPLICATIONS	Materials Sprayed	Oil-based coatings, enamels, latex, block-fillers, elastomerics, epoxies, drywall mud and other high-build materials	Oil-based coatings, enamels, latex, block-fillers, elastomerics, epoxies, drywall mud and other high-build materials
	Surfaces	Large residential and commercial interiors and exteriors	Large residential and commercial interiors and exteriors



		TexSpray 5900 HD
SPECIFICATIONS	Maximum Tip Size	0.043
	Maximum psi (bar)	3300 (227)
	Maximum gpm (lpm)	1.60 (6.0)
	Motor/Engine	Honda 160 cc (5.5 hp)
	Control	SmartControl 3.0
	Weight lb (kg)	147 (67)
	Compressor Air Output	Compressor and Air Atomizer Kit required for some texture finishes

		TexSpray 7900 HD
		0.048
		3300 (227)
		2.20 (8.3)
		Honda 200 cc (6.5 hp)
		SmartControl 3.0
		159 (72)
		Compressor and Air Atomizer Kit required for some texture finishes



SERIES TYPE		STANDARD	PROCONTRACTOR
MODEL	Part Number	16W889	16W882
INCLUDES	Gun	Heavy-Duty Texture	Heavy-Duty Texture
	Hose	3/8 in x 50 ft (9.5 mm x 15 m)	3/8 in x 100 ft (9.5 mm x 30 m)
	Tip(s)	LTX427 and LTX531	LTX427 and TX531
	Filter	60 Mesh Easy Out	60 Mesh Easy Out
PUMP	Type	QuikChange System	ProConnect 2
	Rod	Chromex	Chromex
	Sleeve	Hardened SST	Hardened SST
ADDITIONAL SERIES FEATURES		-	QuikReel
		-	-
		-	LED Display
		-	WatchDog
		-	On-Board Toolbox
MANUAL	Operation	332919	332919
	Parts	332921	332921
TYPICAL APPLICATIONS	Materials Sprayed	Oil-based coatings, enamels, latex, block-fillers, elastomers, epoxies, drywall mud and other high-build materials	Oil-based coatings, enamels, latex, block-fillers, elastomers, epoxies, drywall mud and other high-build materials
	Surfaces	Medium to large residential and commercial interiors and exteriors	Medium to large residential and commercial interiors and exteriors

		STANDARD	PROCONTRACTOR	IRONMAN
		16W890	16W888	16X949
		Heavy-Duty Texture	Heavy-Duty Texture	Heavy-Duty Texture
		3/8 in x 50 ft (9.5 mm x 15 m)	3/8 in x 100 ft (9.5 mm x 30 m)	3/8 in x 100 ft (9.5 mm x 30 m)
		LTX427 and LTX531	LTX427 and LTX531	LTX427 and LTX531
		60 Mesh Easy Out	60 Mesh Easy Out	60 Mesh Easy Out
		QuikChange System	ProConnect 2	ProConnect 2
		Chromex	Chromex	Chromex
		MaxLife Extreme Duty	MaxLife Extreme Duty	MaxLife Extreme Duty
		-	QuikReel	Roll Cage Frame
		-	-	LED Display
		-	LED Display	WatchDog
		-	WatchDog	Flat-Proof Tires
		-	On-Board Toolbox	
		332919	332919	332919
		332921	332921	332921
		Oil-based coatings, enamels, latex, block-fillers, elastomers, epoxies, drywall mud and other high-build materials	Oil-based coatings, enamels, latex, block-fillers, elastomers, epoxies, drywall mud and other high-build materials	Oil-based coatings, enamels, latex, block-fillers, elastomers, epoxies, drywall mud and other high-build materials
		Large residential and commercial interiors and exteriors	Large residential and commercial interiors and exteriors	Large commercial and industrial interiors and exteriors

		TexSpray DutyMax GH 230DI Convertible
SPECIFICATIONS	Maximum Tip Size	0.053
	Maximum psi (bar)	3300 (227)
	Maximum gpm (lpm)	2.35 (8.9)
	Motor/Engine	Honda 200 cc (6.5 hp)
	Control	—
	Weight lb (kg)	203 (92)
	Compressor Air Output	Compressor and Air Atomizer Kit required for some texture finishes

		TexSpray DutyMax GH 300DI
		0.057
		3300 (227)
		3.0 (11.4)
		Honda 270 cc (9.0 hp)
		—
		218 (99)
		Compressor and Air Atomizer Kit required for some texture finishes



SERIES TYPE		STANDARD	PROCONTRACTOR
MODEL	Part Number	24W943 Gas Only 24W944 Gas and 120V Electric (non CSA) 24W945 Gas and 120V Electric (CSA)	24W962 Gas Only 24W963 Gas and 120V Electric (non CSA) 24W964 Gas and 120V Electric (CSA) 17G592 Diesel Only
INCLUDES	Gun	Heavy-Duty Texture	Heavy-Duty Texture
	Hose	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless 1/4 in x 3 ft (6.4 mm x 0.9 m) BlueMax II Whip Hose	3/8 in x 100 ft (9.5 mm x 30 m) BlueMax II Airless 1/4 in x 3 ft (6.4 mm x 0.9 m) BlueMax II Whip Hose
	Tip(s)	LTX427 and LTX531	LTX427 and LTX531
	Filter	60 Mesh Easy Out	60 Mesh Easy Out
PUMP	Type	QuikChange System	ProConnect 2
	Rod	Hard Chrome	Hard Chrome
	Sleeve	Hardened SST	MaxLife Extreme Duty
ADDITIONAL SERIES FEATURES		—	QuikReel
		—	Heavy-Duty Rock Catcher
		—	
		—	
		—	
MANUAL	Operation		
	Parts		
TYPICAL APPLICATIONS	Materials Sprayed	Oil-based coatings, enamels, latex, block-fillers, elastomers, epoxies, drywall mud and other high-build materials	Oil-based coatings, enamels, latex, block-fillers, elastomers, epoxies, drywall mud and other high-build materials
	Surfaces	Medium to large residential and commercial interiors and exteriors	Medium to large residential and commercial interiors and exteriors

		STANDARD	PROCONTRACTOR
		24W967	24W968
		Heavy-Duty Inline	Heavy-Duty Inline
		1/2 in x 50 ft (13 mm x 15 m) BlueMax II Airless 3/8 in x 10 ft (9.5 mm x 0.9 m) BlueMax II Whip Hose	1/2 in x 50 ft (13 mm x 15 m) BlueMax II Airless 3/8 in x 10 ft (9.5 mm x 0.9 m) BlueMax II Whip Hose
		LTX643 and WR1239	LTX643 and WR1239
		60 Mesh Easy Out	60 Mesh Easy Out
		QuikChange System	ProConnect 2
		Hard Chrome	Hard Chrome
		Hardened SST	MaxLife Extreme Duty
		—	QuikReel
		—	Heavy-Duty Rock Catcher
		—	
		—	
		—	
		Oil-based coatings, enamels, latex, block-fillers, elastomers, epoxies, drywall mud and other high-build materials	Oil-based coatings, enamels, latex, block-fillers, elastomers, epoxies, drywall mud and other high-build materials
		Medium to large residential and commercial interiors and exteriors	Medium to large residential and commercial interiors and exteriors



ABOUT GRACO

PROVEN QUALITY. LEADING TECHNOLOGY.

Founded in 1926, Graco is a world leader in fluid handling systems and components. Graco products move, measure, control, dispense and apply a wide range of fluids and viscous materials used in vehicle lubrication, commercial and industrial settings.

The company's success is based on its unwavering commitment to technical excellence, world-class manufacturing and unparalleled customer service. Working closely with qualified distributors, Graco offers systems, products and technology that set the quality standard in a wide range of fluid handling solutions. Graco provides equipment for spray finishing, protective coating, paint circulation, lubrication, and dispensing sealants and adhesives, along with power application equipment for the contractor industry. Graco's ongoing investment in fluid management and control will continue to provide innovative solutions to a diverse global market.

GRACO LOCATIONS

MAILING ADDRESS

P.O. Box 1441
Minneapolis, MN 55440-1441
Tel: 612-623-6000
Fax: 612-623-6777

AMERICAS

MINNESOTA

Worldwide Headquarters
Graco Inc.
88-11th Avenue N.E.
Minneapolis, MN 55413

EUROPE

BELGIUM

European Headquarters
Graco N.V.
Industrieterrein-Oude Bunders
Slakweidestraat 31
3630 Maasmechelen,
Belgium
Tel: 32 89 770 700
Fax: 32 89 770 777

ASIA PACIFIC

AUSTRALIA

Graco Australia Pty Ltd.
Suite 17, 2 Enterprise Drive
Bundoora, Victoria 3083
Australia
Tel: 61 3 9468 8500
Fax: 61 3 9468 8599

CHINA

Graco Fluid Equipment
(Shanghai) Co., Ltd
Building 7, 1029 Zhongshan
Road South
Huangpu District, Shanghai,
200011, China
Tel: 86 512 6260 5711
Fax: 86 21 6495 0077

INDIA

Graco Hong Kong Ltd.
India Liaison Office
Room 443, Augusta Point
Regus Business Centre 53
Golf Course Road
Gurgaon, Haryana
India 122001
Tel: 91 124 435 4208
Fax: 91 124 435 4001

JAPAN

Graco K.K.
1-27-12 Hayabuchi
Tsuzuki-ku
Yokohama City, Japan 2240025
Tel: 81 45 593 7300
Fax: 81 45 593 7301

KOREA

Graco Korea Inc.
Shinhan Bank Building
4th Floor #1599
Gwanyang-Dong, Dongan-Ku,
Anyang-si, Korea 431-060
Tel: 82 31 476 9400
Fax: 82 31 476 9801

SALES/ DISTRIBUTION/ SERVICE

Call today for product information or to request a demonstration.

800-690-2894 or visit us at www.graco.com.

Graco Inc. is registered to I.S. EN ISO 9001

North America
Customer Service
800-690-2894
Fax 800-334-6955

©2018 Graco Inc. 300581 Rev. 0 1/18. All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice. All other brand names or marks are used for identification purposes and are trademarks of their respective owners. Blue is a trademark of Graco Inc. for Contractor Equipment Sprayers. Product covered by issued and pending patents. see graco.com/us/en/patents