GAS AIRLESS SPRAYERS

Graco's Complete Line of Professional Gas Airless Sprayers





PROVEN QUALITY. LEADING TECHNOLOGY.



THERE IS NOTHING LIKE A Graco Sprayer

Experienced contractors know the difference. Graco gas airless sprayers are powerful, efficient investments that keep you spraying and save you money to move your business forward.

TRUST YOUR BUSINESS AND REPUTATION TO GRACO

Graco is committed to providing the highest quality gas airless sprayers available, backed by the industry's best warranty.

AMERICAN BUILT QUALITY SINCE 1926

100% factory-tested and field-proven Graco professional gas airless sprayers are designed, manufactured, and assembled in the USA with global components.

INDUSTRY-LEADING WARRANTY

Behind every Graco sprayer is the industry's strongest warranty. You may never need Graco's warranty — but if you do, we will be there.

GRACO-ONLY SOLUTIONS TO KEEP YOU SPRAYING



PATENT PENDING

THE LONGEST LASTING PUMPS EVER BUILT

- Longest life in the industry with Vortex[™] rotating piston rod
- 6X more gallons sprayed between repacks
- Extends pump rod life by 3X delivering the industry's lowest cost of ownership



(PATENTED)

THE EASIEST MAINTENANCE

- Swap your pump in minutes no tools needed
- · Eliminate costly jobsite downtime
- Easier and faster than ever to service your sprayer

GRACO EXCLUSIVE

LARGE, DURABLE FILTRATION

- Easy Out[™] vertical filtration ensures a quality finish with less mess
- Crushproof Inlet Strainer withstands harsh impacts to maintain filtering and flow







EASY HOSE MANAGEMENT

(PATENTED)

- Deploy and rewind up to 300 feet of hose in seconds
- No twisting, kinking, or coiling
- Use only the hose you need the rest stays on the reel

SMARTCONTROL[™]

GRACO EXCLUSIVE

PRECISION SPRAYING Control

- Precision pressure control that delivers a consistent spray fan without pressure fluctuations
- Ideal for Low Pressure Tips commonly used for fine finish work and low overspray applications
- Monitors sprayer gallons, hours, and spray pressure

ADVANTAGE DRIVE™

GRACO EXCLUSIVE

THE LONGEST Lasting Drive

- The most dependable, longest lasting drive in the industry, backed by a lifetime warranty
- Hardened steel gears engineered to provide extremely quiet operation



CHOOSE THE RIGHT GAS AIRLESS SPRAYER

Our mission is to fit you to the sprayer that is sized for the work you do to get the job done right, every time.

CURRENT AND FUTURE JOBSITE FACTS TO CONSIDER WHEN SELECTING YOUR GRACO GAS SPRAYER:

- · How many gallons per week will you spray?
- What hose lengths will you use?
- How many guns will you use?
- What tip sizes?
- What types of jobs will you bid?
- What types of materials will you spray?

FIND THE SPRAYER THAT FITS

			STANDARD		STANDARD	PROCONTRA
	RECOMMENDED Sprayer	GMAX° 3400	•	GMAX II 3900 GH™ 130	•	
	PRODUCTION	LOW Up to 250 g	allons per week	MEDIUM Up to 500 gallons per week		
	NEEDS	LOW 1 gun Up to 0.027 tip / Up to 0.75 gpm		MEDIUM 2 gun Up to 0.037 tip / Up to 1.3 gpm		
	JOB TYPES	LIGHT Small Residentia Property Mainter	II, Repaint/Remodel, nance	LIGHT / MEDIUM Medium Residential, Repaint/Remodel, Property Maintenance, Light Commercial		1
	MATERIALS	LIGHT Lacquers and St Interior/Exterior I Enamels, Acrylic	_atex,	LIGHT / MEDIUM Lacquers and Stains, Interior/Exterior Latex, Enamels, Acrylics, Oil-Based Primers		tex,



CTOR™		STANDARD	PROCONTRACTOR	IRONMAN		STANDARD	PROCONTRACTOR	IRONMAN
•	GMAX II 5900	•	•	•	GMAX II 7900	•	•	•
	GH 200	•	•		GH 230 GH 300	•		
	HIGH Up to 1,000	gallons per week	ζ		HIGH Up to 1,000	0 gallons per wee	k	
	HIGH Up to 4 guns Up to 0.047 tip / Up to 2.15 gpm		HIGHEST Up to 5 guns Up to 0.057 tip / Up to 3.0 gpm					
	LIGHT / HEAVY Interior/Exterior, Residential, Light Commercial		HEAVY DUTY Exterior Residential, Heavy Commercial, Industrial			l		
	LIGHT / HEAVY Interior/Exterior L Acrylics, Block Fi		Primers,		HEAVY DUTY Interior/Exterior Block Fillers, Dry		d Primers, Epoxie Cs	S,

*All sprayers are capable of spraying with up to 300 feet of hose, but maximum length will change depending on material thickness, hose diameter, and tip size.

CHOOSE THE RIGHT SERIES OF GAS AIRLESS SPRAYERS FOR YOUR BUSINESS

Only Graco is committed to meeting the needs of professional painting contractors by offering up to three different series of gas airless sprayer models.



EVERYDAY RELIABILITY Small Residential and Repainting Contractor

- Painting multiple days a week
- Typically working on smaller jobs
- Don't need a lot of extra features



WORK SMARTER, FINISH MORE JOBS Large Residential and Commercial Contractor

- Painting every day frequently from job to job
- Tackling medium to large projects
- Requiring features to get you to the next jobsite faster



BEYOND JOBSITE TOUGH Large Commercial and Industrial <u>Contractor</u>

- Painting continuously in less-than-ideal conditions
- Working on long-duration projects with large material volumes
- Require extreme durability and reliability





MORE PRODUCTION IN LESS TIME GMAX DIRECT DRIVE TECHNOLOGY

The most efficient spraying technology available, allowing you to get more work done with less effort while saving you time and money.

Through our Direct Drive Technology, an engine powers the pump from a clutch and geared drivetrain.

SAVE UP TO \$800 PER YEAR!



WORK EASIER

• Easier loading/unloading and jobsite portability — 20% lighter weight and a smaller footprint than hydraulic units

• Save up to \$500 a year—use up to 30% less gas than hydraulic units





LESS MAINTENANCE

BURN LESS FUEL

• Save up to \$300 a year no hydraulic fluid or filter changes

INCREDIBLE DURABILITY

- MaxLife[®] and MaxLife Extreme pumps last 6X longer between pump repacks
- Lifetime Guarantee on gear train and pinion housing



BREAKTHROUGH ENDURANCE[™] VORTEX MAXLIFE AND MAXLIFE EXTREME[™] TECHNOLOGY THE LONGEST LASTING GMAX PUMPS EVER BUILT







SPRAYS THE WIDEST RANGE OF COATINGS

- Oversized clearances for maximum performance
- Maximum flow with heavy materials

EASIEST SERVICE IN THE INDUSTRY

QuikPak[™] Cartridge System

- Repack the entire pump in minutes
- ProConnect[™] 2 Pump Replacement
- Complete no-tools pump replacement system

QuikAccess[™] Intake Foot Valve

Clear debris faster with easy inlet ball access



THE BEST JUST GOT BETTER VORTEX ROTATING PISTON TECHNOLOGY KEEPS YOU SPRAYING

(PATENT PENDING)

Built with Graco exclusive EXTREME ROD that is an abrasion-resistant composite to deliver the most durable, hardest wear surface possible

6X more gallons sprayed between repacks — Extreme Composite extends pump rod life by 3X, delivering the industry's lowest cost of ownership



De

360° WEAR SURFACE

Delivers the longest pump life

PATENT PENDING VORTEX TECHNOLOGY Rotating rod for extended life

HELICAL DESIGN

Delivers high-velocity flow to rotate pump rod as you spray









NEW WAY Modular pre-oiled cartridge packings install correctly every time









1) Insert pre-oiled packing cartridge assembly 2) Remove disposable clip

3) Assemble pump

GMAX STANDARD SERIES EVERYDAY RELIABILITY



Unmatched durability and performance, with the capability to handle the widest range of tip sizes, longer hose lengths, and heavier coatings with ease.



THE MOST RELIABLE PUMP

Endurance Chromex Piston Pump

- Lasts 2X longer than the next leading brand
- Repack the pump in minutes with the new QuikPak Cartridge System
- QuikChange[™] pump design allows you to swap the pump easily on the job
- Faster cleaning with the QuikAccess intake foot valve



CONSISTENT SPRAY FAN AND PRESSURE CONTROL

SmartControl[™] 3.0

- Handles the widest range of coatings with the most consistent fan pattern
- Lowest dead band at any pressure

THE LONGEST LASTING DRIVE Advantage Drive™

- Hardened steel gears engineered to provide extremely quiet operation
- Lifetime Warranty

RELIABLE, POWERFUL, AND EASY TO START

Honda[®] Engines

- Oil Alert shuts down engine to prevent damage if oil level drops too low
- · Contractor preferred

EASY MAINTENANCE AND LESS CLOGGING

Easy Out Pump Filter

- Exclusive inside-out filtering process won't collapse, and ensures a quality finish
- Vertical design for less mess

MAINTENANCE-FREE HIGH-PRESSURE DUMPING

Heavy-Duty Prime Valve

 Maintenance-free design withstands high-pressure dumping

RUGGED AND EASY TO MANEUVER

Durable Cart Design

- Thick chrome over steel frame and pneumatic wheels to handle tough jobsite conditions
- Retractable handle doubles as coiled hose storage

ALL-DAY COMFORT AND CONTROL

New Contractor PC[™] Gun

- Lightest weight gun in its class
- Up to 50% lighter trigger pull force
- E-Z Fit[™] adjustable trigger length
- Complete no-tools gun rebuild in seconds with ProConnect

All GMAX II 7900 sprayers feature Graco's extreme-duty MaxLife Pump:

- Lasts 6X longer between repacks
- Features exclusive hardened MaxLife sleeve and rod
- Oversized clearances ensure minimal pressure drop



Ready to Spray: Complete with Spray Gun, 50' Blue Max^{TM} II hose, and RAC X^{TM} SwitchTipTM

GMAX MODELS	STANDARD	LO-BOY	CONVERTIBLE
GMAX 3400	17E825		
GMAX II 3900	17E827	17E826	
GMAX II 5900	17E831	17E829	17E830
GMAX II 7900	17E836	17E834	

GMAX PROCONTRACTOR SERIES WORK SMARTER, FINISH MORE JOBS

Designed to deliver speed and performance so you can get

to the next jobsite faster and increase your profits.

ProContractor Series sprayers also include all Standard Series features:

- SmartControl 3.0
- Precision Advantage Drive
- Honda Engine
- Easy Out Pump Filter
- · Heavy-Duty Prime Valve
- Rugged, Durable Cart Design
- NEW Contractor PC Gun



New Endurance Vortex MaxLife Piston Pump

Breakthrough Vortex Rotating Rod Technology Keeps You Spraying:

- Oversized passages for high-velocity flow to rotate rod for even wear
- Lasts 6X longer between repacks with innovative MaxLife technology
- Repack pump in minutes with new QuikPak cartridge repair system

ELIMINATE COSTLY Downtime

ProConnect 2 One-Part Pump Replacement System PATENTED

 Pump swaps in 1 minute or lessno tools, pins, or parts to lose

EASY HOSE MANAGEMENT

QuikReel[™] Hose Management System (PATENTED)

- Deploy and rewind up to 300 feet
 of hose in seconds
- No twisting, kinking, or coiling
- Use only the hose you need the rest stays on the reel

IMPROVED FILTRATION

Crushproof Inlet Strainer

• Stands up to harsh impacts to maintain filtering and flow

PUMP DAMAGE PROTECTION

WatchDog[™] Pump Protection System

• Automatically shuts down the pump if the material supply is too low

EASY-TO-READ PERFORMANCE

LED Display

Displays pressure, gallon counter, and diagnostics



GMAX MODELS	PROCONTRACTOR
GMAX II 3900	17E828
GMAX II 5900	17E832
GMAX II 7900	17E837



MAXLIFE



IronMan Series sprayers are designed and built to handle the most brutal and demanding conditions — typically found on large commercial and industrial jobsites.



THE LONGEST LIFE EVER

New Endurance Vortex MaxLife Extreme Piston Pump

Breakthrough Vortex Rotating Rod Technology Keeps You Spraying:

- Oversized passages for high-velocity flow to rotate rod for even wear
- 6X more gallons sprayed between repacks. Extreme rod extends pump rod life by 3X
- Graco exclusive abrasion-resistance composite delivers the most durable wear surface
- Repack pump in minutes with new QuikPak cartridge repair system



ELIMINATE COSTLY DOWNTIME ProConnect 2 One-Part Pump Replacement System (PATENTED)

• Pump swaps in 1 minute or less — no tools, pins, or parts to lose



NEVER HAVE A FLAT AGAIN Flat Proof Tires

 No tire puncturing from nails, screws, or any sharp debris



IMPROVED FILTRATION Crushproof Inlet Strainer

 Stands up to harsh impacts to maintain filtering and flow



EASY-TO-READ PERFORMANCE LED Display

• Displays pressure, gallon counter, and diagnostics



IronMan Series sprayers also include all Standard Series features:

- SmartControl 3.0
- · Precision Advantage Drive
- Honda Engine
- · Easy Out Pump Filter
- Heavy-Duty Prime Valve
- Rugged, Durable Cart Design
- NEW Contractor PC Gun

GMAX SERIES	IRONMAN	ROOF RIG
GMAX II 5900	17E833	
GMAX II 7900	17E838	17E835



Ready to Spray: Complete with Spray Gun, 50' Blue Max II hose, and RAC X SwitchTip

HYDRAULIC TECHNOLOGY GH HYDRAULIC TECHNOLOGY

Graco's powerful GH hydraulic units are built for high-production contractors spraying a wide range of thick materials on large commercial jobs.

Hydraulic sprayers use a gas engine or an electric motor to power a hydraulic system that drives the fluid pump.

INCREDIBLE DURABILITY

Built to withstand the most extreme abuse

- Exclusive Crushproof Inlet Strainer
- · Shroud support protects belt from jobsite damage
- Durable steel frame withstands rugged environments
- · Heavy-duty prime valve withstands high-pressure dumping

LESS MAINTENANCE

Innovative component designs keep you spraying

- Inside-out filter flow and oversized filter surface prevent filter collapsing
- · High-pressure form-fitted hydraulic fittings and lines eliminate leaks

REDUCED DOWNTIME

Chromex and MaxLife pumps provide long life between pump repacks

- ProConnect Pump Replacement System
- · Pump removal and replacement in minutes (ProContractor Series only)
- · Efficiently cooled hydraulic fluid only needs changing once per year

BUILT FOR HOW YOU WORK

QuikReel Hose Management System

- · Increased versatility with flexible material hose
- · Deploying and rewinding up to 300 feet of hose in seconds



UNMATCHED RELIABILITY GAS HYDRAULIC ENDURANCE PUMPS

AN ENDURANCE PUMP FOR EVERY APPLICATION

Endurance Piston Pump (Standard Series)

- · Lasts 2X longer than the next leading brand
- Chromex rod and hardened stainless steel sleeve deliver superior reliability and life
- Long-life V-Max Blue[™] Packings

Endurance MaxLife Piston Pump (ProContractor Series)

- · Lasts 6X longer between repacks
- Exclusive MaxLife sleeve and rod are built for the most demanding jobs, delivering extended durability and life



EASIEST SERVICE IN The Industry

ProConnect Pump Replacement System

• Swap your pump in minutes—no tools (ProContractor Series only)

QuikAccess Intake Foot Valve

Clear debris faster with easy inlet ball access



SPRAYS THE WIDEST Range of Coatings

- Oversized clearances for maximum performance
- Maximum flow and less pack-out for heavy materials



FINISH EVERY JOB, EVERY TIME

Downtime is costly. With the Endurance Advantage Program, you'll never need to worry about it again. Depending on the sprayer you purchase:

Receive up to 70% OFF the list price of an Endurance Pump OR—Receive a FREE Repair Kit if you'd rather repack your own pump.

Follow the registration instructions included with your sprayer.



Endurance Chromex Pump for GH Lasts 2X longer than competing pumps Endurance MaxLife Pump for GH 6X longer between repacks

GH™ STANDARD SERIES SEBLES **EVERYDAY RELIABILITY**

Graco's Standard Series sprayers deliver durability and performance for painting multiple projects a week, time after time.



EASY MAINTENANCE AND LESS CLOGGING

Easy Out Pump Filter

- · Easier filter cleaning and less mess with fewer tip clogs to ensure a quality finish
- Won't collapse or get stuck with inside-out filtering process

RUGGED AND EASY-TO-MANEUVER

Durable Cart Design

- Withstands the tough jobsite conditions while absorbing impacts and vibrations
- · Retractable handle doubles as coiled hose storage
- Heavy-duty frame design easily fits for quick service on the jobsite

MAINTENANCE-FREE HIGH-PRESSURE DUMPING

Heavy-Duty Prime Valve

· Maintenance-free design withstands high-pressure dumping.

INDOOR AND OUTDOOR USE

Electric Motor Kit

 Quickly swap the gas engine for an electric motor in secondswithout tools

> Ready to Spray: Complete with Spray Gun, 50' Blue Max II hose, and RAC X SwitchTip



GAS HYDRAULIC MODELS	STANDARD (GAS ONLY)	W/ ELECTRIC MOTOR (NON-CSA)	W/ELECTRIC MOTOR (CSA)
GH 130 Convertible	24W923	24W924	
GH 200 Convertible	24W925	24W926	
GH 230 Convertible	24W929	24W930	24W931
GH 300	24W935		

Contractor preferred

GH PROCONTRACTOR SERIES WORK SMARTER, FINISH MORE JOBS



Designed to deliver speed and performance so you can get to the next jobsite faster and increase your profits.



LONGER PUMP LIFE

Endurance MaxLife Piston Pump

- · Lasts 6X longer between repacks
- Minimal pressure drop and increased performance
- Maximum versatility no matter what you're spraying

EASY HOSE MANAGEMENT

QuikReel Hose Management System (PATENTED)

- Deploy and rewind up to 300 feet of hose in seconds
- No twisting, kinking, or coiling
- Use only the hose you need the rest stays on the reel



ELIMINATE COSTLY DOWNTIME

ProConnect One-Part Pump Replacement System PATENTED

- Fast and easy pump replacement pinless design needs no tools
- Eliminates costly downtime



IMPROVED FILTRATION Crushproof Inlet Strainer

 Stands up to harsh impacts to maintain filtering and flow



ProContractor Series sprayers also include all Standard Series features:

- High-Efficiency Hydraulic Motor
- High-Capacity Cooling System
- Honda Engine
- · Easy Out Pump Filter
- Heavy-Duty Prime Valve
- Rugged, Durable Cart Design
- Electric Motor Kit (optional)

Ready to Spray: Complete with Spray Gun, 100' Blue Max II hose, and RAC X SwitchTip

GAS HYDRAULIC MODELS	PROCONTRACTOR (GAS ONLY)	W/ ELECTRIC MOTOR (NON-CSA)	W/ELECTRIC MOTOR (CSA)
GH 200 Convertible	24W927	24W928	
GH 230 Convertible	24W932	24W933	24W934
GH 300 Convertible	24W936		



EXPAND YOUR CAPABILITIES GRACO TEXTURE SOLUTIONS

When you need to spray thick and heavy materials, Graco offers the TexSpray[™] HD, TexSpray DutyMax,[™] and TexSpray GH Big Rig[™] sprayers designed to deliver maximum flow and pressure for spraying heavy coatings with ease.

TEXSPRAY HD AIRLESS SPRAYERS

Ideal for Exterior Applications

- Ideal for spraying elastomerics, waterproofing, vapor barriers, roof coatings, and other heavy exterior coatings
- · Easily spray the full range of paints and primers
- · Unmatched fuel economy and a lifetime drivetrain warranty

TEXSPRAY DUTYMAX SPRAYERS

Engineered for the Heaviest Texture Applications

- Designed to deliver maximum flow and pressure from pump to gun
- Easily spray everything from skim coat in a Level 5 finish, fire stop, intumescent, elastomeric, or any other high-viscosity coatings
- Ability to convert from a gas engine to an electric motor in seconds with no tools

Check out the Texture Sprayers brochure (Part #300581), or visit graco.com/TexSpray



GH BIG RIG AIRLESS SPRAYERS

The Highest Pressure and Flow for the Heaviest Materials

- · High pressure for long hose runs and hard-to-atomize materials
- · High flow rates for heavier coverage
- Maximum performance and versatility-no need for multiple rigs
- Exclusive customizable QuikChange lowers handle multiple coatings

Check out the GH Big Rig brochure (Part #342550), or visit graco.com/GHBigRig





		GMAX 3400
	Maximum Tip Size	0.027
	Maximum psi (bar)	3300 (227)
	Maximum gpm (lpm)	0.75 (2.8)
	Honda Engine CC (HP)	120 (4.0)
SNOIT	Control	SmartControl 3.0
IFICA	Control Weight Ib (kg) Gun Support (Gas):	89 (41)
SPEC	Gun Support (Gas): 1 Gun 2 Guns 3 Guns 4 Guns	0.027 - - -
	Gun Support (Electric): 1 Gun 2 Guns	N/A

GMAX II 3900
0.036
3300 (227)
1.25 (4.7)
120 (4.0)
SmartControl 3.0
109 (50)
0.036 0.023 - -
N/A



	SERIES TYPE	STANDARD
MODEL	Cart Design— Part Number	17E825
	Туре	Endurance
MN	Rod	Chromex
E	Sleeve	Hardened SST
	Removal	QuikChange
	NEW! Endurance Pump	•
	Honda Engine	
	Advantage Drive	\bullet
	Easy Out	\bullet
	SmartControl 3.0	•
	LED Display	
<u>89</u>	WatchDog	
ATURE	QuikReel	
FB	ProConnect 2	
	NEW! Flat Proof Tires	
	NEW! Crushproof Inlet Strainer	
	NEW! Contractor PC Gun	\bullet
	Тір	RAC X LTX 517
	Hose	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless
	Replacement Pump	246428
RTS	Repair Kit	244194
NEAR PARTS	Rod	249125
ME	Sleeve	_
	Intake Seat Kits	246429
UNAL	Operation and Parts	3A6400
MAN	Pump	3A6584







LO-BOY	CONVERTIBLE
17E829	17E830
Endurance	Endurance
Chromex	Chromex
Hardened SST	Hardened SST
ProConnect 2	QuikChange
•	•
•	\bullet
	\bullet
•	•
•	•
•	•
RAC X LTX 517	RAC X LTX 517
1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless
16X419	16Y706
17H839	17H839
16X435	248207
248210	248210
244199	244199
3A6400	3A6400
3A6583	3A6584

LO-BOY	STANDARD	PROCONTRACTOR
17E826	17E827	17E828
Endurance	Endurance	Endurance Vortex
Chromex	Chromex	MaxLife
Hardened SST	Hardened SST	MaxLife
ProConnect 2	QuikChange	ProConnect 2
•	•	Vortex
•	•	
\bullet	\bullet	
•	•	•
•	•	
		•
		•
\bullet	•	\bullet
RAC X LTX 517	RAC X LTX 517	RAC X LTX 517
1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airles:
16X414	16Y598	17H823
17H838	17H838	17H841
16X434	248206	17H876
248209	248209	17H864
239922	239922	239922
3A6400	3A6400	3A6400
3A6583	3A6584	3A6583

GMAX II 5900	GMAX II 7900
0.043	0.048
3300 (227)	3300 (227)
1.60 (6.0)	2.20 (8.3)
200 (6.5)	200 (6.5)
SmartControl 3.0	SmartControl 3.0
139 (64)	146 (67)
0.043 0.029 0.023 -	0.048 0.035 0.027 0.023
0.031 0.017	N/A





STANDARD	PROCONTRACTOR	IRONMAN
17E831	17E832	17E833
Endurance	Endurance Vortex	Endurance Vortex
Chromex	MaxLife	MaxLife EXTREME
Hardened SST	MaxLife	MaxLife
QuikChange	ProConnect 2	ProConnect 2
٠	Vortex	Vortex
lacksquare	•	•
•	•	•
•	•	•
•	•	•
	•	•
	•	•
	•	
		•
	•	•
•	•	•
RAC X LTX 517	RAC X LTX 517	RAC X LTX 517
1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless
16Y706	17H824	17H826
17H839	17H842	17H843
248207	17H877	17H879
248210	257031	257031
244199	244199	17H888
3A6400	3A6400	3A6400
3A6584	3A6583	3A6583





		Non.			
1	Į.				
6		2		1	
	ł,		0	5	2

L0-80Y STANDARD PROCONTRACTOR IROUMAN 17E834 17E836 17E837 17E838 Roof Rig-17E835 Endurance Vortex Endurance Vortex Endurance Vortex MaxLife MaxLife MaxLife MaxLife MaxLife MaxLife MaxLife MaxLife MaxLife MaxLife MaxLife MaxLife ProConnect 2 QuikChange ProConnect 2 ProConnect 2 Vortex O O O O O O O O O O O O O O O O O O O O O O O O					
17E834 17E836 17E837 Roof Rig-17E835 Endurance Vortex Endurance Endurance Vortex Endurance Vortex MaxLife MaxLife MaxLife MaxLife MaxLife ProConnect 2 QuikChange ProConnect 2 ProConnect 2 • Vortex • • • • • Ovtex • • •	LO-BOY	STANDARD	PROCONTRACTOR	IRONMAN	
MaxLife MaxLife MaxLife MaxLife MaxLife MaxLife MaxLife MaxLife MaxLife MaxLife MaxLife MaxLife MaxLife ProConnect 2 QuikChange ProConnect 2 ProConnect 2 Vortex ImaxLife ImaxLife ImaxLife ImaxLife ImaxLife <td>17E834</td> <td>17E836</td> <td>17E837</td> <td></td>	17E834	17E836	17E837		
MaxLife MaxLife MaxLife MaxLife MaxLife MaxLife MaxLife MaxLife ProConnect 2 QuikChange ProConnect 2 ProConnect 2 Vortex • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • •	Endurance Vortex	Endurance	Endurance Vortex	Endurance Vortex	
ProConnect 2 QuikChange ProConnect 2 ProConnect 2 • Vortex • • • • • Vortex • • • • • • • • • • • • • • • • • • • • • • • • • • • • • •	MaxLife	MaxLife	MaxLife	MaxLife EXTREME	
Vortex Image: marked bit of the sector of the	MaxLife	MaxLife	MaxLife	MaxLife	
Image: Market in the second	ProConnect 2	QuikChange	ProConnect 2	ProConnect 2	
1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless 17H825 16X423 17H825 17H827 17H840 17H840 17H840 17H840 17H878 249119 17H878 17H880 249121 249121 249121 249121 240918 240918 17H889 17H889 3A6400 3A6400 3A6400 3A6400 3A6400	Vortex	•	Vortex	Vortex	
1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless 17H825 16X423 17H825 17H827 17H840 17H840 17H840 17H840 17H878 249119 17H878 17H880 249121 249121 249121 249121 240918 240918 17H889 17H889 3A6400 3A6400 3A6400 3A6400 3A6400	•	•	•	•	
1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless 17H825 16X423 17H825 17H827 17H840 17H840 17H840 17H840 17H878 249119 17H878 17H880 249121 249121 249121 249121 240918 240918 17H889 17H889 3A6400 3A6400 3A6400 3A6400 3A6400	•	\bullet	\bullet	\bullet	
1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless 17H825 16X423 17H825 17H827 17H840 17H840 17H840 17H840 17H878 249119 17H878 17H880 249121 249121 249121 249121 240918 240918 17H889 17H889 3A6400 3A6400 3A6400 3A6400 3A6400	•	•	•	•	
1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless 17H825 16X423 17H825 17H827 17H840 17H840 17H840 17H840 17H878 249119 17H878 17H880 249121 249121 249121 249121 240918 240918 17H889 17H889 3A6400 3A6400 3A6400 3A6400 3A6400	•	•	•		
1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless 17H825 16X423 17H825 17H827 17H840 17H840 17H840 17H840 17H878 249119 17H878 17H880 249121 249121 249121 249121 240918 240918 17H889 17H889 3A6400 3A6400 3A6400 3A6400 3A6400					
1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless 17H825 16X423 17H825 17H827 17H840 17H840 17H840 17H840 17H878 249119 17H878 17H880 249121 249121 249121 249121 240918 240918 17H889 17H889 3A6400 3A6400 3A6400 3A6400 3A6400			•		
1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless 17H825 16X423 17H825 17H827 17H840 17H840 17H840 17H840 17H878 249119 17H878 17H880 249121 249121 249121 249121 240918 240918 17H889 17H889 3A6400 3A6400 3A6400 3A6400 3A6400			•		
1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless 17H825 16X423 17H825 17H827 17H840 17H840 17H840 17H840 17H878 249119 17H878 17H880 249121 249121 249121 249121 240918 240918 17H889 17H889 3A6400 3A6400 3A6400 3A6400 3A6400	•			•	
1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless 17H825 16X423 17H825 17H827 17H840 17H840 17H840 17H840 17H878 249119 17H878 17H880 249121 249121 249121 249121 240918 240918 17H889 17H889 3A6400 3A6400 3A6400 3A6400 3A6400					
1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless 17H825 16X423 17H825 17H827 17H840 17H840 17H840 17H840 17H878 249119 17H878 17H880 249121 249121 249121 249121 240918 240918 17H889 17H889 3A6400 3A6400 3A6400 3A6400 3A6400			•	•	
1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless 17H825 16X423 17H825 17H827 17H840 17H840 17H840 17H840 17H878 249119 17H878 17H880 249121 249121 249121 249121 240918 240918 17H889 17H889 3A6400 3A6400 3A6400 3A6400 3A6400	•	\bullet	\bullet	\bullet	
(6.4 mm x 15 m) BlueMax II Airless 17H825 16X423 17H825 17H827 17H840 17H840 17H840 17H840 17H878 249119 17H878 17H880 249121 249121 249121 249121 240918 240918 17H889 17H889 3A6400 3A6400 3A6400 3A6400	RAC X LTX 517	RAC X LTX 517	RAC X LTX 517	RAC X LTX 517	
17H840 17H840 17H840 17H840 17H878 249119 17H878 17H880 249121 249121 249121 249121 240918 240918 240918 17H889 3A6400 3A6400 3A6400 3A6400	(6.4 mm x 15 m)	(6.4 mm x 15 m)	(6.4 mm x 15 m)	(6.4 mm x 15 m)	
17H878 249119 17H878 17H880 249121 249121 249121 249121 240918 240918 240918 17H889 3A6400 3A6400 3A6400 3A6400	17H825	16X423	17H825	17H827	
249121 249121 249121 249121 240918 240918 240918 17H889 3A6400 3A6400 3A6400 3A6400	17H840	17H840	17H840	17H844	
240918 240918 240918 17H889 3A6400 3A6400 3A6400 3A6400	17H878	249119	17H878	17H880	
3A6400 3A6400 3A6400 3A6400	249121	249121	249121	249121	
	240918	240918	240918	17H889	
3A6583 3A6584 3A6583 3A6583	3A6400	3A6400	3A6400	3A6400	
	3A6583	3A6584	3A6583	3A6583	

		GH 130 Convertible	GH 200 Convertible	GH 230 Convertible	GH 300
	Maximum Tip Size	0.037	0.047	0.053	0.057
	Maximum psi (bar)	3300 (227)	3300 (227)	3300 (227)	3300 (227)
	Maximum gpm (lpm)	1.30 (4.9)	2.15 (8.14)	2.35 (8.9)	3.00 (11.4)
8	Honda Engine CC (HP)	120 (4.0)	160 (5.5)	200 (6.5)	270 (9.0)
ATION	Weight Ib (kg)	155 (70)	Standard 160 (73) / ProContractor 188 (85)	Standard 168 (76) / ProContractor 193 (88)	Standard 195 (88) / ProContractor 222 (101)
SPECIFICATIONS	Gun Support (Gas): 1 Gun 2 Guns 3 Guns 4 Guns 5 Guns	0.037 0.023 - -	0.047 0.034 0.027 0.023 -	0.053 0.038 0.032 0.028 0.024	0.057 0.039 0.033 0.029 0.025
	Gun Support (Electric): 1 Gun 2 Guns	0.031 0.017	0.031 0.017	0.031 0.017	N/A









	SERIES TYPE	STANDARD	STANDARD	PROCONTRACTOR	STANDARD	PROCONTRACTOR	STANDARD	PROCONTRACTOR
MODEL	Part Number	24W923 Gas 24W924 Gas with Electric Motor (Non-CSA)	24W925 Gas 24W926 Gas with Electric Motor (Non-CSA)	24W927 Gas 24W928 Gas with Electric Motor (Non-CSA)	24W929 Gas 24W930 Gas with Electric Motor (Non-CSA) 24W931 Gas with Electric Motor (CSA)	24W932 Gas 24W933 Gas with Electric Motor (Non CSA) 24W934 Gas with Electric Motor (CSA)	24W935 Gas	24W936 Gas
	Туре	Endurance	Endurance	Endurance	Endurance	Endurance	Endurance	Endurance
PUMP	Rod	Chromex	Chromex	MaxLife	Chromex	MaxLife	Chromex	MaxLife
E	Sleeve	Hardened SST	Hardened SST	MaxLife	Hardened SST	MaxLife	Hardened SST	MaxLife
	Removal	QuikChange	QuikChange	ProConnect	QuikChange	ProConnect	QuikChange	ProConnect
	Endurance Pump		•	•	•	•		•
	Honda Engine		•	\bullet	•	•	•	\bullet
	High-Capacity Cooling System	•	•	•	•	•	•	•
	Easy Out					\bullet		\bullet
\$	High-Efficiency Hydraulic Motor		•	•	•	•	•	•
FEATURES	QuikReel			\bullet		\bullet		•
FEAT	ProConnect							•
	Crushproof Inlet Strainer			•		•		•
	Тір	RAC X 517, 1231	RAC X 517, 1231	RAC X 517, 1231	RAC X 517, 1231	RAC X 517, 1231	RAC X 517, 1231	RAC X 517, 1231
	Hose	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless <i>AND</i> 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless <i>AND</i> 1/4 in x 3 ft (6.4 mm x 0.9 m) BlueMax II Whip Hose	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless <i>AND</i> 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless <i>AND</i> 1/4 in x 3 ft (6.4 mm x 0.9 m) BlueMax II Whip Hose	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless <i>AND</i> 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless
CONTROL & DRIVE	Drive	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic
ENDURANCE PUMP	Replacement Pump	24B748	24W995	24W996	24W997	24W998	24W997	24W998
Ś	Repair Kit	288471	17D601	287813	17D601	287813	17D601	287813
PARTS	Rod	288479	249000	288469	249001	288470	249001	288470
WEAR	Sleeve	248210	248979	249121	248980	287817	248980	287817
	Intake Seat Kit	244199	240918	240918	240918	240918	240918	240918
MANUAL	Operation Parts	334558	334558	334558	334558	334558	334558	334558

ACCESSORIES Spend less time, make more money

Maximize your performance and get to the next job faster by customizing your sprayer with proven Graco Accessories.

NEW CONTRACTOR PC GUNS



FINISH JOBS FASTER WITH LESS FATIGUE Premium Comfort for All-Day Spraying

- · Lightest-weight gun in its class
- Up to 50% lighter trigger pull force
- E-Z Fit adjustable trigger length (PATENT PENDING)

REDUCE DOWNTIME WITH PROCONNECT

Complete Gun Rebuild in Seconds (PATENT PENDING)

· Needle and all wear parts in one simple cartridge



GRACO'S LONGEST-LASTING, MOST DURABLE GUN YET

Industry-Proven Graco Quality

Made in the USA



RAC X LOW PRESSURE SWITCHTIPS PATENTED

- Less prep and cleanup time
- · Less mess with less overspray
- · Easiest pattern overlap
- Up to 2X life
- 46 different sizes for large surface and fine finish applications



Available in sizes 108–731 for fine finish and large surface applications



SIPHON KITS

- · Pump materials directly from containers
- Fits GMAX II 3900/5900/7900 and GH 130/200/230/300
- 5-Gallon Siphon Kit, 30/55-Gallon Siphon Kit, and Siphon Hose Extensions available



ELECTRIC MOTOR KITS

- Quickly swap the gas engine for an electric motor in seconds without tools
- Available for GMAX II 5900 and GH 130/200/230



FOR PART NUMBERS AND MORE DETAILS ON ALL AIRLESS ACCESSORIES:

Visit graco.com/accessories, see Airless Accessories Brochure (part #300621) or ask your local authorized Graco Distributor



SPRAY WITH CONFIDENCE

Industry-Leading Warranty Protection

Every Graco gas sprayer is backed by the industry's best warranty coverage.

3-YEAR HONDA ENGINE WARRANTY*

If the engine fails from normal use, Honda will replace it under warranty for the original owner for 3 years.

LIFETIME DRIVETRAIN Warranty*

If the drivetrain fails from normal use, we'll replace it under warranty for the original owner for the life of the sprayer.

30-DAY "JUST ADD PAINT" REPLACEMENT GUARANTEE*

Dissatisfied? Simply return the sprayer to the place you bought it within 30 days. They'll either exchange it for an identical sprayer or you can trade up to a larger sprayer at an additional cost.

3-YEAR WARRANTY*

Coverage against defects in materials and workmanship on the entire sprayer.

DOWNTIME ELIMINATOR PROGRAM*

Part needed for a warranty repair not in stock at your distributor? Get FREE next business day air freight delivery when distributor orders the part by 2 p.m. CT.

CONVENIENT SERVICE

Graco offers more than 5,500 authorized distributor locations in North America and over 700 locations to administer warranty repair.

RTH AMERICA ONLY. See your local Graco Distributors for country specifics.



Finish Every Job, Every Time

Downtime is costly. With the Endurance Advantage Program, you'll never need to worry about it again. Depending on the sprayer you purchase:

Receive up to 70% OFF the list price of an Endurance Pump OR — Receive a FREE Repair Kit if you'd rather repack your own pump.

Follow the registration instructions included with your sprayer.

For more information visit graco.com



with A+ Customer Service.

Every Graco purchase comes

Call (844) 241-9499

©2019 Graco Inc. 344383 Rev. A 1/19 All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice. Trademarks are referenced herein for identification purposes only. All trademarks are the property of their respective owners. Product covered by issued and pending patents, see graco.com/us/en/patents